

Table 1: Numerical Results for BBSANME, Modified Algorithm 2.1, Algorithm 2.1, DLLA on Problem 1

#Dim	Ip	BBSANME			Modified Algorithm 2.1			Algorithm 2.1			DLLA						
		#itr	#Fev	#Tm	#Nrm	#itr	#Fev	#Tm	#Nrm	#itr	#Fev	#Tm	#Nrm				
1000	x1	10	10	0.007438	4.92E-08	10	14	0.02507	9.53E-06	24	26	0.036107	6.91E-06	19	20	0.050392	6.45E-06
	x2	10	10	0.0037	7.18E-07	11	16	0.009301	5.85E-06	31	33	0.013329	5.81E-06	19	20	0.015032	8.69E-06
	x3	6	6	0.001752	2.14E-07	12	16	0.004145	5.27E-06	27	29	0.010027	5.8E-06	1	2	0.004536	0
	x4	6	6	0.002158	1.41E-06	11	16	0.004919	4.32E-06	21	23	0.008504	5.67E-06	9	10	0.008219	4.34E-06
	x5	10	10	0.004929	7.18E-07	11	16	0.010351	5.85E-06	31	33	0.014949	5.81E-06	19	20	0.01322	8.69E-06
	x6	10	10	0.00161	1.37E-07	19	22	0.005458	9.13E-06	16	18	0.005893	5.07E-06	15	16	0.006072	5.85E-06
5000	x1	10	10	0.004487	4.90E-08	10	14	0.011123	9.58E-06	24	26	0.028683	6.9E-06	19	20	0.030725	6.44E-06
	x2	10	10	0.004195	4.38E-07	12	17	0.012907	2.24E-06	30	32	0.036592	6.42E-06	19	21	0.032534	8.91E-06
	x3	6	6	0.003451	2.20E-07	8	12	0.009927	7.94E-06	26	28	0.027023	6.47E-06	1	2	0.002699	0
	x4	6	6	0.002623	3.13E-06	11	16	0.012729	9.64E-06	22	24	0.031966	6.34E-06	9	10	0.019321	9.57E-06
	x5	10	10	0.00438	4.38E-07	12	17	0.010736	2.24E-06	30	32	0.037468	6.42E-06	19	21	0.03759	8.91E-06
	x6	10	10	0.004124	5.22E-08	20	23	0.020211	1.55E-06	16	18	0.020561	5.12E-06	1	2	0.001858	0
10000	x1	10	10	0.006586	4.89E-08	10	14	0.017218	9.58E-06	24	26	0.071031	6.9E-06	19	20	0.053771	6.44E-06
	x2	10	10	0.00816	3.22E-07	12	17	0.017333	3.03E-06	29	31	0.070876	9.06E-06	19	21	0.070908	7.78E-06
	x3	6	6	0.00425	2.25E-07	8	12	0.015811	8.71E-06	26	28	0.056825	9.14E-06	1	2	0.002459	0
	x4	6	6	0.005965	4.42E-06	12	17	0.022525	2.91E-06	22	24	0.043233	8.96E-06	9	11	0.03424	7.72E-06
	x5	10	10	0.008983	3.22E-07	12	17	0.018997	3.03E-06	29	31	0.066226	9.06E-06	19	21	0.063947	7.78E-06
	x6	10	10	0.008234	2.98E-08	15	19	0.024833	4.31E-06	16	18	0.029429	5.12E-06	1	2	0.004163	0
50000	x1	10	10	0.026816	4.89E-08	10	14	0.062029	9.59E-06	24	26	0.237247	6.89E-06	19	20	0.217261	6.44E-06
	x2	11	11	0.030512	8.77E-09	12	17	0.095015	6.56E-06	30	32	0.29186	5.06E-06	18	19	0.209491	4.52E-06
	x3	6	6	0.017208	2.59E-07	7	11	0.049096	5.92E-06	26	28	0.232895	5.1E-06	14	15	0.180583	3.85E-06
	x4	6	6	0.023055	9.88E-06	12	17	0.093329	6.51E-06	24	26	0.230457	5.01E-06	10	11	0.115021	6.05E-06
	x5	11	11	0.029787	8.77E-09	12	17	0.076286	6.56E-06	30	32	0.24187	5.06E-06	18	19	0.224223	4.52E-06
	x6	10	10	0.032259	1.39E-08	15	18	0.078603	2.59E-06	16	18	0.127472	5.13E-06	1	2	0.00849	0
100000	x1	10	10	0.072931	4.89E-08	10	14	0.13442	9.59E-06	24	26	0.405145	6.89E-06	19	20	0.431991	6.44E-06
	x2	11	11	0.0608	1.57E-08	12	17	0.15643	9.24E-06	29	31	0.46604	7.14E-06	17	18	0.387133	5.41E-06
	x3	6	6	0.029138	3.02E-07	8	12	0.10156	5.82E-06	26	28	0.434523	7.21E-06	15	16	0.338005	3.84E-06
	x4	7	7	0.04184	6.75E-09	12	17	0.13962	9.20E-06	24	26	0.415854	7.09E-06	12	13	0.304602	6.47E-06
	x5	11	11	0.060981	1.57E-08	12	17	0.17211	9.24E-06	29	31	0.523703	7.14E-06	17	18	0.417025	5.41E-06
	x6	8	8	0.04502	7.24E-06	15	18	0.16701	5.43E-06	16	18	0.254492	5.13E-06	1	2	0.02611	0
150000	x1	10	10	0.17617	4.89E-08	10	14	0.34549	9.59E-06	24	26	0.937914	6.89E-06	19	20	1.141721	6.44E-06
	x2	11	11	0.17032	1.27E-08	13	18	0.44984	2.42E-06	29	31	1.343229	8.75E-06	18	19	1.102266	6.69E-06
	x3	6	6	0.079997	3.44E-07	8	12	0.29506	9.23E-06	25	27	1.122242	8.83E-06	15	16	0.925168	3.81E-06
	x4	7	7	0.10415	8.27E-09	13	18	0.47742	2.41E-06	24	26	1.087948	8.68E-06	12	13	0.763858	7.85E-06
	x5	11	11	0.17377	1.27E-08	13	18	0.40201	2.42E-06	29	31	1.212591	8.75E-06	18	19	1.129734	6.69E-06
	x6	8	8	0.13867	5.21E-06	18	21	0.5625	4.41E-06	16	18	0.574614	5.13E-06	1	2	0.047591	0

Table 2: Numerical Results for BBSANME, Modified Algorithm 2.1, Algorithm 2.1, DLA on Problem 2

#Dim	Ip	BBSANME				Modified Algorithm 2.1				Algorithm 2.1				DLA			
		#ltr	#Fev	#Tm	#Nrm	#ltr	#Fev	#Tm	#Nrm	#ltr	#Fev	#Tm	#Nrm	#ltr	#Fev	#Tm	#Nrm
1000	x1	5	5	0.001716	2.48E-06	22	27	0.006063	2.80E-06	16	18	0.007682	8.56E-06	4	5	0.005148	0
	x2	6	6	0.001111	1.53E-08	26	31	0.006768	7.09E-06	20	22	0.007031	7.67E-06	6	7	0.005145	5.29E-06
	x3	4	4	0.000978	4.19E-06	4	5	0.002421	7.77E-06	18	20	0.00529	6.02E-06	2	3	0.001262	0
	x4	6	6	0.00132	1.54E-08	28	33	0.006156	4.43E-06	20	22	0.008398	7.68E-06	6	7	0.002567	5.69E-06
	x5	6	6	0.001878	1.53E-08	26	31	0.008514	7.09E-06	20	22	0.007195	7.67E-06	6	7	0.002918	5.29E-06
	x6	6	6	0.001624	1.32E-06	27	32	0.005853	8.46E-06	1	2	0.002141	0	1	2	0.000883	0
5000	x1	5	5	0.002581	2.48E-06	22	27	0.020054	2.26E-06	16	18	0.013676	8.56E-06	4	5	0.005102	0
	x2	6	6	0.002906	3.43E-08	30	35	0.027382	6.59E-06	21	23	0.030481	8.58E-06	6	7	0.010972	3.73E-06
	x3	4	4	0.001709	9.37E-06	5	6	0.004729	6.95E-07	19	21	0.029873	6.73E-06	2	3	0.003789	0
	x4	6	6	0.003128	3.43E-08	30	35	0.026757	7.63E-06	21	23	0.034338	8.58E-06	6	7	0.010712	3.75E-06
	x5	6	6	0.003309	3.43E-08	30	35	0.024724	6.59E-06	21	23	0.030706	8.58E-06	6	7	0.0071	3.73E-06
	x6	6	6	0.003787	2.96E-06	29	34	0.022635	6.96E-06	1	2	0.002972	0	1	2	0.002299	0
10000	x1	5	5	0.003809	2.48E-06	22	27	0.040042	8.64E-06	16	18	0.03144	8.56E-06	4	5	0.012434	0
	x2	6	6	0.004068	4.85E-08	27	32	0.036429	7.40E-06	22	24	0.043476	6.06E-06	6	7	0.01539	4.98E-06
	x3	5	5	0.004296	1.32E-08	5	6	0.006498	9.83E-07	19	21	0.03887	9.52E-06	2	3	0.004486	0
	x4	6	6	0.003887	4.85E-08	30	35	0.051807	9.88E-06	22	24	0.06755	6.06E-06	6	7	0.01953	5E-06
	x5	6	6	0.004223	4.85E-08	27	32	0.0436	7.40E-06	22	24	0.04816	6.06E-06	6	7	0.019533	4.98E-06
	x6	6	6	0.004264	4.18E-06	29	34	0.037646	9.85E-06	1	2	0.002606	0	1	2	0.004157	0
50000	x1	5	5	0.018419	2.49E-06	21	26	0.12435	2.02E-06	16	18	0.1307	8.56E-06	4	5	0.043449	0
	x2	6	6	0.022834	1.08E-07	31	36	0.17027	3.60E-06	23	25	0.175305	6.78E-06	10	11	0.111299	8.93E-06
	x3	5	5	0.016296	2.96E-08	5	6	0.030635	2.20E-06	21	23	0.172201	5.32E-06	2	3	0.018105	0
	x4	6	6	0.018468	1.08E-07	32	37	0.18007	7.75E-06	23	25	0.167478	6.78E-06	10	11	0.104383	8.93E-06
	x5	6	6	0.018946	1.08E-07	31	36	0.1873	3.60E-06	23	25	0.173207	6.78E-06	10	11	0.110309	8.93E-06
	x6	6	6	0.020282	9.35E-06	31	36	0.19669	8.11E-06	1	2	0.009443	0	1	2	0.012673	0
100000	x1	5	5	0.028211	2.49E-06	23	28	0.23863	5.97E-07	16	18	0.243657	8.56E-06	4	5	0.074773	0
	x2	6	6	0.037221	1.53E-07	33	38	0.33246	6.37E-06	23	25	0.321413	9.59E-06	11	12	0.236208	3.35E-06
	x3	5	5	0.036823	4.19E-08	5	6	0.055439	3.11E-06	21	23	0.295533	7.52E-06	2	3	0.04683	0
	x4	6	6	0.07375	1.53E-07	33	38	0.37223	6.48E-06	23	25	0.323781	9.59E-06	11	12	0.250682	3.35E-06
	x5	6	6	0.04633	1.53E-07	33	38	0.36431	6.37E-06	23	25	0.346266	9.59E-06	11	12	0.237124	3.35E-06
	x6	7	7	0.049709	1.32E-08	32	37	0.35592	6.96E-06	1	2	0.021243	0	1	2	0.020548	0
150000	x1	5	5	0.10487	2.49E-06	22	27	0.68478	8.64E-06	16	18	0.60439	8.56E-06	4	5	0.20564	0
	x2	6	6	0.10651	1.88E-07	35	40	1.0003	9.22E-06	24	26	0.929413	5.87E-06	11	12	0.639073	4.68E-06
	x3	5	5	0.088319	5.13E-08	5	6	0.15408	3.81E-06	21	23	0.815502	9.21E-06	2	3	0.104813	0
	x4	6	6	0.10293	1.88E-07	33	38	0.9509	6.33E-06	24	26	0.92384	5.87E-06	11	12	0.641258	4.68E-06
	x5	6	6	0.099343	1.88E-07	35	40	1.0327	9.22E-06	24	26	0.913945	5.87E-06	11	12	0.669483	4.68E-06
	x6	7	7	0.11767	1.62E-08	32	37	0.93988	8.52E-06	1	2	0.048293	0	1	2	0.057336	0

Table 3: Numerical Results for BBSANME, Modified Algorithm 2.1, Algorithm 2.1, DLLA on Problem 3

#Dim	Ip	BBSANME			Modified Algorithm 2.1			Algorithm 2.1			DLLA						
		#ltr	#Fev	#Tm	#Nrm	#ltr	#Fev	#Tm	#Nrm	#ltr	#Fev	#Tm	#Nrm				
1000	x1	5	5	0.00133	2.80E-07	11	12	0.003773	4.06E-06	23	25	0.027948	7.17E-06	11	12	0.008577	9.1E-06
	x2	6	6	0.001203	9.59E-08	14	15	0.003398	5.01E-06	27	29	0.008962	7.89E-06	12	13	0.006295	9.7E-06
	x3	4	4	0.001	1.38E-08	5	6	0.002032	9.38E-07	7	9	0.003143	6.17E-06	5	7	0.004264	6.51E-06
	x4	6	6	0.001315	9.60E-08	12	13	0.002701	3.17E-06	22	24	0.007224	7.33E-06	11	12	0.005602	8.07E-06
	x5	6	6	0.001771	9.59E-08	14	15	0.003007	5.01E-06	27	29	0.008601	7.89E-06	12	13	0.007189	9.7E-06
	x6	6	6	0.001167	7.08E-06	10	12	0.002504	9.61E-06	20	22	0.006342	6.29E-06	5	6	0.002867	8.21E-06
5000	x1	5	5	0.003136	2.77E-07	11	12	0.007203	4.08E-06	14	16	0.016372	7.32E-06	9	11	0.018609	8.07E-06
	x2	6	6	0.002525	2.15E-07	15	16	0.012778	5.36E-06	28	30	0.039962	9.21E-06	12	14	0.021984	8.99E-06
	x3	4	4	0.002521	3.08E-08	5	6	0.004715	2.10E-06	8	10	0.012403	6.89E-06	5	6	0.010614	1.28E-06
	x4	6	6	0.003636	2.15E-07	12	13	0.010331	6.23E-06	25	27	0.033054	6.36E-06	11	13	0.02386	4.41E-06
	x5	6	6	0.002927	2.15E-07	15	16	0.013612	5.36E-06	28	30	0.03718	9.21E-06	12	14	0.02552	8.99E-06
	x6	7	7	0.002934	1.47E-08	11	13	0.010089	4.99E-06	21	23	0.028595	7.03E-06	6	7	0.00884	4.46E-06
10000	x1	5	5	0.004206	2.77E-07	11	12	0.012668	4.08E-06	28	30	0.06338	9.16E-06	11	12	0.033495	3.65E-06
	x2	6	6	0.004353	3.03E-07	16	17	0.022985	2.73E-06	25	27	0.064554	9.79E-06	11	12	0.040853	5.35E-06
	x3	4	4	0.004446	4.36E-08	5	6	0.009986	2.97E-06	8	10	0.022587	9.75E-06	5	6	0.017614	2.04E-06
	x4	6	6	0.004658	3.03E-07	12	13	0.021855	8.73E-06	25	27	0.060129	6.59E-06	12	13	0.041571	6.25E-06
	x5	6	6	0.00421	3.03E-07	16	17	0.022503	2.73E-06	25	27	0.063991	9.79E-06	11	12	0.036294	5.35E-06
	x6	7	7	0.005937	2.08E-08	11	13	0.012499	7.05E-06	21	23	0.048423	9.94E-06	7	8	0.024399	4.08E-06
50000	x1	5	5	0.018976	2.77E-07	11	12	0.060492	4.08E-06	23	25	0.187769	7.4E-06	11	12	0.118913	7.15E-06
	x2	6	6	0.024226	6.78E-07	13	14	0.073941	7.77E-07	29	31	0.258394	5.71E-06	12	14	0.154121	5.73E-06
	x3	4	4	0.015387	9.75E-08	5	6	0.035153	6.63E-06	10	12	0.101499	5.45E-06	5	6	0.054189	5.1E-06
	x4	6	6	0.023214	6.78E-07	13	14	0.095724	7.78E-07	29	31	0.258442	5.38E-06	13	14	0.173092	6.76E-06
	x5	6	6	0.022318	6.78E-07	13	14	0.085928	7.77E-07	29	31	0.288981	5.71E-06	12	14	0.183037	5.73E-06
	x6	7	7	0.018576	4.64E-08	12	14	0.067042	3.66E-06	23	25	0.217415	5.56E-06	7	9	0.119221	5.01E-06
100000	x1	5	5	0.024867	2.77E-07	11	12	0.13695	4.08E-06	26	28	0.461009	5.22E-06	11	12	0.281281	6.79E-06
	x2	6	6	0.035404	9.59E-07	13	14	0.13025	1.10E-06	29	31	0.488506	8.62E-06	12	14	0.285376	6.81E-06
	x3	4	4	0.02669	1.38E-07	5	6	0.06006	9.38E-06	10	12	0.17591	7.71E-06	5	6	0.10659	7.36E-06
	x4	6	6	0.032446	9.59E-07	13	14	0.16816	1.10E-06	29	31	0.56087	9.36E-06	12	14	0.302611	8.87E-06
	x5	6	6	0.039043	9.59E-07	13	14	0.17296	1.10E-06	29	31	0.499966	8.62E-06	12	14	0.334709	6.81E-06
	x6	7	7	0.051553	6.56E-08	12	14	0.14162	5.17E-06	23	25	0.4503	7.86E-06	8	10	0.226829	5.31E-06
150000	x1	5	5	0.081902	2.77E-07	11	12	0.32967	4.08E-06	31	33	1.249722	6.18E-06	11	12	0.603605	8.28E-06
	x2	6	6	0.088975	1.17E-06	13	14	0.38252	1.35E-06	30	32	1.213665	5.44E-06	12	13	0.758009	8.97E-06
	x3	4	4	0.061632	1.69E-07	6	7	0.17686	4.59E-07	10	12	0.414807	9.44E-06	5	6	0.296827	9.09E-06
	x4	6	6	0.097388	1.17E-06	13	14	0.40047	1.35E-06	30	32	1.192331	5.86E-06	12	13	0.694698	8.88E-06
	x5	6	6	0.095388	1.17E-06	13	14	0.38027	1.35E-06	30	32	1.195767	5.44E-06	12	13	0.704239	8.97E-06
	x6	7	7	0.099707	8.04E-08	12	14	0.43979	6.34E-06	23	25	1.054132	9.63E-06	9	11	0.67578	5.05E-06

Table 4: Numerical Results for BBSANME, Modified Algorithm 2.1, Algorithm 2.1, DLLA on Problem 4

#Dim	Ip	BBSANME			Modified Algorithm 2.1			Algorithm 2.1			DLLA		
		#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm
1000	x1	6	6	0.001968	6.15E-06	14	17	0.004381	4.22E-06	16	18	0.00651	8.98E-06
	x2	6	6	0.001074	2.46E-06	152	164	0.023645	9.52E-06	20	22	0.006206	5.68E-06
	x3	4	4	0.000942	1.13E-08	4	5	0.001431	1.97E-06	18	20	0.004994	5.45E-06
	x4	6	6	0.001124	2.53E-06	149	161	0.021985	9.59E-06	20	22	0.006066	5.7E-06
	x5	6	6	0.001576	2.46E-06	152	164	0.022125	9.52E-06	20	22	0.005815	5.68E-06
	x6	6	6	0.001045	4.41E-06	6	7	0.00157	1.04E-06	1	2	0.00078	0
5000	x1	6	6	0.003007	6.15E-06	14	17	0.007489	4.21E-06	16	18	0.01164	8.98E-06
	x2	6	6	0.002581	5.56E-06	365	381	0.22841	9.92E-06	21	23	0.020438	6.36E-06
	x3	4	4	0.001798	2.52E-08	4	5	0.003203	4.42E-06	19	21	0.014949	6.1E-06
	x4	6	6	0.002168	5.60E-06	379	395	0.22419	9.88E-06	21	23	0.017984	6.36E-06
	x5	6	6	0.002268	5.56E-06	365	381	0.19566	9.92E-06	21	23	0.020594	6.36E-06
	x6	6	6	0.003102	9.87E-06	6	7	0.003408	2.32E-06	1	2	0.00124	0
10000	x1	6	6	0.004565	6.15E-06	14	17	0.014264	4.21E-06	16	18	0.030633	8.98E-06
	x2	6	6	0.003905	7.88E-06	461	478	0.48611	9.84E-06	21	23	0.039221	9E-06
	x3	4	4	0.003693	3.57E-08	4	5	0.004657	6.24E-06	19	21	0.031847	8.62E-06
	x4	6	6	0.004875	7.90E-06	463	480	0.49974	9.83E-06	21	23	0.03305	9E-06
	x5	6	6	0.004502	7.88E-06	461	478	0.51419	9.84E-06	21	23	0.039488	9E-06
	x6	7	7	0.003977	1.46E-08	6	7	0.008376	3.28E-06	1	2	0.001986	0
50000	x1	6	6	0.013321	6.15E-06	14	17	0.057888	4.21E-06	16	18	0.110154	8.98E-06
	x2	7	7	0.020606	1.67E-08	1000	1021	4.2446	2.13E-05	23	25	0.165381	5.03E-06
	x3	4	4	0.010794	7.98E-08	5	6	0.022733	5.59E-07	20	22	0.123242	9.64E-06
	x4	7	7	0.017144	1.67E-08	1000	1021	4.1181	7.78E-05	23	25	0.133668	5.03E-06
	x5	7	7	0.01435	1.67E-08	1000	1021	4.1388	2.13E-05	23	25	0.143826	5.03E-06
	x6	7	7	0.014772	3.27E-08	6	7	0.027374	7.33E-06	1	2	0.005265	0
100000	x1	6	6	0.029681	6.15E-06	14	17	0.13981	4.21E-06	16	18	0.170999	8.98E-06
	x2	7	7	0.027188	2.36E-08	1000	1024	8.2882	0.006409	23	25	0.302439	7.11E-06
	x3	4	4	0.023569	1.13E-07	5	6	0.046983	7.90E-07	21	23	0.216808	6.82E-06
	x4	7	7	0.040811	2.36E-08	1000	1024	9.238	0.00623	23	25	0.252282	7.11E-06
	x5	7	7	0.043467	2.36E-08	1000	1024	8.9525	0.006409	23	25	0.260803	7.11E-06
	x6	7	7	0.03412	4.63E-08	7	8	0.071324	4.15E-07	1	2	0.009427	0
150000	x1	6	6	0.077676	6.15E-06	14	17	0.3373	4.21E-06	16	18	0.480259	8.98E-06
	x2	7	7	0.08444	2.89E-08	1000	1023	21.9578	0.004909	23	25	0.659586	8.71E-06
	x3	4	4	0.05675	1.38E-07	5	6	0.12144	9.67E-07	21	23	0.612767	8.35E-06
	x4	7	7	0.076347	2.90E-08	1000	1023	21.7032	0.00121	23	25	0.659634	8.71E-06
	x5	7	7	0.07661	2.89E-08	1000	1023	22.4315	0.004909	23	25	0.651833	8.71E-06
	x6	7	7	0.10001	5.67E-08	7	8	0.18094	5.08E-07	1	2	0.028953	0

Table 6: Numerical Results for BBSANME, Modified Algorithm 2.1, Algorithm 2.1, DLA on Problem 6

#Dim	Ip	BBSANME			Modified Algorithm 2.1			Algorithm 2.1			DLA		
		#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm
1000	x1	5	5	0.001848	5.69E-08	18	21	0.005531	9.00E-06	21	23	0.020796	9.35E-06
	x2	5	5	0.001198	1.68E-08	22	25	0.004948	6.00E-06	22	24	0.007318	9.42E-06
	x3	5	5	0.001025	2.14E-08	8	11	0.002534	3.25E-06	5	7	0.002128	3.28E-06
	x4	5	5	0.001124	1.73E-08	21	24	0.004518	5.38E-06	22	24	0.012249	9.45E-06
	x5	5	5	0.00196	1.68E-08	22	25	0.005048	6.00E-06	22	24	0.007499	9.42E-06
	x6	5	5	0.001177	3.22E-06	8	11	0.002313	2.28E-06	6	8	0.002285	6.75E-07
5000	x1	5	5	0.002056	1.32E-07	19	22	0.013809	3.67E-06	164	166	0.193071	5.69E-06
	x2	5	5	0.003968	3.80E-08	15	18	0.011772	9.59E-06	24	26	0.033955	7.07E-06
	x3	5	5	0.002717	4.79E-08	8	11	0.0086	7.26E-06	5	7	0.008429	7.33E-06
	x4	5	5	0.003199	3.82E-08	21	24	0.016171	7.73E-06	24	26	0.030954	7.07E-06
	x5	5	5	0.002338	3.80E-08	15	18	0.015581	9.59E-06	24	26	0.034901	7.07E-06
	x6	5	5	0.002461	7.20E-06	8	11	0.010184	5.10E-06	6	8	0.009003	1.51E-06
10000	x1	5	5	0.003626	1.87E-07	20	23	0.032755	3.26E-06	110	112	0.26561	4.44E-06
	x2	5	5	0.005146	5.38E-08	23	26	0.030425	8.71E-06	24	26	0.056898	9.99E-06
	x3	5	5	0.004624	6.77E-08	9	12	0.016422	1.54E-06	6	8	0.012621	6.62E-07
	x4	5	5	0.003585	5.40E-08	23	26	0.040252	5.77E-06	24	26	0.059922	1E-05
	x5	5	5	0.004578	5.38E-08	23	26	0.030025	8.71E-06	24	26	0.057269	9.99E-06
	x6	6	6	0.006165	5.64E-09	8	11	0.012518	7.22E-06	6	8	0.012367	2.13E-06
50000	x1	5	5	0.020319	4.21E-07	19	22	0.097492	7.44E-06	75	77	0.760664	8.81E-06
	x2	5	5	0.017589	1.20E-07	22	25	0.14709	3.12E-06	26	28	0.337208	7.5E-06
	x3	5	5	0.016938	1.51E-07	9	12	0.071516	3.45E-06	6	8	0.070241	1.48E-06
	x4	5	5	0.019841	1.21E-07	24	27	0.13755	7.37E-06	26	28	0.232913	7.5E-06
	x5	5	5	0.013781	1.20E-07	22	25	0.13257	3.12E-06	26	28	0.24499	7.5E-06
	x6	6	6	0.019064	1.26E-08	9	12	0.064301	2.43E-06	6	8	0.058539	4.77E-06
100000	x1	5	5	0.039262	5.96E-07	19	22	0.23541	4.76E-06	61	63	1.103383	4.59E-06
	x2	5	5	0.036895	1.70E-07	22	25	0.24787	4.57E-06	28	30	0.485109	3.55E-06
	x3	5	5	0.032981	2.14E-07	9	12	0.11789	4.88E-06	6	8	0.099365	2.09E-06
	x4	5	5	0.030363	1.70E-07	24	27	0.29396	3.90E-06	28	30	0.53386	3.55E-06
	x5	5	5	0.026332	1.70E-07	22	25	0.2635	4.57E-06	28	30	0.503253	3.55E-06
	x6	6	6	0.02987	1.78E-08	9	12	0.10626	3.43E-06	6	8	0.117027	6.75E-06
150000	x1	5	5	0.084069	7.30E-07	18	21	0.56175	3.77E-06	53	55	2.33149	7.35E-06
	x2	5	5	0.10042	2.09E-07	22	25	0.63203	3.95E-06	28	30	1.305623	4.35E-06
	x3	5	5	0.082387	2.62E-07	9	12	0.29679	5.98E-06	6	8	0.281294	2.57E-06
	x4	5	5	0.073303	2.09E-07	25	28	0.79638	5.15E-06	28	30	1.327313	4.35E-06
	x5	5	5	0.073233	2.09E-07	22	25	0.69621	3.95E-06	28	30	1.335952	4.35E-06
	x6	6	6	0.10763	2.18E-08	9	12	0.30434	4.20E-06	6	8	0.263078	8.27E-06

Table 7: Numerical Results for BBSANME, Modified Algorithm 2.1, Algorithm 2.1, DLLA on Problem 7

#Dim	Ip	BBSANME				Modified Algorithm 2.1				Algorithm 2.1				DLLA			
		#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm
1000	x1	6	6	0.008285	1.88E-06	55	56	0.025247	3.26E-06	42	44	0.016871	8.95E-06	29	30	0.018924	4.38E-06
	x2	5	5	0.003632	7.38E-08	45	46	0.008075	7.71E-07	1	2	0.00411	0	1	2	0.005539	0
	x3	4	4	0.000832	8.62E-07	144	145	0.012728	8.45E-06	511	513	0.048844	9.67E-06	82	84	0.015714	4.89E-06
	x4	4	4	0.000798	8.62E-07	59	60	0.006318	2.29E-06	40	42	0.006429	9.54E-06	27	29	0.006226	6.28E-06
	x5	6	6	0.001677	1.72E-06	50	51	0.009626	1.32E-06	1	2	0.004528	0	1	2	0.005451	0
	x6	6	6	0.001113	1.88E-06	65	66	0.005681	3.27E-06	1	2	0.000972	0	1	2	0.001412	0
5000	x1	1	1	0.000674	0.00E+00	55	56	0.005318	3.26E-06	42	44	0.00706	8.95E-06	29	30	0.006189	4.38E-06
	x2	4	4	0.000864	8.62E-07	45	46	0.004595	7.71E-07	1	2	0.000952	0	1	2	0.001004	0
	x3	4	4	0.000855	8.62E-07	144	145	0.012561	8.45E-06	511	513	0.065593	9.67E-06	82	84	0.015124	4.89E-06
	x4	6	6	0.001322	1.72E-06	59	60	0.006455	2.29E-06	40	42	0.005486	9.54E-06	27	29	0.005864	6.28E-06
	x5	6	6	0.002008	1.88E-06	50	51	0.005211	1.32E-06	1	2	0.001054	0	1	2	0.001284	0
	x6	1	1	0.001237	0.00E+00	65	66	0.005664	3.27E-06	1	2	0.000761	0	1	2	0.000779	0
10000	x1	4	4	0.001206	8.62E-07	55	56	0.005856	3.26E-06	42	44	0.005416	8.95E-06	29	30	0.005446	4.38E-06
	x2	4	4	0.001242	8.62E-07	45	46	0.004216	7.71E-07	1	2	0.000723	0	1	2	0.000851	0
	x3	6	6	0.001916	1.72E-06	144	145	0.011776	8.45E-06	511	513	0.052543	9.67E-06	82	84	0.015417	4.89E-06
	x4	6	6	0.001155	1.88E-06	59	60	0.00574	2.29E-06	40	42	0.005777	9.54E-06	27	29	0.006019	6.28E-06
	x5	1	1	0.000804	0.00E+00	50	51	0.005437	1.32E-06	1	2	0.001768	0	1	2	0.001224	0
	x6	4	4	0.001003	8.62E-07	65	66	0.005956	3.27E-06	1	2	0.000958	0	1	2	0.000949	0
50000	x1	4	4	0.000797	8.62E-07	55	56	0.004955	3.26E-06	42	44	0.005425	8.95E-06	29	30	0.005518	4.38E-06
	x2	6	6	0.001156	1.72E-06	45	46	0.004026	7.71E-07	1	2	0.000707	0	1	2	0.00074	0
	x3	6	6	0.001143	1.88E-06	144	145	0.011197	8.45E-06	511	513	0.052658	9.67E-06	82	84	0.013273	4.89E-06
	x4	1	1	0.000601	0.00E+00	59	60	0.005067	2.29E-06	40	42	0.006343	9.54E-06	27	29	0.005448	6.28E-06
	x5	4	4	0.00084	8.62E-07	50	51	0.004772	1.32E-06	1	2	0.001182	0	1	2	0.001072	0
	x6	4	4	0.001235	8.62E-07	65	66	0.006668	3.27E-06	1	2	0.000792	0	1	2	0.000824	0
100000	x1	6	6	0.001402	1.72E-06	55	56	0.006073	3.26E-06	42	44	0.005881	8.95E-06	29	30	0.006969	4.38E-06
	x2	6	6	0.001145	1.88E-06	45	46	0.004583	7.71E-07	1	2	0.001148	0	1	2	0.001092	0
	x3	1	1	0.000899	0.00E+00	144	145	0.011416	8.45E-06	511	513	0.047425	9.67E-06	82	84	0.017641	4.89E-06
	x4	4	4	0.000795	8.62E-07	59	60	0.005517	2.29E-06	40	42	0.005189	9.54E-06	27	29	0.005607	6.28E-06
	x5	4	4	0.00084	8.62E-07	50	51	0.005008	1.32E-06	1	2	0.00141	0	1	2	0.002712	0
	x6	6	6	0.001175	1.72E-06	65	66	0.006251	3.27E-06	1	2	0.001254	0	1	2	0.00139	0
150000	x1	1001	1001	0.23268	6.79E+01	55	56	0.005955	3.26E-06	42	44	0.005621	8.95E-06	29	30	0.005925	4.38E-06
	x2	5	5	0.075527	2.09E-07	45	46	0.004049	7.71E-07	1	2	0.000721	0	1	2	0.000756	0
	x3	5	5	0.099062	2.62E-07	144	145	0.011442	8.45E-06	511	513	0.053884	9.67E-06	82	84	0.014317	4.89E-06
	x4	5	5	0.095822	2.09E-07	59	60	0.004669	2.29E-06	40	42	0.005417	9.54E-06	27	29	0.004991	6.28E-06
	x5	5	5	0.081301	2.09E-07	50	51	0.004735	1.32E-06	1	2	0.001086	0	1	2	0.000995	0
	x6	6	6	0.1021	2.18E-08	65	66	0.006649	3.27E-06	1	2	0.000948	0	1	2	0.000662	0