

DATABASE LAB

lab#10


NAME : MASHAAL ISHTIAQ
ROLL NO: 22P-9326
SECTION: BCS-6B

Task 1:

Create a new table named book_inventory with columns for book_id, book_name, quantity, and price.


Insert three different book records with initial quantities.

Without committing the transaction, reduce the quantity of one book and create a savepoint named quantity_update.




Task 2:

In the staff table, add a new staff member with an initial salary.
Increase their salary by 12% and create a savepoint named salary_boost.
Further increase the salary by 8%. Roll back the transaction to the salary_boost savepoint to undo the second increase.



Task 3:


Use the vendors and supplies tables.
Insert a new vendor into the vendors table.
Then, insert a supply record for the vendor in the supplies table.
Use transaction control to ensure that both the vendor and supply records are inserted only if both statements succeed; otherwise, roll back the changes.



Task 4:


Enable AUTOCOMMIT mode in your SQL environment.

Insert a row in the payments table with payment_id, vendor_id, and amount.
After the insertion, verify if the row has been committed automatically.
Disable AUTOCOMMIT afterward.



Task 5:

Using the account_transactions table, simulate a transaction where multiple withdrawals and deposits are made on an account.
Set multiple savepoints after each withdrawal or deposit operation.
Rollback to a specific savepoint to undo one of the deposits.


Welcome Page
homeuser
Worksheet
Query Builder
-- 22P-9326
--Mashaal Ishtiaq
create table payments (
payment_id INT PRIMARY KEY,
vendor_id INT,
amount DECIMAL(10, 2),
FOREIGN KEY (vendor_id) REFERENCES vendors(vendor_id)
);
SET AUTOCOMMIT ON;
INSERT INTO payments (payment_id, vendor_id, amount)
VALUES (1001, 1, 2500.00);
SELECT * FROM payments WHERE payment_id = 1001;
SET AUTOCOMMIT OFF;