

```

<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Kingdom of Ar-Rahman</title>
<style>
*{margin:0;padding:0;box-sizing:border-box}
body{background:#0a0a0a;color:#fff;font-family:system-ui;padding-bottom:80px}
.header{text-align:center;padding:20px;border-bottom:1px solid #333}
.header h1{color:#d4af37;font-size:24px}
.header p{color:#999;font-size:14px;margin-top:5px}
.card{background:#1a1a1a;border:2px solid #d4af37;border-radius:16px;padding:20px;margin:20px}
.card h2{color:#d4af37;margin-bottom:10px}
audio{width:100%;margin:15px 0}
.btn{background:#d4af37;color:#000;border:none;padding:15px 40px;border-radius:50px;font-size:18px;font-weight:900;width:100%}
.nav{position:fixed;bottom:0;left:0;right:0;background:#1a1a1a;border-top:1px solid #333;display:flex;justify-content:space-around;padding:10px 0}
.nav-item{text-align:center;font-size:12px;color:#999}
.nav-item.active{color:#d4af37}
.tab{display:none;padding:20px}
.tab.active{display:block}
</style>
</head>
<body>
<div class="header">
<h1><img alt="mosque icon" data-bbox="108 651 131 671"/> Kingdom of Ar-Rahman</h1>
<p>No sects. No footnotes. Just Truth.</p>
</div>

<div id="fajr" class="tab">
<div class="card">
<h2>Fajr Mode</h2>
<p>The 3% wake different</p>
</div>
</div>

<div id="pesta" class="tab active">
<div class="card">
<h2><img alt="fire icon" data-bbox="108 931 131 951"/> PESTA PENANG <img alt="fire icon" data-bbox="286 931 309 951"/></h2>

```

<h2>🔥 PESTA PENANG 🔥</h2>

<p>"Ayo jok Pulau Pinang Kole. Pesta."</p>

<audio controls id="anthem">

<source src="./penang-anthem.mp3" type="audio/mpeg">

Your browser doesn't support audio.

</audio>

<button class="btn" onclick="document.getElementById('anthem').play()">PESTAAAA!!!</button>

</div>

</div>

<div class="nav">

<div class="nav-item" onclick="showTab('fajr')>Fajr</div>

<div class="nav-item active" onclick="showTab('pesta')>Pesta</div>

<div class="nav-item">Solar</div>

<div class="nav-item">Ledger</div>

<div class="nav-item">Scrolls</div>

</div>

<script>

function showTab(tab) {

document.querySelectorAll('.tab').forEach(t => t.classList.remove('active'));

document.querySelectorAll('.nav-item').forEach(n => n.classList.remove('active'));

document.getElementById(tab).classList.add('active');

event.target.classList.add('active');

}

</script>

</body>

</html>