



FUMIGATION REPORT

Report ID: #43

Report Status: APPROVED

Service Date: 2025/10/27

Next Service Date: 2025/11/27

Generated: 2025/10/27, 11:48:31

Client Details

Ngwana mobu solutions

shop no 74, Zibu's building, Sandton, johannesburg, Gauteng, 2005

PCO Details

John Doe

PCO Number: 11111 +27987654321

FUMIGATION TREATMENTS

Kitchen

Target Pests: Ants, Cockroaches, Flies

Chemicals Applied:

• Racumin Paste - 2.50 g

Production Area

Target Pests: Ants, Cockroaches, Flies

Chemicals Applied:

• Racumin Paste - 2.50 g

Storage

Target Pests: Ants, Cockroaches, Flies

Chemicals Applied:

• Racumin Paste - 2.50 g

Warehouse

Target Pests: Ants, Cockroaches, Flies

Chemicals Applied:

• Racumin Paste - 2.50 g

INSECT MONITORS

Monitor #	Туре	Location	Serviced	Glue Board	Condition	Activity	Remarks
-	light	-	✓	Replaced	good	-	-
-	light	-	✓	-	good	-	-
-	light	-	✓	Replaced	-	-	-
-	light	-	✓	Replaced	good	-	-
-	light	-	✓	-	good	-	-
-	light	-	✓	Replaced	-	-	-
-	light	-	✓	-	good	-	-
-	light	-	✓	Replaced	good	-	-
-	box	-	√	-	good	-	-
-	box	-	✓	-	good	-	-
-	box	-	✓	-	-	-	-
	box	-	√	-	good	-	-
	box	-	√	-	good	-	-
	box	-	√	-	-	-	-
	box	-	√	-	good	-	-

Insect Monitor Summary

Glue Boards Replaced
•
A
Light Monitors

Technician Remarks

Complete fumigation service with 15 monitors inspected

Next Service Scheduled: 2025/11/27

PCO Signature:	Client Signature:		
	·		
John Doe	John Smith		
Date: 2025/10/27	Date: 2025/10/27		

KPS Pest Control | 3B Hamman Street, Groblersdal, 0470

Tel: +27 11 123 4567 | Email: info@kpspestcontrol.co.za

Generated on 2025/10/27, 11:48:31