LAYER: 4_AppMDM

This file is a merged representation of a subset of the codebase, containing files not matching ignore patterns, combined into a single document by Repomix.

<file_summary>
This section contains a summary of this file.

<purpose>
This file contains a packed representation of a subset of the repository's contents that is considered the most important context.
It is designed to be easily consumable by AI systems for analysis, code review,
or other automated processes.
</purpose>

<file_format>
The content is organized as follows:
1. This summary section
2. Repository information
3. Directory structure
4. Repository files (if enabled)
5. Multiple file entries, each consisting of:
  - File path as an attribute
  - Full contents of the file
</file_format>

<usage_guidelines>
- This file should be treated as read-only. Any changes should be made to the original repository files, not this packed version.
- When processing this file, use the file path to distinguish between different files in the repository.
- Be aware that this file may contain sensitive information. Handle it with the same level of security as you would the original repository.
</usage_guidelines>

<notes>
- Some files may have been excluded based on .gitignore rules and Repomix's configuration
- Binary files are not included in this packed representation. Please refer to the Repository Structure section for a complete list of file paths, including binary files
- Files matching these patterns are excluded: **/obj/**, **/bin/**, **/*.png, **/*.jpg, **/node_modules/**, **/*.Designer.cs
- Files matching patterns in .gitignore are excluded
- Files matching default ignore patterns are excluded
- Files are sorted by Git change count (files with more changes are at the bottom)
</notes>

</file_summary>

<directory_structure>
Promatis.Net.Test.MDM.Configuration/Configurator.cs
Promatis.Net.Test.MDM.Configuration/Promatis.Net.Test.MDM.Configuration.csproj
Promatis.Net.Test.MDM.Data/DBContext/MdmApplicationDbContext.cs
Promatis.Net.Test.MDM.Data/Promatis.Net.Test.MDM.Data.csproj
Promatis.Net.Test.MDM.DataInit/Migrations/20260515044539_Init.cs
Promatis.Net.Test.MDM.DataInit/Migrations/20260521060225_TechnologicalParameterCalcMethod.cs
Promatis.Net.Test.MDM.DataInit/Migrations/20260528090200_Add-UnitOfMeasurement.cs
Promatis.Net.Test.MDM.DataInit/Migrations/MdmApplicationDbContextModelSnapshot.cs
Promatis.Net.Test.MDM.DataInit/Promatis.Net.Test.MDM.DataInit.csproj
Promatis.Net.Test.MDM.Domain.Interface/Class1.cs
Promatis.Net.Test.MDM.Domain.Interface/Promatis.Net.Test.MDM.Domain.Interface.csproj
Promatis.Net.Test.MDM.Domain/DepartmentUnit.cs
Promatis.Net.Test.MDM.Domain/DepartmentUnitValidator.cs
Promatis.Net.Test.MDM.Domain/PositionUnit.cs
Promatis.Net.Test.MDM.Domain/PositionUnitValidator.cs
Promatis.Net.Test.MDM.Domain/ProductionUnit.cs
Promatis.Net.Test.MDM.Domain/ProductionUnitValidator.cs
Promatis.Net.Test.MDM.Domain/Promatis.Net.Test.MDM.Domain.csproj
Promatis.Net.Test.MDM.Domain/StorageUnit.cs
Promatis.Net.Test.MDM.Domain/StorageUnitValidator.cs
Promatis.Net.Test.MDM.Domain/TransportUnit.cs
Promatis.Net.Test.MDM.Domain/TransportUnitValidator.cs
Promatis.Net.Test.MDM.Launcher.Web/appsettings.Development.json
Promatis.Net.Test.MDM.Launcher.Web/appsettings.json
Promatis.Net.Test.MDM.Launcher.Web/Bootstrapper.cs
Promatis.Net.Test.MDM.Launcher.Web/Components/_Imports.razor
Promatis.Net.Test.MDM.Launcher.Web/Components/App.razor

```
Promatis.Net.Test.MDM.Launcher.Web/DefaultWebConfig.cs
Promatis.Net.Test.MDM.Launcher.Web/Program.cs
Promatis.Net.Test.MDM.Launcher.Web/Promatis.Net.Test.MDM.Launcher.Web.csproj
Promatis.Net.Test.MDM.Launcher.Web/Properties/launchSettings.json
Promatis.Net.Test.MDM.Launcher.Web/wwwroot/app.css
Promatis.Net.Test.MDM.Service/Promatis.Net.Test.MDM.Service.csproj
Promatis.Net.Test.MDM.Service/Services/TechnologicalOperationService.cs
Promatis.Net.Test.MDM.Service/Services/UnitService.cs
Promatis.Net.Test.MDM.Tests/Promatis.Net.Test.MDM.Tests.csproj
Promatis.Net.Test.MDM.Tests/UnitTest1.cs
Promatis.Net.Test.MDM.UI/_Imports.razor
Promatis.Net.Test.MDM.UI/Pages/Unit/Card/UnitEditDialog.razor
Promatis.Net.Test.MDM.UI/Pages/Unit/Card/UnitEditDialog.razor.cs
Promatis.Net.Test.MDM.UI/Pages/Unit/UnitTreePage.razor
Promatis.Net.Test.MDM.UI/Pages/Unit/UnitTreePageContext.cs
Promatis.Net.Test.MDM.UI/Promatis.Net.Test.MDM.UI.csproj
Promatis.Net.Test.MDM.UI/UiModule.cs
Promatis.Net.Test.MDM.UI/wwwroot/exampleJsInterop.js
</directory_structure>

<files>
This section contains the contents of the repository's files.

<file path="Promatis.Net.Test.MDM.Configuration/Configurator.cs">
using Microsoft.AspNetCore.Builder;Ð
using Microsoft.EntityFrameworkCore;Ð
using Microsoft.Extensions.Configuration;Ð
using Microsoft.Extensions.DependencyInjection;Ð
using Microsoft.Extensions.Hosting;Ð
using Promatis.Net.Configuration.Web;Ð
using Promatis.Net.Data;Ð
using Promatis.Net.MES.Data;Ð
using Promatis.Net.MES.MDM.Data;Ð
using Promatis.Net.Test.MDM.Data;Ð
Ð
namespace Promatis.Net.Test.MDM.Configuration;Ð
Ð
public class Configurator : IWebAppConfiguratorÐ
{Ð
    public void ConfigureServices(IServiceCollection services, IConfiguration configuration)Ð
    {Ð
        // 1. B 5C48D BD 0Dd8Dò 5CD8CÔAD$2CT=CÔ>C’ @CT0C´LCÔ>C’ DC 1D 8C¤8 A  Ð
        services.AddDbContextFactory<MdmApplicationDbContext>((sp, options) =>Ð
        {Ð
            string? baseConnString = configuration.GetConnectionString("DefaultConnection");Ð
Ð
            var builder = new Npgsql.NpgsqlConnectionStringBuilder(baseConnString)Ð
            {Ð
                Username = "mdm",Ð
                Password = "mdm"Ð
            };Ð
Ð
            options.UseNpgsql(builder.ConnectionString, x =>Ð
                x.MigrationsAssembly("Promatis.Net.Test.MDM.DataInit"));Ð
        });Ð
Ð
        // 2. A 4C ?D$5D  4C´O D ;CäO MesMDM (IDbContextFactory<MesMdmApplicationDbContext>)Ð
        services.AddScoped<IDbContextFactory<MesMdmApplicationDbContext>>(sp =>Ð
        {Ð
            var factory = sp.GetRequiredService<IDbContextFactory<MdmApplicationDbContext>>();Ð
            return new MesMdmDbContextFactoryAdapter(factory);Ð
        });Ð
Ð
        // 3. A  A  B$ B   A´/ B  Aä/ Mes (IDbContextFactory<MesApplicationDbContext>)Ð
        services.AddScoped<IDbContextFactory<MesApplicationDbContext>>(sp =>Ð
        {Ð
            var factory = sp.GetRequiredService<IDbContextFactory<MdmApplicationDbContext>>();Ð
            return new MesDbContextFactoryAdapter(factory);Ð
        });Ð
Ð
        // 4. A 4C ?D$5D  4C´O D 0CÄ>C4> C 0Ct>C$>C4> D ;CäO Core (IDbContextFactory<ApplicationDbContext>)Ð
        services.AddScoped<IDbContextFactory<ApplicationDbContext>>(sp =>Ð
        {Ð
            var factory = sp.GetRequiredService<IDbContextFactory<MdmApplicationDbContext>>();Ð
            return new DbContextFactoryAdapter(factory);Ð
        });Ð
```

```
    }Ð
Ð
    public void ConfigureApp(IHost app) { }Ð
Ð
    public void ConfigureMiddleware(WebApplication app) { }Ð
Ð
    // --- A¤ A !B + A  A  B$ B  A" ÒÒÝ
Ð
    // A 4C ?D$5D  4C´O MesMDMÐ
    private class MesMdmDbContextFactoryAdapter(IDbContextFactory<MdmApplicationDbContext> factory)Ð
        : IDbContextFactory<MesMdmApplicationDbContext>Ð
    {Ð
        public MesMdmApplicationDbContext CreateDbContext() => factory.CreateDbContext();Ð
    }Ð
Ð
    // A 4C ?D$5D  4C´O MesÐ
    private class MesDbContextFactoryAdapter(IDbContextFactory<MdmApplicationDbContext> factory)Ð
        : IDbContextFactory<MesApplicationDbContext>Ð
    {Ð
        public MesApplicationDbContext CreateDbContext() => factory.CreateDbContext();Ð
    }Ð
Ð
    // A 4C ?D$5D  4C´O CoreÐ
    private class DbContextFactoryAdapter(IDbContextFactory<MdmApplicationDbContext> factory)Ð
        : IDbContextFactory<ApplicationDbContext>Ð
    {Ð
        public ApplicationDbContext CreateDbContext() => factory.CreateDbContext();Ð
    }Ð
}
</file>

<file path="Promatis.Net.Test.MDM.Configuration/Promatis.Net.Test.MDM.Configuration.csproj">
<Project Sdk="Microsoft.NET.Sdk">Ð
Ð
  <PropertyGroup>Ð
    <TargetFramework>net10.0</TargetFramework>Ð
    <ImplicitUsings>enable</ImplicitUsings>Ð
    <Nullable>enable</Nullable>Ð
  </PropertyGroup>Ð
Ð
  <ItemGroup>Ð
    <ProjectReference Include="..\..\..
\Mes\MDM\Promatis.Net.MES.MDM.Configuration\Promatis.Net.MES.MDM.Configuration.csproj" />Ð
    <ProjectReference Include="..\..\..
\Mes\MDM\Promatis.Net.MES.MDM.UI\Promatis.Net.MES.MDM.UI.csproj" />Ð
    <ProjectReference Include="..
\Promatis.Net.Test.MDM.DataInit\Promatis.Net.Test.MDM.DataInit.csproj" />Ð
    <ProjectReference Include="..
\Promatis.Net.Test.MDM.Service\Promatis.Net.Test.MDM.Service.csproj" />Ð
    <ProjectReference Include="..\Promatis.Net.Test.MDM.UI\Promatis.Net.Test.MDM.UI.csproj" />Ð
  </ItemGroup>Ð
Ð
</Project>
</file>

<file path="Promatis.Net.Test.MDM.Data/DBContext/MdmApplicationDbContext.cs">
using Microsoft.EntityFrameworkCore;Ð
using Microsoft.Extensions.Configuration;Ð
using Promatis.Net.MES.Domain;Ð
using Promatis.Net.MES.MDM.Data;Ð
using Promatis.Net.Test.MDM.Domain;Ð
Ð
namespace Promatis.Net.Test.MDM.Data;Ð
Ð
public class MdmApplicationDbContext(Ð
    DbContextOptions options,Ð
    IConfiguration configuration,Ð
    IServiceProvider? serviceProvider = null) // Aô@C„=C„<C 5CÂ >CôFC„>CÔ0C´LCÔKC’ ?C @C <CTBD
    : MesMdmApplicationDbContext(options, configuration, serviceProvider)Ð
{Ð
Ð
    // B4:C 7D´2C 5CÂ ADT5CÄC CD;Dò MD$>C4> C¤>CÔ:D 5D$=Cä3Câ :Cä=D$5C¤AD$0Ð
    protected override string Schema => "mdm";Ð
Ð
    public DbSet<UnitBase> Units => Set<UnitBase>();Ð
    public DbSet<DepartmentUnit> DepartmentUnits => Set<DepartmentUnit>();Ð
```

```
    public DbSet<ProductionUnit> ProductionUnits => Set<ProductionUnit>();Đ
    public DbSet<TransportUnit> TransportUnits => Set<TransportUnit>();Đ
    public DbSet<StorageUnit> StorageUnits => Set<StorageUnit>();Đ
    public DbSet<PositionUnit> PositionUnits => Set<PositionUnit>();Đ
}
</file>

<file path="Promatis.Net.Test.MDM.Data/Promatis.Net.Test.MDM.Data.csproj">
<Project Sdk="Microsoft.NET.Sdk">Đ
Đ
  <PropertyGroup>Đ
    <TargetFramework>net10.0</TargetFramework>Đ
    <ImplicitUsings>enable</ImplicitUsings>Đ
    <Nullable>enable</Nullable>Đ
  </PropertyGroup>Đ
Đ
  <ItemGroup>Đ
    <PackageReference Include="Microsoft.EntityFrameworkCore" Version="10.0.8" />Đ
    <PackageReference Include="Microsoft.EntityFrameworkCore.Relational" Version="10.0.8" />Đ
  </ItemGroup>Đ
Đ
  <ItemGroup>Đ
    <ProjectReference Include="..\..\..
\Mes\MDM\Promatis.Net.MES.MDM.Data\Promatis.Net.MES.MDM.Data.csproj" />Đ
    <ProjectReference Include="..
\Promatis.Net.Test.MDM.Domain\Promatis.Net.Test.MDM.Domain.csproj" />Đ
  </ItemGroup>Đ
Đ
</Project>
</file>

<file path="Promatis.Net.Test.MDM.DataInit/Migrations/20260515044539_Init.cs">
using System;Đ
using Microsoft.EntityFrameworkCore.Migrations;Đ
Đ
#nullable disableĐ
Đ
namespace Promatis.Net.Test.MDM.DataInit.MigrationsĐ
{Đ
    /// <inheritdoc />Đ
    public partial class Init : MigrationĐ
    {Đ
        /// <inheritdoc />Đ
        protected override void Up(MigrationBuilder migrationBuilder)Đ
        {Đ
            migrationBuilder.EnsureSchema(Đ
                name: "mdm");Đ
Đ
            migrationBuilder.CreateTable(Đ
                name: "AuditLogs",Đ
                schema: "mdm",Đ
                columns: table => newĐ
                {Đ
                    Id = table.Column<Guid>(type: "uuid", nullable: false),Đ
                    EntityName = table.Column<string>(type: "character varying(100)", maxLength:
100, nullable: false),Đ
                    EntityId = table.Column<Guid>(type: "uuid", nullable: false),Đ
                    Action = table.Column<string>(type: "character varying(50)", maxLength: 50,
nullable: false),Đ
                    ChangedAt = table.Column<DateTime>(type: "timestamp with time zone", nullable:
false),Đ
                    ChangedBy = table.Column<string>(type: "character varying(100)", maxLength:
100, nullable: true),Đ
                    ChangesJson = table.Column<string>(type: "jsonb", maxLength: 255, nullable:
false),Đ
                    CreatedAt = table.Column<DateTime>(type: "timestamp with time zone", nullable:
false)Đ
                },Đ
                constraints: table =>Đ
                {Đ
                    table.PrimaryKey("PK_AuditLogs", x => x.Id);Đ
                });Đ
Đ
            migrationBuilder.CreateTable(Đ
                name: "TechnologicalOperations",Đ
                schema: "mdm",Đ
```

```
                columns: table => newĐ
                {Đ
                    Id = table.Column<Guid>(type: "uuid", nullable: false),Đ
                    CreatedAt = table.Column<DateTime>(type: "timestamp with time zone", nullable:
false),Đ
                    Name = table.Column<string>(type: "character varying(255)", maxLength: 255,
nullable: false),Đ
                    Description = table.Column<string>(type: "character varying(255)", maxLength:
255, nullable: true),Đ
                    Code = table.Column<string>(type: "character varying(255)", maxLength: 255,
nullable: true),Đ
                    DeletedAt = table.Column<DateTime>(type: "timestamp with time zone", nullable:
true),Đ
                    DeletedBy = table.Column<string>(type: "character varying(255)", maxLength:
255, nullable: true),Đ
                    ParentId = table.Column<Guid>(type: "uuid", nullable: true),Đ
                    IsLeaf = table.Column<bool>(type: "boolean", nullable: false)Đ
                },Đ
                constraints: table =>Đ
                {Đ
                    table.PrimaryKey("PK_TechnologicalOperations", x => x.Id);Đ
                    table.ForeignKey(Đ
                        name: "FK_TechnologicalOperations_TechnologicalOperations_ParentId",Đ
                        column: x => x.ParentId,Đ
                        principalSchema: "mdm",Đ
                        principalTable: "TechnologicalOperations",Đ
                        principalColumn: "Id",Đ
                        onDelete: ReferentialAction.Restrict);Đ
                });Đ
Đ
            migrationBuilder.CreateTable(Đ
                name: "TechnologicalParameters",Đ
                schema: "mdm",Đ
                columns: table => newĐ
                {Đ
                    Id = table.Column<Guid>(type: "uuid", nullable: false),Đ
                    CreatedAt = table.Column<DateTime>(type: "timestamp with time zone", nullable:
false),Đ
                    Name = table.Column<string>(type: "character varying(255)", maxLength: 255,
nullable: false),Đ
                    Description = table.Column<string>(type: "character varying(255)", maxLength:
255, nullable: true),Đ
                    Code = table.Column<string>(type: "character varying(255)", maxLength: 255,
nullable: true),Đ
                    DeletedAt = table.Column<DateTime>(type: "timestamp with time zone", nullable:
true),Đ
                    DeletedBy = table.Column<string>(type: "character varying(255)", maxLength:
255, nullable: true),Đ
                    UnitOfMeasurement = table.Column<string>(type: "character varying(255)",
maxLength: 255, nullable: false),Đ
                    DataType = table.Column<string>(type: "character varying(255)", maxLength: 255,
nullable: false)Đ
                },Đ
                constraints: table =>Đ
                {Đ
                    table.PrimaryKey("PK_TechnologicalParameters", x => x.Id);Đ
                });Đ
Đ
            migrationBuilder.CreateTable(Đ
                name: "Units",Đ
                schema: "mdm",Đ
                columns: table => newĐ
                {Đ
                    Id = table.Column<Guid>(type: "uuid", nullable: false),Đ
                    Kind = table.Column<int>(type: "integer", nullable: false),Đ
                    Type = table.Column<int>(type: "integer", nullable: false),Đ
                    CreatedAt = table.Column<DateTime>(type: "timestamp with time zone", nullable:
false),Đ
                    Name = table.Column<string>(type: "character varying(255)", maxLength: 255,
nullable: false),Đ
                    Description = table.Column<string>(type: "character varying(255)", maxLength:
255, nullable: true),Đ
                    Code = table.Column<string>(type: "character varying(255)", maxLength: 255,
nullable: true),Đ
                    DeletedAt = table.Column<DateTime>(type: "timestamp with time zone", nullable:
true),Đ
```

```
                    DeletedBy = table.Column<string>(type: "character varying(255)", maxLength: 
255, nullable: true),Ð
                    ParentId = table.Column<Guid>(type: "uuid", nullable: true)Ð
                },Ð
                constraints: table =>Ð
                {Ð
                    table.PrimaryKey("PK_Units", x => x.Id);Ð
                    table.ForeignKey(Ð
                        name: "FK_Units_Units_ParentId",Ð
                        column: x => x.ParentId,Ð
                        principalSchema: "mdm",Ð
                        principalTable: "Units",Ð
                        principalColumn: "Id",Ð
                        onDelete: ReferentialAction.Restrict);Ð
                });Ð
Ð
            migrationBuilder.CreateTable(Ð
                name: "TechnologicalOperationParameters",Ð
                schema: "mdm",Ð
                columns: table => newÐ
                {Ð
                    Id = table.Column<Guid>(type: "uuid", nullable: false),Ð
                    CreatedAt = table.Column<DateTime>(type: "timestamp with time zone", nullable: 
false),Ð
                    OperationId = table.Column<Guid>(type: "uuid", nullable: false),Ð
                    ParameterId = table.Column<Guid>(type: "uuid", nullable: false),Ð
                    IsRequired = table.Column<bool>(type: "boolean", nullable: false),Ð
                    DefaultValue = table.Column<string>(type: "character varying(255)", maxLength: 
255, nullable: true),Ð
                    MinValue = table.Column<double>(type: "double precision", nullable: true),Ð
                    MaxValue = table.Column<double>(type: "double precision", nullable: true),Ð
                    DeletedAt = table.Column<DateTime>(type: "timestamp with time zone", nullable: 
true),Ð
                    DeletedBy = table.Column<string>(type: "character varying(255)", maxLength: 
255, nullable: true)Ð
                },Ð
                constraints: table =>Ð
                {Ð
                    table.PrimaryKey("PK_TechnologicalOperationParameters", x => x.Id);Ð
                    table.ForeignKey(Ð
                        name: "FK_TechnologicalOperationParameters_TechnologicalOperations_Op~",Ð
                        column: x => x.OperationId,Ð
                        principalSchema: "mdm",Ð
                        principalTable: "TechnologicalOperations",Ð
                        principalColumn: "Id",Ð
                        onDelete: ReferentialAction.Cascade);Ð
                    table.ForeignKey(Ð
                        name: "FK_TechnologicalOperationParameters_TechnologicalParameters_Pa~",Ð
                        column: x => x.ParameterId,Ð
                        principalSchema: "mdm",Ð
                        principalTable: "TechnologicalParameters",Ð
                        principalColumn: "Id",Ð
                        onDelete: ReferentialAction.Cascade);Ð
                });Ð
Ð
            migrationBuilder.CreateTable(Ð
                name: "DepartmentUnits",Ð
                schema: "mdm",Ð
                columns: table => newÐ
                {Ð
                    Id = table.Column<Guid>(type: "uuid", nullable: false)Ð
                },Ð
                constraints: table =>Ð
                {Ð
                    table.PrimaryKey("PK_DepartmentUnits", x => x.Id);Ð
                    table.ForeignKey(Ð
                        name: "FK_DepartmentUnits_Units_Id",Ð
                        column: x => x.Id,Ð
                        principalSchema: "mdm",Ð
                        principalTable: "Units",Ð
                        principalColumn: "Id",Ð
                        onDelete: ReferentialAction.Cascade);Ð
                });Ð
Ð
            migrationBuilder.CreateTable(Ð
                name: "PositionUnits",Ð
```

```
                schema: "mdm",Ð
                columns: table => newÐ
                {Ð
                    Id = table.Column<Guid>(type: "uuid", nullable: false)Ð
                },Ð
                constraints: table =>Ð
                {Ð
                    table.PrimaryKey("PK_PositionUnits", x => x.Id);Ð
                    table.ForeignKey(Ð
                        name: "FK_PositionUnits_Units_Id",Ð
                        column: x => x.Id,Ð
                        principalSchema: "mdm",Ð
                        principalTable: "Units",Ð
                        principalColumn: "Id",Ð
                        onDelete: ReferentialAction.Cascade);Ð
                });Ð
Ð
            migrationBuilder.CreateTable(Ð
                name: "ProductionUnits",Ð
                schema: "mdm",Ð
                columns: table => newÐ
                {Ð
                    Id = table.Column<Guid>(type: "uuid", nullable: false)Ð
                },Ð
                constraints: table =>Ð
                {Ð
                    table.PrimaryKey("PK_ProductionUnits", x => x.Id);Ð
                    table.ForeignKey(Ð
                        name: "FK_ProductionUnits_Units_Id",Ð
                        column: x => x.Id,Ð
                        principalSchema: "mdm",Ð
                        principalTable: "Units",Ð
                        principalColumn: "Id",Ð
                        onDelete: ReferentialAction.Cascade);Ð
                });Ð
Ð
            migrationBuilder.CreateTable(Ð
                name: "StorageUnits",Ð
                schema: "mdm",Ð
                columns: table => newÐ
                {Ð
                    Id = table.Column<Guid>(type: "uuid", nullable: false)Ð
                },Ð
                constraints: table =>Ð
                {Ð
                    table.PrimaryKey("PK_StorageUnits", x => x.Id);Ð
                    table.ForeignKey(Ð
                        name: "FK_StorageUnits_Units_Id",Ð
                        column: x => x.Id,Ð
                        principalSchema: "mdm",Ð
                        principalTable: "Units",Ð
                        principalColumn: "Id",Ð
                        onDelete: ReferentialAction.Cascade);Ð
                });Ð
Ð
            migrationBuilder.CreateTable(Ð
                name: "TechnologicalOperationUnits",Ð
                schema: "mdm",Ð
                columns: table => newÐ
                {Ð
                    Id = table.Column<Guid>(type: "uuid", nullable: false),Ð
                    CreatedAt = table.Column<DateTime>(type: "timestamp with time zone", nullable:
false),Ð
                    OperationId = table.Column<Guid>(type: "uuid", nullable: false),Ð
                    UnitId = table.Column<Guid>(type: "uuid", nullable: false),Ð
                    Priority = table.Column<int>(type: "integer", nullable: false),Ð
                    DeletedAt = table.Column<DateTime>(type: "timestamp with time zone", nullable:
true),Ð
                    DeletedBy = table.Column<string>(type: "character varying(255)", maxLength:
255, nullable: true)Ð
                },Ð
                constraints: table =>Ð
                {Ð
                    table.PrimaryKey("PK_TechnologicalOperationUnits", x => x.Id);Ð
                    table.ForeignKey(Ð
                        name: "FK_TechnologicalOperationUnits_TechnologicalOperations_Operati~",Ð
```

```
                        column: x => x.OperationId,Đ
                        principalSchema: "mdm",Đ
                        principalTable: "TechnologicalOperations",Đ
                        principalColumn: "Id",Đ
                        onDelete: ReferentialAction.Cascade);Đ
                    table.ForeignKey(Đ
                        name: "FK_TechnologicalOperationUnits_Units_UnitId",Đ
                        column: x => x.UnitId,Đ
                        principalSchema: "mdm",Đ
                        principalTable: "Units",Đ
                        principalColumn: "Id",Đ
                        onDelete: ReferentialAction.Cascade);Đ
                });Đ
Đ
            migrationBuilder.CreateTable(Đ
                name: "TransportUnits",Đ
                schema: "mdm",Đ
                columns: table => newĐ
                {Đ
                    Id = table.Column<Guid>(type: "uuid", nullable: false)Đ
                },Đ
                constraints: table =>Đ
                {Đ
                    table.PrimaryKey("PK_TransportUnits", x => x.Id);Đ
                    table.ForeignKey(Đ
                        name: "FK_TransportUnits_Units_Id",Đ
                        column: x => x.Id,Đ
                        principalSchema: "mdm",Đ
                        principalTable: "Units",Đ
                        principalColumn: "Id",Đ
                        onDelete: ReferentialAction.Cascade);Đ
                });Đ
Đ
            migrationBuilder.CreateIndex(Đ
                name: "IX_TechnologicalOperationParameters_DeletedAt",Đ
                schema: "mdm",Đ
                table: "TechnologicalOperationParameters",Đ
                column: "DeletedAt");Đ
Đ
            migrationBuilder.CreateIndex(Đ
                name: "IX_TechnologicalOperationParameters_OperationId",Đ
                schema: "mdm",Đ
                table: "TechnologicalOperationParameters",Đ
                column: "OperationId");Đ
Đ
            migrationBuilder.CreateIndex(Đ
                name: "IX_TechnologicalOperationParameters_ParameterId",Đ
                schema: "mdm",Đ
                table: "TechnologicalOperationParameters",Đ
                column: "ParameterId");Đ
Đ
            migrationBuilder.CreateIndex(Đ
                name: "IX_TechnologicalOperations_DeletedAt",Đ
                schema: "mdm",Đ
                table: "TechnologicalOperations",Đ
                column: "DeletedAt");Đ
Đ
            migrationBuilder.CreateIndex(Đ
                name: "IX_TechnologicalOperations_ParentId",Đ
                schema: "mdm",Đ
                table: "TechnologicalOperations",Đ
                column: "ParentId");Đ
Đ
            migrationBuilder.CreateIndex(Đ
                name: "IX_TechnologicalOperationUnits_DeletedAt",Đ
                schema: "mdm",Đ
                table: "TechnologicalOperationUnits",Đ
                column: "DeletedAt");Đ
Đ
            migrationBuilder.CreateIndex(Đ
                name: "IX_TechnologicalOperationUnits_OperationId",Đ
                schema: "mdm",Đ
                table: "TechnologicalOperationUnits",Đ
                column: "OperationId");Đ
Đ
            migrationBuilder.CreateIndex(Đ
```

```
                name: "IX_TechnologicalOperationUnits_UnitId",Đ
                schema: "mdm",Đ
                table: "TechnologicalOperationUnits",Đ
                column: "UnitId");Đ
Đ
            migrationBuilder.CreateIndex(Đ
                name: "IX_TechnologicalParameters_DeletedAt",Đ
                schema: "mdm",Đ
                table: "TechnologicalParameters",Đ
                column: "DeletedAt");Đ
Đ
            migrationBuilder.CreateIndex(Đ
                name: "IX_Units_DeletedAt",Đ
                schema: "mdm",Đ
                table: "Units",Đ
                column: "DeletedAt");Đ
Đ
            migrationBuilder.CreateIndex(Đ
                name: "IX_Units_ParentId",Đ
                schema: "mdm",Đ
                table: "Units",Đ
                column: "ParentId");Đ
        }Đ
Đ
        /// <inheritdoc />Đ
        protected override void Down(MigrationBuilder migrationBuilder)Đ
        {Đ
            migrationBuilder.DropTable(Đ
                name: "AuditLogs",Đ
                schema: "mdm");Đ
Đ
            migrationBuilder.DropTable(Đ
                name: "DepartmentUnits",Đ
                schema: "mdm");Đ
Đ
            migrationBuilder.DropTable(Đ
                name: "PositionUnits",Đ
                schema: "mdm");Đ
Đ
            migrationBuilder.DropTable(Đ
                name: "ProductionUnits",Đ
                schema: "mdm");Đ
Đ
            migrationBuilder.DropTable(Đ
                name: "StorageUnits",Đ
                schema: "mdm");Đ
Đ
            migrationBuilder.DropTable(Đ
                name: "TechnologicalOperationParameters",Đ
                schema: "mdm");Đ
Đ
            migrationBuilder.DropTable(Đ
                name: "TechnologicalOperationUnits",Đ
                schema: "mdm");Đ
Đ
            migrationBuilder.DropTable(Đ
                name: "TransportUnits",Đ
                schema: "mdm");Đ
Đ
            migrationBuilder.DropTable(Đ
                name: "TechnologicalParameters",Đ
                schema: "mdm");Đ
Đ
            migrationBuilder.DropTable(Đ
                name: "TechnologicalOperations",Đ
                schema: "mdm");Đ
Đ
            migrationBuilder.DropTable(Đ
                name: "Units",Đ
                schema: "mdm");Đ
        }Đ
    }Đ
}
```
</file>

<file path="Promatis.Net.Test.MDM.DataInit/
Migrations/20260521060225_TechnologicalParameterCalcMethod.cs">

```
using System;Đ
using Microsoft.EntityFrameworkCore.Migrations;Đ
Đ
#nullable disableĐ
Đ
namespace Promatis.Net.Test.MDM.DataInit.MigrationsĐ
{Đ
    /// <inheritdoc />Đ
    public partial class TechnologicalParameterCalcMethod : MigrationĐ
    {Đ
        /// <inheritdoc />Đ
        protected override void Up(MigrationBuilder migrationBuilder)Đ
        {Đ
            migrationBuilder.RenameIndex(Đ
                name: "IX_Units_ParentId",Đ
                schema: "mdm",Đ
                table: "Units",Đ
                newName: "IX_UnitBase_ParentId");Đ
Đ
            migrationBuilder.RenameIndex(Đ
                name: "IX_TechnologicalOperations_ParentId",Đ
                schema: "mdm",Đ
                table: "TechnologicalOperations",Đ
                newName: "IX_TechnologicalOperation_ParentId");Đ
Đ
            migrationBuilder.CreateTable(Đ
                name: "TechnologicalParameterCalcMethods",Đ
                schema: "mdm",Đ
                columns: table => newĐ
                {Đ
                    Id = table.Column<Guid>(type: "uuid", nullable: false),Đ
                    CreatedAt = table.Column<DateTime>(type: "timestamp with time zone", nullable:
false),Đ
                    UnitId = table.Column<Guid>(type: "uuid", nullable: false),Đ
                    TechnologicalOperationId = table.Column<Guid>(type: "uuid", nullable: false),Đ
                    TechnologicalParameterId = table.Column<Guid>(type: "uuid", nullable: false),Đ
                    CalculationMethod = table.Column<int>(type: "integer", nullable: false),Đ
                    DeletedAt = table.Column<DateTime>(type: "timestamp with time zone", nullable:
true),Đ
                    DeletedBy = table.Column<string>(type: "character varying(255)", maxLength:
255, nullable: true)Đ
                },Đ
                constraints: table =>Đ
                {Đ
                    table.PrimaryKey("PK_TechnologicalParameterCalcMethods", x => x.Id);Đ
                    table.ForeignKey(Đ
                        name: "FK_TechnologicalParameterCalcMethods_TechnologicalOperations_T~",Đ
                        column: x => x.TechnologicalOperationId,Đ
                        principalSchema: "mdm",Đ
                        principalTable: "TechnologicalOperations",Đ
                        principalColumn: "Id",Đ
                        onDelete: ReferentialAction.Cascade);Đ
                    table.ForeignKey(Đ
                        name: "FK_TechnologicalParameterCalcMethods_TechnologicalParameters_T~",Đ
                        column: x => x.TechnologicalParameterId,Đ
                        principalSchema: "mdm",Đ
                        principalTable: "TechnologicalParameters",Đ
                        principalColumn: "Id",Đ
                        onDelete: ReferentialAction.Cascade);Đ
                    table.ForeignKey(Đ
                        name: "FK_TechnologicalParameterCalcMethods_Units_UnitId",Đ
                        column: x => x.UnitId,Đ
                        principalSchema: "mdm",Đ
                        principalTable: "Units",Đ
                        principalColumn: "Id",Đ
                        onDelete: ReferentialAction.Cascade);Đ
                });Đ
Đ
            migrationBuilder.CreateIndex(Đ
                name: "IX_TechnologicalParameterCalcMethods_DeletedAt",Đ
                schema: "mdm",Đ
                table: "TechnologicalParameterCalcMethods",Đ
                column: "DeletedAt");Đ
Đ
            migrationBuilder.CreateIndex(Đ
                name: "IX_TechnologicalParameterCalcMethods_TechnologicalOperationId",Đ
```

```
                schema: "mdm",Đ
                table: "TechnologicalParameterCalcMethods",Đ
                column: "TechnologicalOperationId");Đ
Đ
            migrationBuilder.CreateIndex(Đ
                name: "IX_TechnologicalParameterCalcMethods_TechnologicalParameterId",Đ
                schema: "mdm",Đ
                table: "TechnologicalParameterCalcMethods",Đ
                column: "TechnologicalParameterId");Đ
Đ
            migrationBuilder.CreateIndex(Đ
                name: "IX_TechnologicalParameterCalcMethods_UnitId",Đ
                schema: "mdm",Đ
                table: "TechnologicalParameterCalcMethods",Đ
                column: "UnitId");Đ
        }Đ
Đ
        /// <inheritdoc />Đ
        protected override void Down(MigrationBuilder migrationBuilder)Đ
        {Đ
            migrationBuilder.DropTable(Đ
                name: "TechnologicalParameterCalcMethods",Đ
                schema: "mdm");Đ
Đ
            migrationBuilder.RenameIndex(Đ
                name: "IX_UnitBase_ParentId",Đ
                schema: "mdm",Đ
                table: "Units",Đ
                newName: "IX_Units_ParentId");Đ
Đ
            migrationBuilder.RenameIndex(Đ
                name: "IX_TechnologicalOperation_ParentId",Đ
                schema: "mdm",Đ
                table: "TechnologicalOperations",Đ
                newName: "IX_TechnologicalOperations_ParentId");Đ
        }Đ
    }Đ
}
</file>

<file path="Promatis.Net.Test.MDM.DataInit/Migrations/20260528090200_Add-UnitOfMeasurement.cs">
using System;Đ
using Microsoft.EntityFrameworkCore.Migrations;Đ
Đ
#nullable disableĐ
Đ
namespace Promatis.Net.Test.MDM.DataInit.MigrationsĐ
{Đ
    /// <inheritdoc />Đ
    public partial class AddUnitOfMeasurement : MigrationĐ
    {Đ
        /// <inheritdoc />Đ
        protected override void Up(MigrationBuilder migrationBuilder)Đ
        {Đ
            migrationBuilder.DropColumn(Đ
                name: "UnitOfMeasurement",Đ
                schema: "mdm",Đ
                table: "TechnologicalParameters");Đ
Đ
            migrationBuilder.AddColumn<int>(Đ
                name: "AllowedMethods",Đ
                schema: "mdm",Đ
                table: "TechnologicalParameters",Đ
                type: "integer",Đ
                nullable: false,Đ
                defaultValue: 0);Đ
Đ
            migrationBuilder.AddColumn<Guid>(Đ
                name: "UnitOfMeasurementId",Đ
                schema: "mdm",Đ
                table: "TechnologicalParameters",Đ
                type: "uuid",Đ
                nullable: true);Đ
Đ
            migrationBuilder.CreateTable(Đ
                name: "UnitOfMeasurements",Đ
```

```
                schema: "mdm",Đ
                columns: table => newĐ
                {Đ
                    Id = table.Column<Guid>(type: "uuid", nullable: false),Đ
                    CreatedAt = table.Column<DateTime>(type: "timestamp with time zone", nullable:
false),Đ
                    Name = table.Column<string>(type: "character varying(255)", maxLength: 255,
nullable: false),Đ
                    Description = table.Column<string>(type: "character varying(255)", maxLength:
255, nullable: true),Đ
                    Code = table.Column<string>(type: "character varying(255)", maxLength: 255,
nullable: true),Đ
                    DeletedAt = table.Column<DateTime>(type: "timestamp with time zone", nullable:
true),Đ
                    DeletedBy = table.Column<string>(type: "character varying(255)", maxLength:
255, nullable: true)Đ
                },Đ
                constraints: table =>Đ
                {Đ
                    table.PrimaryKey("PK_UnitOfMeasurements", x => x.Id);Đ
                });Đ
Đ
            migrationBuilder.CreateIndex(Đ
                name: "IX_TechnologicalParameters_UnitOfMeasurementId",Đ
                schema: "mdm",Đ
                table: "TechnologicalParameters",Đ
                column: "UnitOfMeasurementId");Đ
Đ
            migrationBuilder.CreateIndex(Đ
                name: "IX_UnitOfMeasurements_DeletedAt",Đ
                schema: "mdm",Đ
                table: "UnitOfMeasurements",Đ
                column: "DeletedAt");Đ
Đ
            migrationBuilder.AddForeignKey(Đ
                name: "FK_TechnologicalParameters_UnitOfMeasurements_UnitOfMeasuremen~",Đ
                schema: "mdm",Đ
                table: "TechnologicalParameters",Đ
                column: "UnitOfMeasurementId",Đ
                principalSchema: "mdm",Đ
                principalTable: "UnitOfMeasurements",Đ
                principalColumn: "Id");Đ
        }Đ
Đ
        /// <inheritdoc />Đ
        protected override void Down(MigrationBuilder migrationBuilder)Đ
        {Đ
            migrationBuilder.DropForeignKey(Đ
                name: "FK_TechnologicalParameters_UnitOfMeasurements_UnitOfMeasuremen~",Đ
                schema: "mdm",Đ
                table: "TechnologicalParameters");Đ
Đ
            migrationBuilder.DropTable(Đ
                name: "UnitOfMeasurements",Đ
                schema: "mdm");Đ
Đ
            migrationBuilder.DropIndex(Đ
                name: "IX_TechnologicalParameters_UnitOfMeasurementId",Đ
                schema: "mdm",Đ
                table: "TechnologicalParameters");Đ
Đ
            migrationBuilder.DropColumn(Đ
                name: "AllowedMethods",Đ
                schema: "mdm",Đ
                table: "TechnologicalParameters");Đ
Đ
            migrationBuilder.DropColumn(Đ
                name: "UnitOfMeasurementId",Đ
                schema: "mdm",Đ
                table: "TechnologicalParameters");Đ
Đ
            migrationBuilder.AddColumn<string>(Đ
                name: "UnitOfMeasurement",Đ
                schema: "mdm",Đ
                table: "TechnologicalParameters",Đ
                type: "character varying(255)",Đ
```

```
                maxLength: 255,Đ
                nullable: false,Đ
                defaultValue: "");Đ
        }Đ
    }Đ
}
```
</file>

<file path="Promatis.Net.Test.MDM.DataInit/Migrations/MdmApplicationDbContextModelSnapshot.cs">
```
// <auto-generated />Đ
using System;Đ
using Microsoft.EntityFrameworkCore;Đ
using Microsoft.EntityFrameworkCore.Infrastructure;Đ
using Microsoft.EntityFrameworkCore.Storage.ValueConversion;Đ
using Npgsql.EntityFrameworkCore.PostgreSQL.Metadata;Đ
using Promatis.Net.Test.MDM.Data;Đ
Đ
#nullable disableĐ
Đ
namespace Promatis.Net.Test.MDM.DataInit.MigrationsĐ
{Đ
    [DbContext(typeof(MdmApplicationDbContext))]Đ
    partial class MdmApplicationDbContextModelSnapshot : ModelSnapshotĐ
    {Đ
        protected override void BuildModel(ModelBuilder modelBuilder)Đ
        {Đ
#pragma warning disable 612, 618Đ
            modelBuilderĐ
                .HasDefaultSchema("mdm")Đ
                .HasAnnotation("ProductVersion", "10.0.8")Đ
                .HasAnnotation("Relational:MaxIdentifierLength", 63);Đ
Đ
            NpgsqlModelBuilderExtensions.UseIdentityByDefaultColumns(modelBuilder);Đ
Đ
            modelBuilder.Entity("Promatis.Net.Domain.AuditLog", b =>Đ
                {Đ
                    b.Property<Guid>("Id")Đ
                        .HasColumnType("uuid");Đ
Đ
                    b.Property<string>("Action")Đ
                        .IsRequired()Đ
                        .HasMaxLength(50)Đ
                        .HasColumnType("character varying(50)");Đ
Đ
                    b.Property<DateTime>("ChangedAt")Đ
                        .HasColumnType("timestamp with time zone");Đ
Đ
                    b.Property<string>("ChangedBy")Đ
                        .HasMaxLength(100)Đ
                        .HasColumnType("character varying(100)");Đ
Đ
                    b.Property<string>("ChangesJson")Đ
                        .IsRequired()Đ
                        .HasMaxLength(255)Đ
                        .HasColumnType("jsonb");Đ
Đ
                    b.Property<DateTime>("CreatedAt")Đ
                        .HasColumnType("timestamp with time zone");Đ
Đ
                    b.Property<Guid>("EntityId")Đ
                        .HasColumnType("uuid");Đ
Đ
                    b.Property<string>("EntityName")Đ
                        .IsRequired()Đ
                        .HasMaxLength(100)Đ
                        .HasColumnType("character varying(100)");Đ
Đ
                    b.HasKey("Id");Đ
Đ
                    b.ToTable("AuditLogs", "mdm");Đ
                });Đ
Đ
            modelBuilder.Entity("Promatis.Net.MES.Domain.UnitBase", b =>Đ
                {Đ
                    b.Property<Guid>("Id")Đ
                        .HasColumnType("uuid");Đ
```

```
Đ
                    b.Property<string>("Code")Đ
                        .HasMaxLength(255)Đ
                        .HasColumnType("character varying(255)");Đ
Đ
                    b.Property<DateTime>("CreatedAt")Đ
                        .HasColumnType("timestamp with time zone");Đ
Đ
                    b.Property<DateTime?>("DeletedAt")Đ
                        .HasColumnType("timestamp with time zone");Đ
Đ
                    b.Property<string>("DeletedBy")Đ
                        .HasMaxLength(255)Đ
                        .HasColumnType("character varying(255)");Đ
Đ
                    b.Property<string>("Description")Đ
                        .HasMaxLength(255)Đ
                        .HasColumnType("character varying(255)");Đ
Đ
                    b.Property<int>("Kind")Đ
                        .HasColumnType("integer");Đ
Đ
                    b.Property<string>("Name")Đ
                        .IsRequired()Đ
                        .HasMaxLength(255)Đ
                        .HasColumnType("character varying(255)");Đ
Đ
                    b.Property<Guid?>("ParentId")Đ
                        .HasColumnType("uuid");Đ
Đ
                    b.Property<int>("Type")Đ
                        .HasColumnType("integer");Đ
Đ
                    b.HasKey("Id");Đ
Đ
                    b.HasIndex("DeletedAt");Đ
Đ
                    b.HasIndex("ParentId")Đ
                        .HasDatabaseName("IX_UnitBase_ParentId");Đ
Đ
                    b.ToTable("Units", "mdm");Đ
Đ
                    b.UseTptMappingStrategy();Đ
                });Đ
Đ
            modelBuilder.Entity("Promatis.Net.MES.Domain.UnitOfMeasurement", b =>Đ
                {Đ
                    b.Property<Guid>("Id")Đ
                        .HasColumnType("uuid");Đ
Đ
                    b.Property<string>("Code")Đ
                        .HasMaxLength(255)Đ
                        .HasColumnType("character varying(255)");Đ
Đ
                    b.Property<DateTime>("CreatedAt")Đ
                        .HasColumnType("timestamp with time zone");Đ
Đ
                    b.Property<DateTime?>("DeletedAt")Đ
                        .HasColumnType("timestamp with time zone");Đ
Đ
                    b.Property<string>("DeletedBy")Đ
                        .HasMaxLength(255)Đ
                        .HasColumnType("character varying(255)");Đ
Đ
                    b.Property<string>("Description")Đ
                        .HasMaxLength(255)Đ
                        .HasColumnType("character varying(255)");Đ
Đ
                    b.Property<string>("Name")Đ
                        .IsRequired()Đ
                        .HasMaxLength(255)Đ
                        .HasColumnType("character varying(255)");Đ
Đ
                    b.HasKey("Id");Đ
Đ
                    b.HasIndex("DeletedAt");Đ
```

```
Ð
                    b.ToTable("UnitOfMeasurements", "mdm");Ð
                });Ð
Ð
            modelBuilder.Entity("Promatis.Net.MES.MDM.Domain.TechnologicalOperation", b =>Ð
                {Ð
                    b.Property<Guid>("Id")Ð
                        .HasColumnType("uuid");Ð
Ð
                    b.Property<string>("Code")Ð
                        .HasMaxLength(255)Ð
                        .HasColumnType("character varying(255)");Ð
Ð
                    b.Property<DateTime>("CreatedAt")Ð
                        .HasColumnType("timestamp with time zone");Ð
Ð
                    b.Property<DateTime?>("DeletedAt")Ð
                        .HasColumnType("timestamp with time zone");Ð
Ð
                    b.Property<string>("DeletedBy")Ð
                        .HasMaxLength(255)Ð
                        .HasColumnType("character varying(255)");Ð
Ð
                    b.Property<string>("Description")Ð
                        .HasMaxLength(255)Ð
                        .HasColumnType("character varying(255)");Ð
Ð
                    b.Property<bool>("IsLeaf")Ð
                        .HasColumnType("boolean");Ð
Ð
                    b.Property<string>("Name")Ð
                        .IsRequired()Ð
                        .HasMaxLength(255)Ð
                        .HasColumnType("character varying(255)");Ð
Ð
                    b.Property<Guid?>("ParentId")Ð
                        .HasColumnType("uuid");Ð
Ð
                    b.HasKey("Id");Ð
Ð
                    b.HasIndex("DeletedAt");Ð
Ð
                    b.HasIndex("ParentId")Ð
                        .HasDatabaseName("IX_TechnologicalOperation_ParentId");Ð
Ð
                    b.ToTable("TechnologicalOperations", "mdm");Ð
                });Ð
Ð
            modelBuilder.Entity("Promatis.Net.MES.MDM.Domain.TechnologicalOperationParameter", b =>Ð
                {Ð
                    b.Property<Guid>("Id")Ð
                        .HasColumnType("uuid");Ð
Ð
                    b.Property<DateTime>("CreatedAt")Ð
                        .HasColumnType("timestamp with time zone");Ð
Ð
                    b.Property<string>("DefaultValue")Ð
                        .HasMaxLength(255)Ð
                        .HasColumnType("character varying(255)");Ð
Ð
                    b.Property<DateTime?>("DeletedAt")Ð
                        .HasColumnType("timestamp with time zone");Ð
Ð
                    b.Property<string>("DeletedBy")Ð
                        .HasMaxLength(255)Ð
                        .HasColumnType("character varying(255)");Ð
Ð
                    b.Property<bool>("IsRequired")Ð
                        .HasColumnType("boolean");Ð
Ð
                    b.Property<double?>("MaxValue")Ð
                        .HasColumnType("double precision");Ð
Ð
                    b.Property<double?>("MinValue")Ð
                        .HasColumnType("double precision");Ð
Ð
```

```
                    b.Property<Guid>("OperationId")Đ
                        .HasColumnType("uuid");Đ
Đ
                    b.Property<Guid>("ParameterId")Đ
                        .HasColumnType("uuid");Đ
Đ
                    b.HasKey("Id");Đ
Đ
                    b.HasIndex("DeletedAt");Đ
Đ
                    b.HasIndex("OperationId");Đ
Đ
                    b.HasIndex("ParameterId");Đ
Đ
                    b.ToTable("TechnologicalOperationParameters", "mdm");Đ
                });Đ
Đ
            modelBuilder.Entity("Promatis.Net.MES.MDM.Domain.TechnologicalOperationUnit", b =>Đ
                {Đ
                    b.Property<Guid>("Id")Đ
                        .HasColumnType("uuid");Đ
Đ
                    b.Property<DateTime>("CreatedAt")Đ
                        .HasColumnType("timestamp with time zone");Đ
Đ
                    b.Property<DateTime?>("DeletedAt")Đ
                        .HasColumnType("timestamp with time zone");Đ
Đ
                    b.Property<string>("DeletedBy")Đ
                        .HasMaxLength(255)Đ
                        .HasColumnType("character varying(255)");Đ
Đ
                    b.Property<Guid>("OperationId")Đ
                        .HasColumnType("uuid");Đ
Đ
                    b.Property<int>("Priority")Đ
                        .HasColumnType("integer");Đ
Đ
                    b.Property<Guid>("UnitId")Đ
                        .HasColumnType("uuid");Đ
Đ
                    b.HasKey("Id");Đ
Đ
                    b.HasIndex("DeletedAt");Đ
Đ
                    b.HasIndex("OperationId");Đ
Đ
                    b.HasIndex("UnitId");Đ
Đ
                    b.ToTable("TechnologicalOperationUnits", "mdm");Đ
                });Đ
Đ
            modelBuilder.Entity("Promatis.Net.MES.MDM.Domain.TechnologicalParameter", b =>Đ
                {Đ
                    b.Property<Guid>("Id")Đ
                        .HasColumnType("uuid");Đ
Đ
                    b.Property<int>("AllowedMethods")Đ
                        .HasColumnType("integer");Đ
Đ
                    b.Property<string>("Code")Đ
                        .HasMaxLength(255)Đ
                        .HasColumnType("character varying(255)");Đ
Đ
                    b.Property<DateTime>("CreatedAt")Đ
                        .HasColumnType("timestamp with time zone");Đ
Đ
                    b.Property<string>("DataType")Đ
                        .IsRequired()Đ
                        .HasMaxLength(255)Đ
                        .HasColumnType("character varying(255)");Đ
Đ
                    b.Property<DateTime?>("DeletedAt")Đ
                        .HasColumnType("timestamp with time zone");Đ
Đ
                    b.Property<string>("DeletedBy")Đ
```

```
                        .HasMaxLength(255)Ð
                        .HasColumnType("character varying(255)");Ð
Ð
                    b.Property<string>("Description")Ð
                        .HasMaxLength(255)Ð
                        .HasColumnType("character varying(255)");Ð
Ð
                    b.Property<string>("Name")Ð
                        .IsRequired()Ð
                        .HasMaxLength(255)Ð
                        .HasColumnType("character varying(255)");Ð
Ð
                    b.Property<Guid?>("UnitOfMeasurementId")Ð
                        .HasColumnType("uuid");Ð
Ð
                    b.HasKey("Id");Ð
Ð
                    b.HasIndex("DeletedAt");Ð
Ð
                    b.HasIndex("UnitOfMeasurementId");Ð
Ð
                    b.ToTable("TechnologicalParameters", "mdm");Ð
                });Ð
Ð
            modelBuilder.Entity("Promatis.Net.MES.MDM.Domain.TechnologicalParameterCalcMethod", b =>Ð
                {Ð
                    b.Property<Guid>("Id")Ð
                        .HasColumnType("uuid");Ð
Ð
                    b.Property<int>("CalculationMethod")Ð
                        .HasColumnType("integer");Ð
Ð
                    b.Property<DateTime>("CreatedAt")Ð
                        .HasColumnType("timestamp with time zone");Ð
Ð
                    b.Property<DateTime?>("DeletedAt")Ð
                        .HasColumnType("timestamp with time zone");Ð
Ð
                    b.Property<string>("DeletedBy")Ð
                        .HasMaxLength(255)Ð
                        .HasColumnType("character varying(255)");Ð
Ð
                    b.Property<Guid>("TechnologicalOperationId")Ð
                        .HasColumnType("uuid");Ð
Ð
                    b.Property<Guid>("TechnologicalParameterId")Ð
                        .HasColumnType("uuid");Ð
Ð
                    b.Property<Guid>("UnitId")Ð
                        .HasColumnType("uuid");Ð
Ð
                    b.HasKey("Id");Ð
Ð
                    b.HasIndex("DeletedAt");Ð
Ð
                    b.HasIndex("TechnologicalOperationId");Ð
Ð
                    b.HasIndex("TechnologicalParameterId");Ð
Ð
                    b.HasIndex("UnitId");Ð
Ð
                    b.ToTable("TechnologicalParameterCalcMethods", "mdm");Ð
                });Ð
Ð
            modelBuilder.Entity("Promatis.Net.Test.MDM.Domain.DepartmentUnit", b =>Ð
                {Ð
                    b.HasBaseType("Promatis.Net.MES.Domain.UnitBase");Ð
Ð
                    b.ToTable("DepartmentUnits", "mdm");Ð
                });Ð
Ð
            modelBuilder.Entity("Promatis.Net.Test.MDM.Domain.PositionUnit", b =>Ð
                {Ð
                    b.HasBaseType("Promatis.Net.MES.Domain.UnitBase");Ð
Ð
                    b.ToTable("PositionUnits", "mdm");Ð
```

```
                });Ð
Ð
            modelBuilder.Entity("Promatis.Net.Test.MDM.Domain.ProductionUnit", b =>Ð
                {Ð
                    b.HasBaseType("Promatis.Net.MES.Domain.UnitBase");Ð
Ð
                    b.ToTable("ProductionUnits", "mdm");Ð
                });Ð
Ð
            modelBuilder.Entity("Promatis.Net.Test.MDM.Domain.StorageUnit", b =>Ð
                {Ð
                    b.HasBaseType("Promatis.Net.MES.Domain.UnitBase");Ð
Ð
                    b.ToTable("StorageUnits", "mdm");Ð
                });Ð
Ð
            modelBuilder.Entity("Promatis.Net.Test.MDM.Domain.TransportUnit", b =>Ð
                {Ð
                    b.HasBaseType("Promatis.Net.MES.Domain.UnitBase");Ð
Ð
                    b.ToTable("TransportUnits", "mdm");Ð
                });Ð
Ð
            modelBuilder.Entity("Promatis.Net.MES.Domain.UnitBase", b =>Ð
                {Ð
                    b.HasOne("Promatis.Net.MES.Domain.UnitBase", "Parent")Ð
                        .WithMany("Children")Ð
                        .HasForeignKey("ParentId")Ð
                        .OnDelete(DeleteBehavior.Restrict);Ð
Ð
                    b.Navigation("Parent");Ð
                });Ð
Ð
            modelBuilder.Entity("Promatis.Net.MES.MDM.Domain.TechnologicalOperation", b =>Ð
                {Ð
                    b.HasOne("Promatis.Net.MES.MDM.Domain.TechnologicalOperation", "Parent")Ð
                        .WithMany("Children")Ð
                        .HasForeignKey("ParentId")Ð
                        .OnDelete(DeleteBehavior.Restrict);Ð
Ð
                    b.Navigation("Parent");Ð
                });Ð
Ð
            modelBuilder.Entity("Promatis.Net.MES.MDM.Domain.TechnologicalOperationParameter", b =>Ð
                {Ð
                    b.HasOne("Promatis.Net.MES.MDM.Domain.TechnologicalOperation", "Operation")Ð
                        .WithMany("ParameterLinks")Ð
                        .HasForeignKey("OperationId")Ð
                        .OnDelete(DeleteBehavior.Cascade)Ð
                        .IsRequired();Ð
Ð
                    b.HasOne("Promatis.Net.MES.MDM.Domain.TechnologicalParameter", "Parameter")Ð
                        .WithMany()Ð
                        .HasForeignKey("ParameterId")Ð
                        .OnDelete(DeleteBehavior.Cascade)Ð
                        .IsRequired();Ð
Ð
                    b.Navigation("Operation");Ð
Ð
                    b.Navigation("Parameter");Ð
                });Ð
Ð
            modelBuilder.Entity("Promatis.Net.MES.MDM.Domain.TechnologicalOperationUnit", b =>Ð
                {Ð
                    b.HasOne("Promatis.Net.MES.MDM.Domain.TechnologicalOperation", "Operation")Ð
                        .WithMany("UnitLinks")Ð
                        .HasForeignKey("OperationId")Ð
                        .OnDelete(DeleteBehavior.Cascade)Ð
                        .IsRequired();Ð
Ð
                    b.HasOne("Promatis.Net.MES.Domain.UnitBase", "Unit")Ð
                        .WithMany()Ð
                        .HasForeignKey("UnitId")Ð
                        .OnDelete(DeleteBehavior.Cascade)Ð
                        .IsRequired();Ð
Ð
```

```
                    b.Navigation("Operation");Đ
Đ
                    b.Navigation("Unit");Đ
                });Đ
Đ
            modelBuilder.Entity("Promatis.Net.MES.MDM.Domain.TechnologicalParameter", b =>Đ
                {Đ
                    b.HasOne("Promatis.Net.MES.Domain.UnitOfMeasurement", "UnitOfMeasurement")Đ
                        .WithMany()Đ
                        .HasForeignKey("UnitOfMeasurementId");Đ
Đ
                    b.Navigation("UnitOfMeasurement");Đ
                });Đ
Đ
            modelBuilder.Entity("Promatis.Net.MES.MDM.Domain.TechnologicalParameterCalcMethod", b =>Đ
                {Đ
                    b.HasOne("Promatis.Net.MES.MDM.Domain.TechnologicalOperation", 
"TechnologicalOperation")Đ
                        .WithMany()Đ
                        .HasForeignKey("TechnologicalOperationId")Đ
                        .OnDelete(DeleteBehavior.Cascade)Đ
                        .IsRequired();Đ
Đ
                    b.HasOne("Promatis.Net.MES.MDM.Domain.TechnologicalParameter", 
"TechnologicalParameter")Đ
                        .WithMany()Đ
                        .HasForeignKey("TechnologicalParameterId")Đ
                        .OnDelete(DeleteBehavior.Cascade)Đ
                        .IsRequired();Đ
Đ
                    b.HasOne("Promatis.Net.MES.Domain.UnitBase", "Unit")Đ
                        .WithMany()Đ
                        .HasForeignKey("UnitId")Đ
                        .OnDelete(DeleteBehavior.Cascade)Đ
                        .IsRequired();Đ
Đ
                    b.Navigation("TechnologicalOperation");Đ
Đ
                    b.Navigation("TechnologicalParameter");Đ
Đ
                    b.Navigation("Unit");Đ
                });Đ
Đ
            modelBuilder.Entity("Promatis.Net.Test.MDM.Domain.DepartmentUnit", b =>Đ
                {Đ
                    b.HasOne("Promatis.Net.MES.Domain.UnitBase", null)Đ
                        .WithOne()Đ
                        .HasForeignKey("Promatis.Net.Test.MDM.Domain.DepartmentUnit", "Id")Đ
                        .OnDelete(DeleteBehavior.Cascade)Đ
                        .IsRequired();Đ
                });Đ
Đ
            modelBuilder.Entity("Promatis.Net.Test.MDM.Domain.PositionUnit", b =>Đ
                {Đ
                    b.HasOne("Promatis.Net.MES.Domain.UnitBase", null)Đ
                        .WithOne()Đ
                        .HasForeignKey("Promatis.Net.Test.MDM.Domain.PositionUnit", "Id")Đ
                        .OnDelete(DeleteBehavior.Cascade)Đ
                        .IsRequired();Đ
                });Đ
Đ
            modelBuilder.Entity("Promatis.Net.Test.MDM.Domain.ProductionUnit", b =>Đ
                {Đ
                    b.HasOne("Promatis.Net.MES.Domain.UnitBase", null)Đ
                        .WithOne()Đ
                        .HasForeignKey("Promatis.Net.Test.MDM.Domain.ProductionUnit", "Id")Đ
                        .OnDelete(DeleteBehavior.Cascade)Đ
                        .IsRequired();Đ
                });Đ
Đ
            modelBuilder.Entity("Promatis.Net.Test.MDM.Domain.StorageUnit", b =>Đ
                {Đ
                    b.HasOne("Promatis.Net.MES.Domain.UnitBase", null)Đ
                        .WithOne()Đ
                        .HasForeignKey("Promatis.Net.Test.MDM.Domain.StorageUnit", "Id")Đ
                        .OnDelete(DeleteBehavior.Cascade)Đ
```

```
                        .IsRequired();Ð
                });Ð
Ð
            modelBuilder.Entity("Promatis.Net.Test.MDM.Domain.TransportUnit", b =>Ð
                {Ð
                    b.HasOne("Promatis.Net.MES.Domain.UnitBase", null)Ð
                        .WithOne()Ð
                        .HasForeignKey("Promatis.Net.Test.MDM.Domain.TransportUnit", "Id")Ð
                        .OnDelete(DeleteBehavior.Cascade)Ð
                        .IsRequired();Ð
                });Ð
Ð
            modelBuilder.Entity("Promatis.Net.MES.Domain.UnitBase", b =>Ð
                {Ð
                    b.Navigation("Children");Ð
                });Ð
Ð
            modelBuilder.Entity("Promatis.Net.MES.MDM.Domain.TechnologicalOperation", b =>Ð
                {Ð
                    b.Navigation("Children");Ð
Ð
                    b.Navigation("ParameterLinks");Ð
Ð
                    b.Navigation("UnitLinks");Ð
                });Ð
#pragma warning restore 612, 618Ð
        }Ð
    }Ð
}
</file>

<file path="Promatis.Net.Test.MDM.DataInit/Promatis.Net.Test.MDM.DataInit.csproj">
<Project Sdk="Microsoft.NET.Sdk">Ð
Ð
  <PropertyGroup>Ð
    <TargetFramework>net10.0</TargetFramework>Ð
    <ImplicitUsings>enable</ImplicitUsings>Ð
    <Nullable>enable</Nullable>Ð
  </PropertyGroup>Ð
Ð
  <ItemGroup>Ð
    <PackageReference Include="Microsoft.EntityFrameworkCore.Design" Version="10.0.8">Ð
      <PrivateAssets>all</PrivateAssets>Ð
      <IncludeAssets>runtime; build; native; contentfiles; analyzers; buildtransitive</
IncludeAssets>Ð
    </PackageReference>Ð
    <PackageReference Include="Microsoft.EntityFrameworkCore.Relational" Version="10.0.8" />Ð
    <PackageReference Include="Microsoft.EntityFrameworkCore.Tools" Version="10.0.8">Ð
      <PrivateAssets>all</PrivateAssets>Ð
      <IncludeAssets>runtime; build; native; contentfiles; analyzers; buildtransitive</
IncludeAssets>Ð
    </PackageReference>Ð
    <PackageReference Include="Microsoft.Extensions.Configuration" Version="10.0.8" />Ð
    <PackageReference Include="Microsoft.Extensions.Configuration.Binder" Version="10.0.8" />Ð
    <PackageReference Include="Microsoft.Extensions.Configuration.Json" Version="10.0.8" />Ð
    <PackageReference Include="Npgsql.EntityFrameworkCore.PostgreSQL" Version="10.0.1" />Ð
  </ItemGroup>Ð
Ð
  <ItemGroup>Ð
    <ProjectReference Include="..\Promatis.Net.Test.MDM.Data\Promatis.Net.Test.MDM.Data.csproj" />Ð
  </ItemGroup>Ð
Ð
</Project>
</file>

<file path="Promatis.Net.Test.MDM.Domain.Interface/Class1.cs">
namespace Promatis.Net.Test.MDM.Domain.InterfaceÐ
{Ð
    public class Class1Ð
    {Ð
Ð
    }Ð
}
</file>

<file path="Promatis.Net.Test.MDM.Domain.Interface/Promatis.Net.Test.MDM.Domain.Interface.csproj">
```

```
<Project Sdk="Microsoft.NET.Sdk">Đ
Đ
  <PropertyGroup>Đ
    <TargetFramework>net10.0</TargetFramework>Đ
    <ImplicitUsings>enable</ImplicitUsings>Đ
    <Nullable>enable</Nullable>Đ
  </PropertyGroup>Đ
Đ
  <ItemGroup>Đ
    <ProjectReference Include="..\..\..
\Mes\MDM\Promatis.Net.MES.MDM.Domain.Interface\Promatis.Net.MES.MDM.Domain.Interface.csproj" />Đ
  </ItemGroup>Đ
Đ
</Project>
</file>

<file path="Promatis.Net.Test.MDM.Domain/DepartmentUnit.cs">
using Promatis.Net.MES.MDM.Domain;Đ
Đ
namespace Promatis.Net.Test.MDM.Domain;Đ
Đ
/// <summary>Đ
/// A¤0D$5C4>D 8Dó¢  CT?C @D$0CÄ5CÔB (Bd5DRÂ #Dt0D BCä: C¤0C¢ >D 3-CT4C„=C„FC •
/// </summary>Đ
public class DepartmentUnit : DepartmentUnitBase {}
</file>

<file path="Promatis.Net.Test.MDM.Domain/DepartmentUnitValidator.cs">
using Promatis.Net.MES.MDM.Domain;Đ
Đ
namespace Promatis.Net.Test.MDM.Domain;Đ
Đ
public class DepartmentUnitValidator : DepartmentUnitBaseValidator<DepartmentUnit> { }
</file>

<file path="Promatis.Net.Test.MDM.Domain/PositionUnit.cs">
using Promatis.Net.MES.MDM.Domain;Đ
Đ
namespace Promatis.Net.Test.MDM.Domain;Đ
Đ
/// <summary>Đ
/// A¤0D$5C4>D 8Dó¢  Cä7C„FC„O (BôGCT9C¤0, B 0C >Dt0Dò BCäGC¤0)Đ
/// </summary>Đ
public class PositionUnit : PositionUnitBase { }
</file>

<file path="Promatis.Net.Test.MDM.Domain/PositionUnitValidator.cs">
using Promatis.Net.MES.MDM.Domain;Đ
Đ
namespace Promatis.Net.Test.MDM.Domain;Đ
Đ
public class PositionUnitValidator : PositionUnitBaseValidator<PositionUnit> { }
</file>

<file path="Promatis.Net.Test.MDM.Domain/ProductionUnit.cs">
using Promatis.Net.MES.MDM.Domain;Đ
Đ
namespace Promatis.Net.Test.MDM.Domain;Đ
Đ
/// <summary>Đ
/// A¤0D$5C4>D 8Dó¢  D >C„7C$>CDAD$2Câ „ C„=C„O, B BC =Cä:, A$5D AD$0C¢•
/// </summary>Đ
public class ProductionUnit : ProductionUnitBase { }
</file>

<file path="Promatis.Net.Test.MDM.Domain/ProductionUnitValidator.cs">
using Promatis.Net.MES.MDM.Domain;Đ
Đ
namespace Promatis.Net.Test.MDM.Domain;Đ
Đ
class ProductionUnitValidator : ProductionUnitBaseValidator<ProductionUnit> { }
</file>

<file path="Promatis.Net.Test.MDM.Domain/Promatis.Net.Test.MDM.Domain.csproj">
<Project Sdk="Microsoft.NET.Sdk">Đ
Đ
```

```
  <PropertyGroup>Ð
    <TargetFramework>net10.0</TargetFramework>Ð
    <ImplicitUsings>enable</ImplicitUsings>Ð
    <Nullable>enable</Nullable>Ð
  </PropertyGroup>Ð
Ð
  <ItemGroup>Ð
    <PackageReference Include="Microsoft.EntityFrameworkCore.Relational" Version="10.0.8" />Ð
  </ItemGroup>Ð
Ð
  <ItemGroup>Ð
    <ProjectReference Include="..\..\..
\Mes\MDM\Promatis.Net.MES.MDM.Domain\Promatis.Net.MES.MDM.Domain.csproj" />Ð
    <ProjectReference Include="..
\Promatis.Net.Test.MDM.Domain.Interface\Promatis.Net.Test.MDM.Domain.Interface.csproj" />Ð
  </ItemGroup>Ð
Ð
</Project>
</file>

<file path="Promatis.Net.Test.MDM.Domain/StorageUnit.cs">
using Promatis.Net.MES.MDM.Domain;Ð
Ð
namespace Promatis.Net.Test.MDM.Domain;Ð
Ð
/// <summary>Ð
/// A¤0D$5C4>D 8Dó¢ !C¤;C 4 (B :C´0CBÂ  Cä=C Â !D$5C´;C 6)Ð
/// </summary>Ð
public class StorageUnit : StorageUnitBase { }
</file>

<file path="Promatis.Net.Test.MDM.Domain/StorageUnitValidator.cs">
using Promatis.Net.MES.MDM.Domain;Ð
Ð
namespace Promatis.Net.Test.MDM.Domain;Ð
Ð
public class StorageUnitValidator : StorageUnitBaseValidator<StorageUnit> { }
</file>

<file path="Promatis.Net.Test.MDM.Domain/TransportUnit.cs">
using Promatis.Net.MES.MDM.Domain;Ð
Ð
namespace Promatis.Net.Test.MDM.Domain;Ð
Ð
/// <summary>Ð
/// A¤0D$5C4>D 8Dó¢ "D 0CÔACô>D B (Aô>C4@D47Dt8C¢Â  Cä=C$5C”5D •
/// </summary>Ð
public class TransportUnit : TransportUnitBase { }
</file>

<file path="Promatis.Net.Test.MDM.Domain/TransportUnitValidator.cs">
using Promatis.Net.MES.MDM.Domain;Ð
Ð
namespace Promatis.Net.Test.MDM.Domain;Ð
Ð
public class TransportUnitValidator : TransportUnitBaseValidator<TransportUnit> { }
</file>

<file path="Promatis.Net.Test.MDM.Launcher.Web/appsettings.Development.json">
{Ð
  "Logging": {Ð
    "LogLevel": {Ð
      "Default": "Information",Ð
      "Microsoft.AspNetCore": "Warning"Ð
    }Ð
  }Ð
}
</file>

<file path="Promatis.Net.Test.MDM.Launcher.Web/appsettings.json">
{Ð
  "LauncherSettings": {Ð
    "Modules": [Ð
      "Promatis.Net.Test.MDM.Launcher.Web.DefaultWebConfig",Ð
      "Promatis.Net.Test.MDM.Configuration.Configurator"Ð
    ]Ð
```

```
  },Đ
Đ
  "Logging": {Đ
    "LogLevel": {Đ
      "Default": "Information",Đ
      "Microsoft.AspNetCore": "Warning"Đ
    }Đ
  },Đ
Đ
  "AllowedHosts": "*",Đ
Đ
  "ConnectionStrings": {Đ
    "DefaultConnection": "Host=10.10.10.132;Port=5432;Database=TestBase;Username=guest"Đ
  }Đ
}
</file>

<file path="Promatis.Net.Test.MDM.Launcher.Web/Bootstrapper.cs">
using Promatis.Net.Configuration.Web;Đ
Đ
namespace Promatis.Net.Test.MDM.Launcher.Web;Đ
Đ
public class Bootstrapper : WebAppBootstrapper<Components.App> { }
</file>

<file path="Promatis.Net.Test.MDM.Launcher.Web/Components/_Imports.razor">
@using Microsoft.AspNetCore.Components.WebĐ
@using Microsoft.AspNetCore.Components.RoutingĐ
@using MudBlazorĐ
@using Promatis.Net.Configuration.Web.Components
</file>

<file path="Promatis.Net.Test.MDM.Launcher.Web/Components/App.razor">
@using Promatis.Net.Configuration.Web.ComponentsĐ
@using Promatis.Net.Configuration.Web.Components.LayoutĐ
<!DOCTYPE html>Đ
<html lang="ru">Đ
Đ
<head>Đ
    <meta charset="utf-8" />Đ
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />Đ
    <base href="/" />Đ
    Đ
    @* Aô>CD:C´NDt5CÔ8CR HD 8DDBC  &ö&÷Fò ¤
    <link href="https://googleapis.com" rel="stylesheet" />Đ
    Đ
    @* A 0Ct>C$KCR AD$8C´8 MudBlazor *@Đ
    <link href="@Assets["_content/MudBlazor/MudBlazor.min.css"]" rel="stylesheet" />Đ
    <ResourcePreloader />Đ
    Đ
    @* A¤0D BCä<CÔKCR AD$8C´8 C$ACT9 DÔ:CäAC„AD$5CÄK C„7 Cä1D”5C’ 1C„1C´8CäBCT:C,  &öÖ F—2äæWBåV’ ¤
    <link rel="stylesheet" href="@Assets["_content/Promatis.Net.Ui/app.css"]" />Đ
    Đ
    @* A„7Cä;C„@Cä2C =CÔKCR AD$8C´8 C¤>CÄ?Cä=CT=D$>C" ¤
    <link rel="stylesheet" href="@Assets["Promatis.Net.Web.UI.styles.css"]" />Đ
    <ImportMap />Đ
    <HeadOutlet />Đ
</head>Đ
Đ
<body>Đ
@* AÔ0Ct=C GC 5CÂ 8CÔBCT@C :D$8C$=CäAD$L Ct4CTADÂâ -D$> D 4CT;C 5D" 6C„2D´< C$5D L C„=D$5D DCT9D  AC„AD$5CÄK
    <Routes @rendermode="RenderMode.InteractiveServer" />Đ
<ReconnectModal />Đ
Đ
<script src="_framework/blazor.web.js"></script>Đ
<script src="@Assets["_content/MudBlazor/MudBlazor.min.js"]"></script>Đ
</body>Đ
Đ
</html>
</file>

<file path="Promatis.Net.Test.MDM.Launcher.Web/DefaultWebConfig.cs">
using Promatis.Net.Configuration.Web;Đ
Đ
namespace Promatis.Net.Test.MDM.Launcher.Web;Đ
Đ
```

```
public class DefaultWebConfig : WebAppConfigurator<Components.App> { }
</file>

<file path="Promatis.Net.Test.MDM.Launcher.Web/Program.cs">
using Promatis.Net.Test.MDM.Launcher.Web;Đ
Đ
new Bootstrapper().Run(args);
</file>

<file path="Promatis.Net.Test.MDM.Launcher.Web/Promatis.Net.Test.MDM.Launcher.Web.csproj">
<Project Sdk="Microsoft.NET.Sdk.Web">Đ
Đ
  <PropertyGroup>Đ
    <TargetFramework>net10.0</TargetFramework>Đ
    <Nullable>enable</Nullable>Đ
    <ImplicitUsings>enable</ImplicitUsings>Đ
    <BlazorDisableThrowNavigationException>true</BlazorDisableThrowNavigationException>Đ
  </PropertyGroup>Đ
Đ
  <ItemGroup>Đ
    <PackageReference Include="Microsoft.EntityFrameworkCore.Design" Version="10.0.8">Đ
      <PrivateAssets>all</PrivateAssets>Đ
      <IncludeAssets>runtime; build; native; contentfiles; analyzers; buildtransitive</
IncludeAssets>Đ
    </PackageReference>Đ
    <PackageReference Include="Npgsql.EntityFrameworkCore.PostgreSQL" Version="10.0.1" />Đ
  </ItemGroup>Đ
Đ
  <ItemGroup>Đ
    <ProjectReference Include="..\..\..
\Core\Configuration.Web\Promatis.Net.Configuration.Web.csproj" />Đ
    <ProjectReference Include="..
\Promatis.Net.Test.MDM.Configuration\Promatis.Net.Test.MDM.Configuration.csproj" />Đ
  </ItemGroup>Đ
Đ
</Project>
</file>

<file path="Promatis.Net.Test.MDM.Launcher.Web/Properties/launchSettings.json">
{Đ
  "$schema": "https://json.schemastore.org/launchsettings.json",Đ
    "profiles": {Đ
      "http": {Đ
        "commandName": "Project",Đ
        "dotnetRunMessages": true,Đ
        "launchBrowser": true,Đ
        "applicationUrl": "http://localhost:5123",Đ
        "environmentVariables": {Đ
          "ASPNETCORE_ENVIRONMENT": "Development"Đ
        }Đ
      },Đ
      "https": {Đ
        "commandName": "Project",Đ
        "dotnetRunMessages": true,Đ
        "launchBrowser": true,Đ
        "applicationUrl": "https://localhost:7285;http://localhost:5123",Đ
        "environmentVariables": {Đ
          "ASPNETCORE_ENVIRONMENT": "Development"Đ
        }Đ
      }Đ
    }Đ
  }
</file>

<file path="Promatis.Net.Test.MDM.Launcher.Web/wwwroot/app.css">
h1:focus {Đ
    outline: none;Đ
}Đ
Đ
.valid.modified:not([type=checkbox]) {Đ
    outline: 1px solid #26b050;Đ
}Đ
Đ
.invalid {Đ
    outline: 1px solid #e50000;Đ
}Đ
```

```
Ð
.validation-message {Ð
    color: #e50000;Ð
}Ð
Ð
.blazor-error-boundary {Ð
    background: url(data:image/svg+xml;base64,PHN2ZyB3aWR0aD0iNTYiIGhlaWdodD0iNDkiIHhtbG5zPSJodHRwOi
8vd3d3LnczLm9yZy8yMDAwL3N2ZyIgeG1sbnM6eGxpbms9Imh0dHA6Ly93d3cudzMub3JnLzE5OTkveGxpbmsiIG92ZXJmbG93PS
JoaWRkZW4iPjxkZWZzPjxjbGlwUGF0aCBpZD0iY2xpcDAiPjxyZWN0IHg9IjIzNSIgeT0iNTEiIHdpZHRoPSI1NiIgaGVpZ2h0PS
I0OSIvPjwvY2xpcFBhdGg+PC9kZWZzPjxnIGNsaXAtcGF0aD0idXJsKCNjbGlwMCkiIHRyYW5zZm9ybT0idHJhbnNsYXRlKC0yMz
UgLTUxKSI+PHBhdGggZD0iTTI2My41MDYgNTFDMjY0LjcxNyA1MSAyNjUuODEzIDUxLjQ4MzcgMjY2LjYwNiA1Mi4yNjU4TDI2Ny
4wNTIgNTIuNzk4NyAyNjcuNTM5IDUzLjYyODMgMjkwLjE4NSA5Mi4xODMxIDI5MC41NDUgOTIuNzk1IDI5MC42NTYgOTIuOTk2Qz
I5MC44NzcgOTMuNTEzIDI5MSA5NC4wODE1IDI5MSA5NC42NzgyIDI5MSA5Ny4wNjUxIDI4OS4wMzggOTkgMjg2LjYxNyA5OUwyND
AuMzgzIDk5QzIzNy45NjMgOTkgMjM2IDk3LjA2NTEgMjM2IDk0LjY3ODIgMjM2IDk0LjM3OTkgMjM2LjAzMSA5NC4wODg2IDIzNi
4wODkgOTMuODA3MkwyMzYuMzM4IDkzLjAxNjIgMjM2Ljg1OCA5Mi4xMzE0IDI1OS40NzMgNTMuNjI5NCAyNTkuOTYxIDUyLjc5OD
UgMjYwLjQwNyA1Mi4yNjU4QzI2MS4yIDUxLjQ4MzcgMjYyLjI5NiA1MSAyNjMuNTA2IDUxWk0yNjMuNTg2IDY2LjAxODNDMjYwLj
czNyA2Ni4wMTgzIDI1OS4zMTMgNjcuMTI0NSAyNTkuMzEzIDY5LjMzNyAyNTkuMzEzIDY5LjYxMDIgMjU5LjMzMiA2OS44NjA4ID
I1OS4zNzEgNzAuMDg4N0wyNjEuNzk1IDg0LjAxNjEgMjY1LjM4IDg0LjAxNjEgMjY3LjgyMSA2OS43NDc1QzI2Ny44NiA2OS43Mz
A5IDI2Ny44NzkgNjkuNTg3NyAyNjcuODc5IDY5LjMxNzkgMjY3Ljg3OSA2Ny4xMTgyIDI2Ni40NDggNjYuMDE4MyAyNjMuNTg2ID
Y2LjAxODNaTTI2My41NzYgODYuMDU0N0MyNjEuMDQ5IDg2LjA1NDcgMjU5Ljc4NiA4Ny4zMDA1IDI1OS43ODYgODkuNzkyMSAyNT
kuNzg2IDkyLjI4MzcgMjYxLjA0OSA5My41Mjk1IDI2My41NzYgOTMuNTI5NSAyNjYuMTE2IDkzLjUyOTUgMjY3LjM4NyA5Mi4yOD
M3IDI2Ny4zODcgODkuNzkyMSAyNjcuMzg3IDg3LjMwMDUgMjY2LjExNiA4Ni4wNTQ3IDI2My41NzYgODYuMDU0N1oiIGZpbGw9Ii
NGRkU1MDAiIGZpbGwtcnVsZT0iZXZlbm9kZCIvPjwvZz48L3N2Zz4=) no-repeat 1rem/1.8rem, #b32121;Ð
    padding: 1rem 1rem 1rem 3.7rem;Ð
    color: white;Ð
}Ð
Ð
    .blazor-error-boundary::after {Ð
        content: "An error has occurred."Ð
    }Ð
Ð
.darker-border-checkbox.form-check-input {Ð
    border-color: #929292;Ð
}Ð
Ð
.form-floating > .form-control-plaintext::placeholder, .form-floating > .form-control::placeholder {Ð
    color: var(--bs-secondary-color);Ð
    text-align: end;Ð
}Ð
Ð
.form-floating > .form-control-plaintext:focus::placeholder, .form-floating > .form-
control:focus::placeholder {Ð
    text-align: start;Ð
}
</file>

<file path="Promatis.Net.Test.MDM.Service/Promatis.Net.Test.MDM.Service.csproj">
<Project Sdk="Microsoft.NET.Sdk">Ð
Ð
  <PropertyGroup>Ð
    <TargetFramework>net10.0</TargetFramework>Ð
    <ImplicitUsings>enable</ImplicitUsings>Ð
    <Nullable>enable</Nullable>Ð
  </PropertyGroup>Ð
Ð
  <ItemGroup>Ð
    <ProjectReference Include="..\..\..
\Mes\MDM\Promatis.Net.MES.MDM.Service\Promatis.Net.MES.MDM.Service.csproj" />Ð
    <ProjectReference Include="..\Promatis.Net.Test.MDM.Data\Promatis.Net.Test.MDM.Data.csproj" />Ð
  </ItemGroup>Ð
Ð
</Project>
</file>

<file path="Promatis.Net.Test.MDM.Service/Services/TechnologicalOperationService.cs">
using Microsoft.EntityFrameworkCore;Ð
using Promatis.Net.MES.MDM.Domain;Ð
using Promatis.Net.MES.Service;Ð
using Promatis.Net.Test.MDM.Data;Ð
Ð
namespace Promatis.Net.Test.MDM.Service;Ð
Ð
/// <summary>Ð
/// A¤ AÔ B  B$ B´  (AÔ  C 1D BD 0C¤BCÔKC’’ @C 1CäGC„9 D 5D 2C„A D4?D 0C$;CT=C„O D$5DT=Cä;Cä3C„GCTAC¤8CÄ8 Cä?
/// AÔ0D ;CT4D45D" 2D N CÄ0D$5CÄ0D$8C¤C CD5D 5C$0 C, <C BD 8DdK Cä1Cä@D44Cä2C =C„O C„7 C 0Ct>C$KDR :C´0D ACä2
/// </summary>Ð
```

```
public class TechnologicalOperationService(IDbContextFactory<MdmApplicationDbContext>
contextFactory)Đ
    : TechnologicalOperationService<TechnologicalOperation, TechnologicalOperationUnit,
MdmApplicationDbContext>(contextFactory)Đ
{Đ
    // AÄ5D$>CB vWD ÆÆ÷vVEVæ—G4 7–æ2Â 0 D$0C¤6CR Ö÷fT 7–æ2Â vWDgVÆÅG&VT 7–æ2 8 C 0Ct>C$KC’ 5%TM
    // B4 AR ?Cä;CÔ>D BDÄN D 5C ;C„7Cä2C =D² 8 D 0C >D$0DäB CÔ0 D4@Cä2CÔODR 8CÔBCT@DD5C”ACä2 C, 1C 7Cä2D´E C¤
    // Aô8D 0D$L C„E Ct4CTADÂ 7C =Cä2Câ  AR  B4 AÔ .Đ
Đ
    // ===========================================================================Đ
    // Aô A„ A´ AD A / AD AÄ AÔ A / BD A  A„ A  "AT%Aô Aä&AT!B  A-
    // ===========================================================================Đ
Đ
    /// <summary>Đ
    /// A 2D$>CÄ0D$8Dt5D :C, 3CT=CT@C„@D45D" ?D4AD$>C’ HC 1C´>CÒ BCTECÔ>C´>C48Dt5D :Cä9 Cä?CT@C FC„8 CÔ0 CäAC
    /// Aô>C´=CäAD$LDâ >D 2Cä1Cä6CD0CTB UI-D ;Cä9 CäB D CD$8CÔ=Cä3Câ 2D´7Cä2C  ;Dô<C 4C ÔDC 1D 8C¢í
    /// </summary>Đ
    public override Task<TechnologicalOperation> CreateChildTemplateAsync(TechnologicalOperation
parent)Đ
    {Đ
        // Aô> CD>CÄ5CÔ=D´< Cô@C 2C„;C < C$0D„5C4> D$5DT?D >Dd5D AC  ACä7CD0CT< DÔ:Ct5CÄ?C´OD  :Cä=C¤@CTBCÔ>C
        // Cô@CT4Ct0Cô>C´=DôO CTQ ParentId C„4CT=D$8DD8C¤0D$>D >CÂ 2D´1D 0CÔ=Cä3Câ @Cä4C„BCT;DÄAC¤>C4> D47C´0
        var childOperation = new TechnologicalOperationĐ
        {Đ
            ParentId = parent.Id,Đ
            IsLeaf = true // Aô> D4<Cä;Dt0CÔ8Dâ =Cä2C O Cä?CT@C FC„O Dô2C´OCTBD O C´8D BCä< C4@C DC Â ?Cä:C
        };Đ
Đ
        // At0CÔCC´OCT< Dd8C¤;C„GCTAC¤CDâ AD KC´:D2 =C  @Cä4C„BCT;DÄAC¤8C’ >C JCT:D" 2 Cô0CÄOD$8 CD;Dò 7C IC„
        childOperation.Parent = null;Đ
Đ
        return Task.FromResult(childOperation);Đ
    }Đ
}
</file>

<file path="Promatis.Net.Test.MDM.Service/Services/UnitService.cs">
using Microsoft.EntityFrameworkCore;Đ
using Promatis.Net.MES.Domain;Đ
using Promatis.Net.MES.Domain.Interface;Đ
using Promatis.Net.MES.Service;Đ
using Promatis.Net.Service;Đ
using Promatis.Net.Test.MDM.Data;Đ
using Promatis.Net.Test.MDM.Domain;Đ
Đ
namespace Promatis.Net.Test.MDM.Service;Đ
Đ
/// <summary>Đ
/// A¤>CÔ5Dt=D´9 D 0C >Dt8C’ ACT@C$8D  CCô@C 2C´5CÔ8Dò AD$@D4:D$CD >C’ ?D 5CD?D 8DôBC„O CÔ0 D 0CÄ>CÂ =C„7C¤>C
/// AÔ0D ;CT4D45D" 2D N C4>D$>C$CDâ <C BCT<C BC„:D2 4CT@CT2C  !B4 AB 8 D 5C ;C„7D45D" DC 1D 8C¤C Cô>C´8CÄ>D D
/// </summary>Đ
public class UnitService(IDbContextFactory<MdmApplicationDbContext> contextFactory)Đ
    : UnitBaseService<MdmApplicationDbContext>(contextFactory)Đ
{Đ
    /// <summary>Đ
    /// A¤>CÔ5Dt=C O Cô@C„:C´0CD=C O DD0C @C„:C  ?Cä;C„<Cä@DD8Ct<C í
    /// </summary>Đ
    public override Task<UnitBase> CreateChildTemplateAsync(UnitBase parent)Đ
    {Đ
        UnitKind childKind = parent.Kind switchĐ
        {Đ
            UnitKind.Department => UnitKind.Production,Đ
            UnitKind.Production => UnitKind.Position,Đ
            UnitKind.Storage => UnitKind.Storage,Đ
            UnitKind.Transport => UnitKind.Position,Đ
            _ => UnitKind.PositionĐ
        };Đ
Đ
        UnitBase childUnit = childKind switchĐ
        {Đ
            UnitKind.Department => new DepartmentUnit { Type = UnitType.Other, ParentId =
parent.Id },Đ
            UnitKind.Production => new ProductionUnit { Type = UnitType.Other, ParentId =
parent.Id },Đ
            UnitKind.Storage => new StorageUnit { Type = UnitType.Other, ParentId = parent.Id },Đ
            UnitKind.Transport => new TransportUnit { Type = UnitType.Other, ParentId = parent.Id },Đ
```

```
            UnitKind.Position => new PositionUnit { Type = UnitType.Other, ParentId = parent.Id },Đ
            _ => throw new ArgumentOutOfRangeException(nameof(childKind))Đ
        };Đ
Đ
        childUnit.Parent = null;Đ
        return Task.FromResult(childUnit);Đ
    }Đ
}
</file>

<file path="Promatis.Net.Test.MDM.Tests/Promatis.Net.Test.MDM.Tests.csproj">
<Project Sdk="Microsoft.NET.Sdk">Đ
Đ
  <PropertyGroup>Đ
    <TargetFramework>net10.0</TargetFramework>Đ
    <ImplicitUsings>enable</ImplicitUsings>Đ
    <Nullable>enable</Nullable>Đ
    <IsPackable>false</IsPackable>Đ
  </PropertyGroup>Đ
Đ
  <ItemGroup>Đ
    <PackageReference Include="coverlet.collector" Version="10.0.0">Đ
      <PrivateAssets>all</PrivateAssets>Đ
      <IncludeAssets>runtime; build; native; contentfiles; analyzers; buildtransitive</
IncludeAssets>Đ
    </PackageReference>Đ
    <PackageReference Include="FluentAssertions" Version="8.10.0" />Đ
    <PackageReference Include="FluentValidation" Version="12.1.1" />Đ
    <PackageReference Include="Microsoft.EntityFrameworkCore.InMemory" Version="10.0.8" />Đ
    <PackageReference Include="Microsoft.NET.Test.Sdk" Version="18.5.1" />Đ
    <PackageReference Include="Moq" Version="4.20.72" />Đ
    <PackageReference Include="xunit.runner.visualstudio" Version="3.1.5">Đ
      <PrivateAssets>all</PrivateAssets>Đ
      <IncludeAssets>runtime; build; native; contentfiles; analyzers; buildtransitive</
IncludeAssets>Đ
    </PackageReference>Đ
    <PackageReference Include="xunit.v3" Version="3.2.2" />Đ
  </ItemGroup>Đ
Đ
  <ItemGroup>Đ
    <ProjectReference Include="..
\Promatis.Net.Test.MDM.Service\Promatis.Net.Test.MDM.Service.csproj" />Đ
  </ItemGroup>Đ
Đ
  <ItemGroup>Đ
    <Using Include="Xunit" />Đ
  </ItemGroup>Đ
Đ
</Project>
</file>

<file path="Promatis.Net.Test.MDM.Tests/UnitTest1.cs">
namespace Promatis.Net.Test.MDM.TestsĐ
{Đ
    public class UnitTest1Đ
    {Đ
        [Fact]Đ
        public void Test1()Đ
        {Đ
Đ
        }Đ
    }Đ
}
</file>

<file path="Promatis.Net.Test.MDM.UI/_Imports.razor">
@using Microsoft.AspNetCore.Components.FormsĐ
@using Microsoft.AspNetCore.Components.RoutingĐ
@using Microsoft.AspNetCore.Components.WebĐ
@using MudBlazorĐ
@using Promatis.Net.UI.Components.WorkspaceĐ
@using Promatis.Net.UI.Components.EditDialogĐ
@using Promatis.Net.UI.Components.GridĐ
@using Promatis.Net.UI.Components.ToolbarĐ
@using Promatis.Net.Domain.Interface
</file>
```

```
<file path="Promatis.Net.Test.MDM.UI/Pages/Unit/Card/UnitEditDialog.razor">
@using Promatis.Net.MES.Domain.InterfaceÐ
@using Promatis.Net.Test.MDM.DomainÐ
<EditDialog Title="@Title"Ð
            IsNew="@IsNew"Ð
            Model="@Model"Ð
            Validator="@Validator"Ð
            OnSaveAction="@OnSaveAction">Ð
    <Tabs>Ð
        @* A$ A´ AD A   ¢  C IC„5 Cô>C´O Cô> CD8Ct0C”=-D BC =CD0D BD2  &öÖ F—2äæWB ¤
        <DialogTab Title="AäACÔ>C$=Cä5" Icon="@Icons.Material.Filled.Info">Ð
            <Content>Ð
                <div class="d-flex flex-column gap-4 pt-2">Ð
Ð
                    <MudTextField Label="AÔ0C„<CT=Cä2C =C„5"Ð
                                  @bind-Value="Model.Name"Ð
                                  For="@(() => Model.Name)"Ð
                                  Margin="Margin.Dense"Ð
                                  Variant="Variant.Outlined"Ð
                                  Required="true" />Ð
Ð
                    <MudTextField Label="B 8D BCT<CÔKC’ :Cä4"Ð
                                  @bind-Value="Model.Code"Ð
                                  For="@(() => Model.Code)"Ð
                                  Margin="Margin.Dense"Ð
                                  Variant="Variant.Outlined"Ð
                                  Required="true"Ð
                                  HelperText="B$>C´LC¤> C´0D$8CÔ8Dd0 C" 2CT@DT=CT< D 5C48D BD 5, Dd8DD@D² 8 _
Ð
                    <MudTextField Label="Aä?C„AC =C„5 / Aô@C„<CTGC =C„5"Ð
                                  @bind-Value="Model.Description"Ð
                                  For="@(() => Model.Description)"Ð
                                  Margin="Margin.Dense"Ð
                                  Variant="Variant.Outlined"Ð
                                  Lines="3" />Ð
Ð
                    @* A$+Aô AD Bä)A„  B  A„!A¤  ENUM B   Aä AÔ A’  A )A„"Aä  A, $A„ BÄ"B  Bd AT  A„ B  B %A„
                    <div class="d-flex gap-4 mt-2">Ð
Ð
                        @* A¤0D$5C4>D 8Dò „¶–æB“¢ !C¤@D´BC  4C´O C¤>D =Dò „2D 5C44C   CT?C @D$0CÄ5CÔB),Ð
                           C :D$8C$=C  ?D 8 D >Ct4C =C„8 Cô>CDCCt;C Â 7C 1C´>C¤8D >C$0CÔ0 Cô@C, @CT4C :D$8D >
                        @if (Model.ParentId.HasValue && Model.ParentId.Value != Guid.Empty)Ð
                        {Ð
                            <MudSelect T="UnitKind"Ð
                                       Label="A¤0D$5C4>D 8Dò „¶–æB’-
                                       Value="Model.Kind"Ð
                                       ValueChanged="OnUnitKindChanged"Ð
                                       Disabled="@(!IsNew)"Ð
                                       Margin="Margin.Dense"Ð
                                       Variant="Variant.Outlined">Ð
                                @foreach (UnitKind kind in GetAllowedUnitKinds())Ð
                                {Ð
                                    <MudSelectItem Value="@kind">@kind.GetDescription()</
MudSelectItem>Ð
                                }Ð
                            </MudSelect>Ð
                        }Ð
Ð
                        @* B$8Cò >C JCT:D$0 (Type): A$ACT3CD0 C :D$8C$5CÒÂ DC„;DÄBD CCTBD O Cô> CÄ0D :CR 2D´1
                        <MudSelect T="UnitType"Ð
                                   Label="B$8Cò >C JCT:D$0 (Type)"Ð
                                   @bind-Value="Model.Type"Ð
                                   For="@(() => Model.Type)"Ð
                                   Margin="Margin.Dense"Ð
                                   Variant="Variant.Outlined"Ð
                                   Required="true">Ð
                            @foreach (UnitType type in GetRenderedUnitTypes())Ð
                            {Ð
                                <MudSelectItem Value="@type">@type.GetDescription()</MudSelectItem>Ð
                            }Ð
                        </MudSelect>Ð
Ð
                    </div>Ð
                </div>Ð
            </Content>Ð
```

```
        </DialogTab>Đ
Đ
        @* A$ A´ AD A  #¢  C„=C <C„GCTAC¤8C’ ?Cä;C„<Cä@DD=D´9 D 5CÔ4CT@C„=C2 ACô5Dd8DD8Dt=D´E D 2Cä9D BC" =C
        @if (Model is StorageUnit storageUnit)Đ
        {Đ
            <DialogTab Title="AÔ0D 0CÄ5D$@D² AC¤;C 4C " –6öãÒ$ –6öç2äÖ FW&– Âäf–ÆÆVBåv &V†÷W6R#í
                <Content>Đ
                    <div class="d-flex flex-column gap-4 pt-2">Đ
                        <MudText Typo="Typo.body2" Color="Color.Secondary" Class="italic">Đ
                            B ?CTFC„DC„GCÔKCR ?C @C <CTBD K C 4D 5D 0Dd8C, 8 D :C´0CDAC¤>C’ ;Cä3C„AD$8C¤8Đ
                        </MudText>Đ
                    </div>Đ
                </Content>Đ
            </DialogTab>Đ
        }Đ
        else if (Model is ProductionUnit productionUnit)Đ
        {Đ
            <DialogTab Title="AÔ0D 0CÄ5D$@D² ?D >C„7C$>CDAD$2C " –6öãÒ$ –6öç2äÖ FW&– Âäf–ÆÆVBäf 7F÷''#í
                <Content>Đ
                    <div class="d-flex flex-column gap-4 pt-2">Đ
                        <MudText Typo="Typo.body2" Color="Color.Secondary" Class="italic">Đ
                            B ?CTFC„DC„GCÔKCR ?C @C <CTBD K Cô@Cä8Ct2Cä4D BC$5CÔ=D´E CÄ>D”=CäAD$5C’ 8 OEEĐ
                        </MudText>Đ
                    </div>Đ
                </Content>Đ
            </DialogTab>Đ
        }Đ
    </Tabs>Đ
</EditDialog>
</file>

<file path="Promatis.Net.Test.MDM.UI/Pages/Unit/Card/UnitEditDialog.razor.cs">
using FluentValidation;Đ
using Microsoft.AspNetCore.Components;Đ
using Promatis.Net.MES.Domain;Đ
using Promatis.Net.MES.Domain.Interface;Đ
using Promatis.Net.Test.MDM.Domain;Đ
Đ
namespace Promatis.Net.Test.MDM.UI.Pages.Unit.Card;Đ
Đ
public partial class UnitEditDialog : ComponentBaseĐ
{Đ
    [Parameter] public required string Title { get; set; }Đ
    [Parameter] public required bool IsNew { get; set; }Đ
    [Parameter] public required UnitBase Model { get; set; }Đ
    [Parameter] public required FluentValidation.IValidator Validator { get; set; }Đ
    [Parameter] public required Func<Task> OnSaveAction { get; set; }Đ
Đ
    /// <summary>Đ
    /// A$>Ct2D 0D”0CTB D ?C„ACä: D 0Ct@CTHCT=CÔKDR  C BCT3Cä@C„9 (UnitKind) CD;Dò 2D´?C 4C ND”5C4> D ?C„AC¤0
    /// CäACÔ>C$KC$0DÔADÂ AD$@Cä3Câ =C  ?D 0C$8C´0DR Væ–D†–W& &6‡”Væv–æR >D$=CäAC„BCT;DÄ=Câ @Cä4C„BCT;DÄAC¤>C
    /// </summary>Đ
    private IEnumerable<UnitKind> GetAllowedUnitKinds()Đ
    {Đ
        if (Model.Parent == null)Đ
        {Đ
            return Enum.GetValues(typeof(UnitKind)).Cast<UnitKind>();Đ
        }Đ
Đ
        // AÔ0D$8C$=Câ >Cô@C HC„2C 5CÂ 4C$8Cd>C¢ 4Cä<CT=C ¢ :C :C„5 C¤0D$5C4>D 8C, @C 7D 5D„5CÔ> C$;Cä6C„BDÂ
        UnitKind parentKind = Model.Parent.Kind;Đ
        return Enum.GetValues(typeof(UnitKind))Đ
            .Cast<UnitKind>()Đ
            .Where(childKind => UnitHierarchyEngine.IsHierarchyValid(parentKind, childKind));Đ
    }Đ
Đ
    /// <summary>Đ
    /// A$>Ct2D 0D”0CTB D ?C„ACä: D$8Cô>C"Â >D$DC„;DÄBD >C$0CÔ=D´E Cô> C 8D$>C$>C’ <C AC¤5 D$5C¤CD”5C’ 2D´1D
    /// </summary>Đ
    private IEnumerable<UnitType> GetRenderedUnitTypes()Đ
    {Đ
        return Enum.GetValues(typeof(UnitType))Đ
            .Cast<UnitType>()Đ
            .Where(type => type != UnitType.None && ((int)Model.Kind & (int)type) != 0);Đ
    }Đ
Đ
```

```
    /// <summary>Đ
    /// Aô5D 5DT2C BD´2C 5D" ACÄ5CÔC C¤0D$5C4>D 8C, ?Cä;DÄ7Cä2C BCT;CT< C" 2D´?C 4C ND”5CÂ ACô8D :CRí
    /// AÔ0 C´5D$C Cô5D 5D >Ct4C 5D" ?D 0C$8C´LCÔKC’ 22Ô:C´0D A CÔ0D ;CT4CÔ8C¤0 B #A   CD;Dò >C ECä4C  –æ—BÖö
    /// Cô>C´=CäAD$LDâ ACäED 0CÔODò CCd5 C$2CT4CT=CÔKC’ ?Cä;DÄ7Cä2C BCT;CT< D$5C¤AD" 2 Cô>C´ODR DCä@CÄK.Đ
    /// </summary>Đ
    private void OnUnitKindChanged(UnitKind newKind)Đ
    {Đ
        if (Model.Kind == newKind) return;Đ
Đ
        // 1. B =C GC ;C  2D´GC„AC´OCT< Cô5D 2D´9 CD>D BD4?CÔKC’ 4CTDCä;D$=D´9 D$8Cò 4C´O CÔ>C$>C’ <C AC¤8 C¤
        UnitType defaultType = Enum.GetValues(typeof(UnitType))Đ
            .Cast<UnitType>()Đ
            .FirstOrDefault(type => type != UnitType.None && ((int)newKind & (int)type) != 0);Đ
Đ
        // 2. A„!Aô A  A´ AÔ : Aô5D 5CD0CT< defaultType D BD >C4> C" 8CÔ8Dd8C ;C„7C BCä@D² >C JCT:D$>C" ?D 8
        UnitBase newModel = newKind switchĐ
        {Đ
            UnitKind.Department => new DepartmentUnit { Type = defaultType },Đ
            UnitKind.Production => new ProductionUnit { Type = defaultType },Đ
            UnitKind.Storage => new StorageUnit { Type = defaultType },Đ
            UnitKind.Transport => new TransportUnit { Type = defaultType },Đ
            UnitKind.Position => new PositionUnit { Type = defaultType },Đ
            _ => throw new ArgumentOutOfRangeException(nameof(newKind))Đ
        };Đ
Đ
        // 3. Aô5D 5CÔ>D 8CÂ =C :Cä?C´5CÔ=Cä5 D$5C¤AD$>C$>CR ACäAD$>Dô=C„5 DD>D <D² 2 CÔ>C$KC’ ?Cä;C„<Cä@DD=D
        newModel.Id = Model.Id;Đ
        newModel.Code = Model.Code;Đ
        newModel.Name = Model.Name;Đ
        newModel.Description = Model.Description;Đ
        newModel.ParentId = Model.ParentId;Đ
        newModel.Parent = Model.Parent;Đ
Đ
        // Aô>CD<CT=Dô5CÂ <Cä4CT;DÂ 2 CD8C ;Cä3CR r &Æ ¦÷" <C4=Cä2CT=CÔ> Cô5D 5D 8D CCTB DD>D <D2 8 D 5C :D$8
        Model = newModel;Đ
        StateHasChanged();Đ
    }Đ
}
</file>

<file path="Promatis.Net.Test.MDM.UI/Pages/Unit/UnitTreePage.razor">
@page "/mdm/units"Đ
Đ
@using Promatis.Net.MES.DomainĐ
@using Promatis.Net.UI.Components.TreeĐ
Đ
@inject UnitTreePageContext ContextĐ
Đ
<CascadingValue Value="@Context" IsFixed="true">Đ
    <WorkspacePage>Đ
Đ
        <TopContent>Đ
            @* B$#A´ A  : A 2D$>CÔ>CÄ=Câ @CT=CD5D 8D" :CÔ>Cô:C, CCô@C 2C´5CÔ8Dò =C  >D =Cä2CR :Cä=D$5C¤AD$0 *
            <UiToolbar TEntity="UnitBase"Đ
                       ActionContext="@Context"Đ
                       OnCreateTriggered="@Context.OnCreateRootActionAsync"Đ
                       OnCreateChildTriggered="@Context.OnCreateChildActionAsync"Đ
                       OnEditTriggered="@Context.OnUpdateActionAsync"Đ
                       OnDeleteTriggered="@Context.OnDeleteActionAsync" />Đ
        </TopContent>Đ
Đ
        <BodyContent>Đ
            @* AD B  A$ : B$5Cô5D L C$KC$>CD8D" :D 0D 8C$KC’ ?D 5DD8C¤A D$8CÔ0 Cä1D¤5C¤BC  8Cr VçVÒ ¤
            <TreePage TEntity="UnitBase" Đ
                      NodeTextSelector="@(x => $"[{x.Code}] ({x.Type.GetDescription()})
{x.Name}")" />Đ
        </BodyContent>Đ
Đ
    </WorkspacePage>Đ
</CascadingValue>
</file>

<file path="Promatis.Net.Test.MDM.UI/Pages/Unit/UnitTreePageContext.cs">
using FluentValidation;Đ
using MudBlazor;Đ
using Promatis.Net.Domain.Interface;Đ
```

```
using Promatis.Net.MES.Domain;Đ
using Promatis.Net.MES.Domain.Interface;Đ
using Promatis.Net.MES.Service;Đ
using Promatis.Net.Test.MDM.Data;Đ
using Promatis.Net.Test.MDM.Domain;Đ
using Promatis.Net.Test.MDM.UI.Pages.Unit.Card;Đ
using Promatis.Net.UI.Components.Tree;Đ
Đ
namespace Promatis.Net.Test.MDM.UI.Pages.Unit;Đ
Đ
public class UnitTreePageContext : TreeActionContext<UnitBase>Đ
{Đ
    private readonly IUnitBaseService<MdmApplicationDbContext> _unitService;Đ
    private readonly IDialogService _dialogService;Đ
    private readonly IValidator<UnitBase> _globalValidator;Đ
    private readonly IEntityCloner _entityCloner;Đ
Đ
    public UnitTreePageContext(Đ
        IUnitBaseService<MdmApplicationDbContext> unitService,Đ
        IDialogService dialogService,Đ
        IValidator<UnitBase> globalValidator,Đ
        IEntityCloner entityCloner) : base()Đ
    {Đ
        _unitService = unitService;Đ
        _dialogService = dialogService;Đ
        _globalValidator = globalValidator; // B NCD0 C$=CT4D 8D$ADò vÆö& Å öÇ–Ö÷' †–5f Æ–F F÷#ÅVæ—D& 6Sí
        _entityCloner = entityCloner;Đ
Đ
        PageTitle = "Aô@Cä8Ct2Cä4D BC$5CÔ=C O D BD CC¤BD4@C  „ÔU2’#½
    }Đ
Đ
    /// <summary>Đ
    /// B 5C ;C„7C FC„O Cä1Dô7C BCT;DÄ=Cä3Câ <CTBCä4C  ?D >C4@CT2C   At#-C¤MD„0 C @Cä:CT@C  4C =CÔKDRí
    /// </summary>Đ
    public override async Task InitializeInMemoryTreeAsync()Đ
    {Đ
        List<UnitBase> data = await _unitService.GetAllAsync();Đ
        DataBroker.InMemoryItems = data;Đ
    }Đ
Đ
    // ===================================================================Đ
    // B  A  A„ A &A„/ A¤ B  AT B´% CRUD-Aä AT A &A„  AD Bò  Aä A  AB "B4 A  B  Đ
    // ===================================================================Đ
Đ
    public async Task OnCreateRootActionAsync()Đ
    {Đ
        // B &AT A  A„  A ¢   CD5D 5C$5 CÔ8Dt5C4> CÔ5 C$KC @C =Câ r ACä7CD0CT< Dt8D BD´9 A¤ B  AÔ, (AD5Cô0D B
        if (SelectedData == null)Đ
        {Đ
            var rootUnit = new DepartmentUnitĐ
            {Đ
                Id = Guid.NewGuid(),Đ
                Type = UnitType.Workshop, // AD;Dò &W V—&VBÔAC$>C”AD$2 Ct0CD0CT< Cô@Dô<Câ 2 C„=C„FC„0C´8Ct0D$
                ParentId = null,Đ
                Parent = nullĐ
            };Đ
Đ
            await OpenEditDialogAsync(rootUnit, "B >Ct4C =C„5 C¤>D =CT2Cä3Câ ?Cä4D 0Ct4CT;CT=C„O", isNew: tru
            return;Đ
        }Đ
Đ
        // B &AT A  A„  A ¢   CD5D 5C$5 C$KC @C = DÔ;CT<CT=D" r ACä7CD0CT< D >D 5CD0 B /AD AÂ „=C  BCä< Cd5 D
        UnitBase targetUnit;Đ
Đ
        if (SelectedData.Parent != null)Đ
        {Đ
            // ATAC´8 D2 2D´1D 0CÔ=Cä3Câ MC´5CÄ5CÔBC  5D BDÂ @Cä4C„BCT;DÂ 2 Aä B2Â ?D >D 8CÂ DC 1D 8C¤C C MC¤
            // D >Ct4C BDÂ 5D”5 Cä4C„= CD>Dt5D =C„9 D„0C ;Cä= CD;Dò MD$>C4> Cd5 D >CD8D$5C´O. Đ
            // BD0C @C„:C  AC <C  2CT@CÔ5D" =D46CÔKC’ :C´0D A (CÔ0Cô@C„<CT@, ProductionUnit) D  7C ?Cä;CÔ5CÔ=
            targetUnit = await _unitService.CreateChildTemplateAsync(SelectedData.Parent);Đ
            targetUnit.Parent = SelectedData.Parent; // A$>D AD$0CÔ0C$;C„2C 5CÂ AD KC´:D2 =C  @Cä4C„BCT;Dò 4C
        }Đ
        elseĐ
        {Đ
            // ATAC´8 C$KC @C =CÔKC’ MC´5CÄ5CÔB D 0CÂ OC$;Dô5D$ADò :Cä@CÔ5CÂÂ 7CÔ0Dt8D" 5C4> D >D 5CB r MD$>
            targetUnit = new DepartmentUnitĐ
```

```
            {Ð
                Type = UnitType.Workshop,Ð
                ParentId = null,Ð
                Parent = nullÐ
            };Ð
        }Ð
Ð
        // A45CÔ5D 8D CCT< D 2CT6C„9 Guid CD;Dò =Cä2Cä9 UI-D 5D AC„8Ð
        targetUnit.Id = Guid.NewGuid();Ð
Ð
        string dialogTitle = SelectedData.Parent != nullÐ
            ? $"B >Ct4C BDÂ >C JCT:D" =C  CD >C$=CR wµ6VÆV7FVDF F å  &VçBäæ ÖWÒr-
            : "B >Ct4C =C„5 C¤>D =CT2Cä3Câ >C JCT:D$0";Ð
Ð
        await OpenEditDialogAsync(targetUnit, dialogTitle, isNew: true);Ð
    }Ð
Ð
    public async Task OnCreateChildActionAsync(UnitBase? parent)Ð
    {Ð
        if (parent == null) return;Ð
Ð
        UnitBase childUnit = await _unitService.CreateChildTemplateAsync(parent);Ð
        childUnit.Id = Guid.NewGuid();Ð
Ð
        await OpenEditDialogAsync(childUnit, $"AD>C 0C$8D$L CD>Dt5D =C„9 D47CT; C" w·  &VçBäæ ÖWÒr"Â —4æWs¢ G
    }Ð
Ð
    public async Task OnUpdateActionAsync(UnitBase? node)Ð
    {Ð
        if (node == null) return;Ð
Ð
        // A$KCtKC$0CT< Dd5CÔBD 0C´8Ct>C$0CÔ=D´9 CD2C„6Cä: C¤;Cä=C„@Cä2C =C„O DÔ4D 0 CÔ;C BDD>D <D½
        var targetClone = _entityCloner.CloneEntity(node);Ð
Ð
        // A$>D AD$0CÔ0C$;C„2C 5CÂ AD KC´:C, =C  6C„2D4N D BD CC¤BD4@D2  At#Ð
        targetClone.ParentId = node.ParentId;Ð
        targetClone.Parent = node.Parent;Ð
Ð
        await OpenEditDialogAsync(targetClone, $"B 5CD0C¤BC„@Cä2C =C„5: {node.Name}", isNew: false);Ð
    }Ð
Ð
    public async Task OnDeleteActionAsync(UnitBase? node)Ð
    {Ð
        if (node == null) return;Ð
Ð
        var parameters = new DialogParameters { ["ContentText"] = $"B44C ;C„BDÂ w¶æöFRäæ ÖWÒr ‡¶æöFRä¶–æGÒ’ 8
CD>Dt5D =C„5 D47C´K?" };Ð
        var options = new DialogOptions { CloseOnEscapeKey = true };Ð
Ð
        var dialog = await _dialogService.ShowAsync<MudMessageBox>("B44C ;CT=C„5 Cä1D¤5C¤BC  AD$@D4:D$CD K",
        var result = await dialog.Result;Ð
Ð
        if (result is not null && !result.Canceled)Ð
        {Ð
            await _unitService.DeleteAsync(node.Id);Ð
        }Ð
    }Ð
Ð
    // ==========================================================================Ð
    // A$+At A" #AÔ A$ B !A  BÄ Aä Aâ  A„ A´ A4  B  AD A¤"A„ Aä A  A„/ A,  AT AT A 'A   Aô B  Bd A•
    // ==========================================================================Ð
    private async Task OpenEditDialogAsync(UnitBase model, string title, bool isNew)Ð
    {Ð
        var parameters = new DialogParametersÐ
        {Ð
            ["Title"] = title,Ð
            ["IsNew"] = isNew,Ð
            ["Model"] = model,Ð
            ["Validator"] = _globalValidator,Ð
            ["OnSaveAction"] = async () =>Ð
            {Ð
                // BT B #B  A„'AT!A¤ Bò  Bt B "A¤  AÔ A$ A4 Bd A,  AT AT  Aä"Aô A  A¤ A’   EF COREÐ
                // At0CÔCC´OCT< D AD´;C¤8 C$2CT@DR 8 C$=C„7, DtBCä1D² CC @C BDÂ @CT:D4@D 8C$=D´9 Cä1DT>CB BD
                model.Parent = null;Ð
                model.Children?.Clear();Ð
Ð
```

```
                if (isNew)Đ
                    await _unitService.AddAsync(model);Đ
                elseĐ
                    await _unitService.UpdateAsync(model);Đ
            }Đ
        };Đ
Đ
        var options = new DialogOptions { CloseButton = true, MaxWidth = MaxWidth.Small, FullWidth
= true };Đ
        await _dialogService.ShowAsync<UnitEditDialog>(title, parameters, options);Đ
    }Đ
Đ
    /// <summary>Đ
    /// AD AÔ AÄ Bt B  A„  B  B 'AT" AD B "B4 AÔ B "A,  AÔ Aô A,  Aä A  A´ AÔ Bò  Aä B4 A´ .Đ
    /// A„!Aô A  A´ AÔ : A¤=Cä?C¤0 C 2D$>CÄ0D$8Dt5D :C, 3C ACÔ5D"Â 5D ;C, 2D´1D 0CÔ0 D$5D <C„=C ;DÄ=C O D 0C
    /// </summary>Đ
    public override bool IsCreateChildEnabled =>Đ
        SelectedData != null && SelectedData.Kind != UnitKind.Position;Đ
}
</file>

<file path="Promatis.Net.Test.MDM.UI/Promatis.Net.Test.MDM.UI.csproj">
<Project Sdk="Microsoft.NET.Sdk.Razor">Đ
Đ
  <PropertyGroup>Đ
    <TargetFramework>net10.0</TargetFramework>Đ
    <Nullable>enable</Nullable>Đ
    <ImplicitUsings>enable</ImplicitUsings>Đ
  </PropertyGroup>Đ
Đ
Đ
  <ItemGroup>Đ
    <SupportedPlatform Include="browser" />Đ
  </ItemGroup>Đ
Đ
  <ItemGroup>Đ
    <PackageReference Include="Microsoft.AspNetCore.Components.Web" Version="10.0.8" />Đ
    <PackageReference Include="MudBlazor" Version="9.4.0" />Đ
  </ItemGroup>Đ
Đ
  <ItemGroup>Đ
    <ProjectReference Include="..\..\..
\Core\Configuration.Web\Promatis.Net.Configuration.Web.csproj" />Đ
    <ProjectReference Include="..\..\..
\Mes\MDM\Promatis.Net.MES.MDM.UI\Promatis.Net.MES.MDM.UI.csproj" />Đ
    <ProjectReference Include="..
\Promatis.Net.Test.MDM.Service\Promatis.Net.Test.MDM.Service.csproj" />Đ
  </ItemGroup>Đ
Đ
</Project>
</file>

<file path="Promatis.Net.Test.MDM.UI/UiModule.cs">
using MudBlazor;Đ
using Promatis.Net.UI;Đ
Đ
namespace Promatis.Net.Test.MDM.UI;Đ
Đ
public class UiModule : IUiModuleĐ
{Đ
    public string Name => GetType().Assembly.GetName().Name ?? "Unknown.Module";Đ
Đ
    public IEnumerable<(string Title, string Href, string Icon, string? Group)> GetMenuItems()Đ
    {Đ
        return new List<(string Title, string Href, string Icon, string? Group)>Đ
        {Đ
            // A„=D$5D 0C¤BC„2CÔ>CR 4CT@CT2Câ >D 3D BD CC¤BD4@D² 8 Cä1Cä@D44Cä2C =C„O MESĐ
            ("B BD CC¤BD4@C  ?D 5CD?D 8DôBC„O", "/mdm/units", Icons.Material.Filled.AccountTree, "B ?D 0C$>Dt
        };Đ
    }Đ
}
</file>

<file path="Promatis.Net.Test.MDM.UI/wwwroot/exampleJsInterop.js">
// This is a JavaScript module that is loaded on demand. It can export any number ofĐ
// functions, and may import other JavaScript modules if required.Đ
```

```
Đ
export function showPrompt(message) {Đ
  return prompt(message, 'Type anything here');Đ
}
</file>

</files>
```