

LAYER: 3_MesMDM

This file is a merged representation of a subset of the codebase, containing files not matching ignore patterns, combined into a single document by Repomix.

<file_summary>

This section contains a summary of this file.

<purpose>

This file contains a packed representation of a subset of the repository's contents that is considered the most important context.

It is designed to be easily consumable by AI systems for analysis, code review, or other automated processes.

</purpose>

<file_format>

The content is organized as follows:

1. This summary section
2. Repository information
3. Directory structure
4. Repository files (if enabled)
5. Multiple file entries, each consisting of:
 - File path as an attribute
 - Full contents of the file

</file_format>

<usage_guidelines>

- This file should be treated as read-only. Any changes should be made to the original repository files, not this packed version.
- When processing this file, use the file path to distinguish between different files in the repository.
- Be aware that this file may contain sensitive information. Handle it with the same level of security as you would the original repository.

</usage_guidelines>

<notes>

- Some files may have been excluded based on .gitignore rules and Repomix's configuration
- Binary files are not included in this packed representation. Please refer to the Repository Structure section for a complete list of file paths, including binary files
- Files matching these patterns are excluded: **/obj/**, **/bin/**, **/*.png, **/*.jpg, **/node_modules/**, **/*.Designer.cs
- Files matching patterns in .gitignore are excluded
- Files matching default ignore patterns are excluded
- Files are sorted by Git change count (files with more changes are at the bottom)

</notes>

</file_summary>

<directory_structure>

Promatis.Net.MES.MDM.Configuration/Class1.cs
Promatis.Net.MES.MDM.Configuration/Promatis.Net.MES.MDM.Configuration.csproj
Promatis.Net.MES.MDM.Data/DBContext/MesMdmApplicationDbContext.cs
Promatis.Net.MES.MDM.Data/Promatis.Net.MES.MDM.Data.csproj
Promatis.Net.MES.MDM.Data/Triggers/TechnologicalOperationHierarchyTrigger.cs
Promatis.Net.MES.MDM.Domain.Interface/Class1.cs
Promatis.Net.MES.MDM.Domain.Interface/Promatis.Net.MES.MDM.Domain.Interface.csproj
Promatis.Net.MES.MDM.Domain/Promatis.Net.MES.MDM.Domain.csproj
Promatis.Net.MES.MDM.Domain/TechnologicalOperation/TechnologicalOperation.cs
Promatis.Net.MES.MDM.Domain/TechnologicalOperation/TechnologicalOperationValidator.cs
Promatis.Net.MES.MDM.Domain/TechnologicalOperationParameter/TechnologicalOperationParameter.cs
Promatis.Net.MES.MDM.Domain/TechnologicalOperationParameter/
TechnologicalOperationParameterValidator.cs
Promatis.Net.MES.MDM.Domain/TechnologicalOperationUnit/TechnologicalOperationUnit.cs
Promatis.Net.MES.MDM.Domain/TechnologicalOperationUnit/TechnologicalOperationUnitValidator.cs
Promatis.Net.MES.MDM.Domain/TechnologicalParameter/TechnologicalParameter.cs
Promatis.Net.MES.MDM.Domain/TechnologicalParameter/TechnologicalParameterValidator.cs
Promatis.Net.MES.MDM.Domain/TechnologicalParameterCalcMethod/TechnologicalParameterCalcMethod.cs
Promatis.Net.MES.MDM.Domain/TechnologicalParameterCalcMethod/
TechnologicalParameterCalcMethodValidator.cs
Promatis.Net.MES.MDM.Domain/Units/DepartmentUnitBase.cs
Promatis.Net.MES.MDM.Domain/Units/DepartmentUnitBaseValidator.cs
Promatis.Net.MES.MDM.Domain/Units/PositionUnitBase.cs
Promatis.Net.MES.MDM.Domain/Units/PositionUnitBaseValidator.cs
Promatis.Net.MES.MDM.Domain/Units/ProductionUnitBase.cs
Promatis.Net.MES.MDM.Domain/Units/ProductionUnitBaseValidator.cs
Promatis.Net.MES.MDM.Domain/Units/StorageUnitBase.cs

```
Promatis.Net.MES.MDM.Domain/Units/StorageUnitBaseValidator.cs
Promatis.Net.MES.MDM.Domain/Units/TransportUnitBase.cs
Promatis.Net.MES.MDM.Domain/Units/TransportUnitBaseValidator.cs
Promatis.Net.MES.MDM.Service/Promatis.Net.MES.MDM.Service.csproj
Promatis.Net.MES.MDM.Service/Services/TechnologicalOperationParameterService.cs
Promatis.Net.MES.MDM.Service/Services/TechnologicalOperationService.cs
Promatis.Net.MES.MDM.Service/Services/TechnologicalParameterCalcMethodService.cs
Promatis.Net.MES.MDM.Service/Services/TechnologicalParameterService.cs
Promatis.Net.MES.MDM.Tests/Promatis.Net.MES.MDM.Tests.csproj
Promatis.Net.MES.MDM.Tests/UnitCategoryValidationTests.cs
Promatis.Net.MES.MDM.Tests/UnitTest1.cs
Promatis.Net.MES.MDM.UI/_Imports.razor
Promatis.Net.MES.MDM.UI/Pages/TechnologicalParameter/Card/TechnologicalParameterDialog.razor
Promatis.Net.MES.MDM.UI/Pages/TechnologicalParameter/Card/TechnologicalParameterDialog.razor.cs
Promatis.Net.MES.MDM.UI/Pages/TechnologicalParameter/Card/TechnologicalParameterGeneralTab.razor
Promatis.Net.MES.MDM.UI/Pages/TechnologicalParameter/Card/TechnologicalParameterTechnicalTab.razor
Promatis.Net.MES.MDM.UI/Pages/TechnologicalParameter/Card/
TechnologicalParameterTechnicalTab.razor.cs
Promatis.Net.MES.MDM.UI/Promatis.Net.MES.MDM.UI.csproj
Promatis.Net.MES.MDM.UI/UiModule.cs
Promatis.Net.MES.MDM.UI/wwwroot/exampleJsInterop.js
</directory_structure>
```

<files>

This section contains the contents of the repository's files.

<file path="Promatis.Net.MES.MDM.Configuration/Class1.cs">

```
namespace Promatis.Net.MES.MDM.Configuration
{
    public class Class1
    {
    }
}
</file>
```

<file path="Promatis.Net.MES.MDM.Configuration/Promatis.Net.MES.MDM.Configuration.csproj">

```
<Project Sdk="Microsoft.NET.Sdk">
  <PropertyGroup>
    <TargetFramework>net10.0</TargetFramework>
    <ImplicitUsings>enable</ImplicitUsings>
    <Nullable>enable</Nullable>
  </PropertyGroup>
  <ItemGroup>
    <ProjectReference Include="..\..\..\
\MesCore\Promatis.Net.MES.Configuration\Promatis.Net.MES.Configuration.csproj" />
    <ProjectReference Include="..
\Promatis.Net.MES.MDM.Service\Promatis.Net.MES.MDM.Service.csproj" />
  </ItemGroup>
</Project>
</file>
```

<file path="Promatis.Net.MES.MDM.Data/DBContext/MesMdmApplicationDbContext.cs">

```
using Microsoft.EntityFrameworkCore;
using Microsoft.Extensions.Configuration;
using Promatis.Net.MES.Data;
using Promatis.Net.MES.MDM.Domain;
namespace Promatis.Net.MES.MDM.Data;
public class MesMdmApplicationDbContext(
    DbContextOptions options,
    IConfiguration configuration,
    IServiceProvider? serviceProvider = null) : MesApplicationDbContext(options, configuration, serviceProvider)
{
    public DbSet<TechnologicalOperation> TechnologicalOperations => Set<TechnologicalOperation>();
    public DbSet<TechnologicalOperationUnit> TechnologicalOperationUnits =>
    Set<TechnologicalOperationUnit>();
    public DbSet<TechnologicalParameter> TechnologicalParameters => Set<TechnologicalParameter>();
    public DbSet<TechnologicalOperationParameter> TechnologicalOperationParameters =>
    Set<TechnologicalOperationParameter>();
    public DbSet<TechnologicalParameterCalcMethod> TechnologicalParameterCalcMethods =>
    Set<TechnologicalParameterCalcMethod>();
}
```

```

}
</file>

<file path="Promatis.Net.MES.MDM.Data/Promatis.Net.MES.MDM.Data.csproj">
<Project Sdk="Microsoft.NET.Sdk">
  <PropertyGroup>
    <TargetFramework>net10.0</TargetFramework>
    <ImplicitUsings>enable</ImplicitUsings>
    <Nullable>enable</Nullable>
  </PropertyGroup>
  <ItemGroup>
    <PackageReference Include="Microsoft.EntityFrameworkCore" Version="10.0.8" />
    <PackageReference Include="Microsoft.EntityFrameworkCore.Relational" Version="10.0.8" />
    <PackageReference Include="Microsoft.Extensions.Configuration" Version="10.0.8" />
  </ItemGroup>
  <ItemGroup>
    <ProjectReference Include="..\..\..\
\MesCore\Promatis.Net.MES.Data\Promatis.Net.MES.Data.csproj" />
    <ProjectReference Include="..\Promatis.Net.MES.MDM.Domain\Promatis.Net.MES.MDM.Domain.csproj" />
  </ItemGroup>
</Project>
</file>

<file path="Promatis.Net.MES.MDM.Data/Triggers/TechnologicalOperationHierarchyTrigger.cs">
using Promatis.Net.MES.Data;
using Promatis.Net.MES.MDM.Domain;
namespace Promatis.Net.MES.MDM.Data;
/// <summary>
/// A=C05Dt=Cä5 C0@C,,:C`0CD=Cä5 D 5D,,5C08CR 4C`O D$@C,,3C45D 0 C,,5D 0D EC,,8 D$5DT=Cä;Cä3C,,GCTAC=8DR >C05D 0D
/// </summary>
public class TechnologicalOperationHierarchyTrigger : TechnologicalOperationHierarchyTrigger<
    TechnologicalOperation,
    TechnologicalOperationUnit,
    TechnologicalOperationParameter>
{
}
</file>

<file path="Promatis.Net.MES.MDM.Domain.Interface/Class1.cs">
namespace Promatis.Net.MES.MDM.Domain.Interface
{
    public class Class1
    {
    }
}
</file>

<file path="Promatis.Net.MES.MDM.Domain.Interface/Promatis.Net.MES.MDM.Domain.Interface.csproj">
<Project Sdk="Microsoft.NET.Sdk">
  <PropertyGroup>
    <TargetFramework>net10.0</TargetFramework>
    <ImplicitUsings>enable</ImplicitUsings>
    <Nullable>enable</Nullable>
  </PropertyGroup>
  <ItemGroup>
    <ProjectReference Include="..\..\..\
\MesCore\Promatis.Net.MES.Domain.Interface\Promatis.Net.MES.Domain.Interface.csproj" />
  </ItemGroup>
</Project>
</file>

<file path="Promatis.Net.MES.MDM.Domain/Promatis.Net.MES.MDM.Domain.csproj">
<Project Sdk="Microsoft.NET.Sdk">
  <PropertyGroup>
    <TargetFramework>net10.0</TargetFramework>

```

```

        <ImplicitUsings>enable</ImplicitUsings>ð
        <Nullable>enable</Nullable>ð
    </PropertyGroup>ð
ð
    <ItemGroup>ð
        <ProjectReference Include="..\..\..\
\MesCore\Promatis.Net.MES.Domain\Promatis.Net.MES.Domain.csproj" />ð
        <ProjectReference Include="..\
\Promatis.Net.MES.MDM.Domain.Interface\Promatis.Net.MES.MDM.Domain.Interface.csproj" />ð
    </ItemGroup>ð
ð
</Project>
</file>

<file path="Promatis.Net.MES.MDM.Domain/TechnologicalOperation/TechnologicalOperation.cs">
using Promatis.Net.MES.Domain;ð
ð
namespace Promatis.Net.MES.MDM.Domain;ð
ð
public class TechnologicalOperation : TechnologicalOperationBase<ð
    TechnologicalOperation,ð
    TechnologicalOperationUnit,ð
    TechnologicalOperationParameter>ð
{ð
    // Að;C AD 0C ACä;DäBC0> Dt8D B. ð
    // Aä= C 2D$>CÄ0D$8Dt5D :C, ACä4CT@Cd8D" AC$>C"AD$2C &VçB 8 Children D BC,,?Cä< TechnologicalOperation
}
</file>

<file path="Promatis.Net.MES.MDM.Domain/TechnologicalOperation/TechnologicalOperationValidator.cs">
using Promatis.Net.MES.Domain;ð
ð
namespace Promatis.Net.MES.MDM.Domain;ð
ð
public class TechnologicalOperationValidator :
TechnologicalOperationBaseValidator<TechnologicalOperation>ð
{ð
    ð
}
</file>

<file path="Promatis.Net.MES.MDM.Domain/TechnologicalOperationParameter/
TechnologicalOperationParameter.cs">
using Promatis.Net.MES.Domain;ð
ð
namespace Promatis.Net.MES.MDM.Domain;ð
ð
public class TechnologicalOperationParameter :
TechnologicalOperationParameterBase<TechnologicalOperation, TechnologicalParameter> { }
</file>

<file path="Promatis.Net.MES.MDM.Domain/TechnologicalOperationParameter/
TechnologicalOperationParameterValidator.cs">
using Promatis.Net.MES.Domain;ð
ð
namespace Promatis.Net.MES.MDM.Domain;ð
ð
public class TechnologicalOperationParameterValidator :
TechnologicalOperationParameterBaseValidator<TechnologicalOperationParameter,
TechnologicalOperation, TechnologicalParameter>ð
{ð
    ð
}
</file>

<file path="Promatis.Net.MES.MDM.Domain/TechnologicalOperationUnit/TechnologicalOperationUnit.cs">
using Promatis.Net.MES.Domain;ð
ð
namespace Promatis.Net.MES.MDM.Domain;ð
ð
public class TechnologicalOperationUnit : TechnologicalOperationUnitBase<TechnologicalOperation>ð
{ð
    /// <summary>ð
    /// Að5D 5Cð@D´2C 5CÄ 1C 7Cä2Cä5 D 2Cä9D BC$> B #A D BD >C4> D$8C08Ct8D >C$0C0=D´< D 2Cä9D BC$>CÄ 4C´0
    /// </summary>ð
    public new virtual TechnologicalOperation Operationð

```

```

    {
        get => base.Operation as TechnologicalOperation ?? null!;
        set => base.Operation = value;
    }
}
</file>

```

```

<file path="Promatis.Net.MES.MDM.Domain/TechnologicalOperationUnit/
TechnologicalOperationUnitValidator.cs">
using Promatis.Net.MES.Domain;

namespace Promatis.Net.MES.MDM.Domain;

public class TechnologicalOperationUnitValidator :
TechnologicalOperationUnitBaseValidator<TechnologicalOperationUnit, TechnologicalOperation>
{
   
}
}
</file>

```

```

<file path="Promatis.Net.MES.MDM.Domain/TechnologicalParameter/TechnologicalParameter.cs">
using Promatis.Net.MES.Domain;

namespace Promatis.Net.MES.MDM.Domain;

public class TechnologicalParameter : TechnologicalParameterBase
{
    // Bt8D BD'9 C;C AD 4C'O DbSet<TechnologicalParameter>
}
</file>

```

```

<file path="Promatis.Net.MES.MDM.Domain/TechnologicalParameter/TechnologicalParameterValidator.cs">
using Promatis.Net.MES.Domain;

namespace Promatis.Net.MES.MDM.Domain;

public class TechnologicalParameterValidator :
TechnologicalParameterBaseValidator<TechnologicalParameter>
{
   
}
}
</file>

```

```

<file path="Promatis.Net.MES.MDM.Domain/TechnologicalParameterCalcMethod/
TechnologicalParameterCalcMethod.cs">
using Promatis.Net.MES.Domain;

namespace Promatis.Net.MES.MDM.Domain;

/// <summary>
/// A>C0:D 5D$=C 0 D 5C ;C,,7C FC,,0 CÄ5D$>CD0 D 0D GCTBC BCTEC0>C'>C48Dt5D :Cä3Cä ?C @C <CTBD 0.0
/// B 2D07D'2C 5D" :Cä=C@CTBC0CDä >C05D 0Dd8DäÄ >C >D CCD>C$0C08CR 8 C00D 0CÄ5D$@ C,,7 C@>C0BCT:D BC 0W40D0i
/// </summary>
public class TechnologicalParameterCalcMethod : TechnologicalParameterCalcMethodBase<UnitBase,
TechnologicalOperation, TechnologicalParameter>
{
    // A;C AD GC,,AD" 8 C4>D$>C" : CÄ0C0?C,,=C4C C" F$6öçFW#B <Cä4D4;D0 0W40D0i
    // B 2Cä9D BC$0 Unit, TechnologicalOperation C, FV6†æöÆöv-6 Ä & 0WFW"
    // C 2D$>CÄ0D$8Dt5D :C, ?Cä;D4GC,,;C, AD$@Cä3C,,5 C@>C05Dt=D'5 D$8C0K.0
}
</file>

```

```

<file path="Promatis.Net.MES.MDM.Domain/TechnologicalParameterCalcMethod/
TechnologicalParameterCalcMethodValidator.cs">
using Promatis.Net.MES.Domain;

namespace Promatis.Net.MES.MDM.Domain;

public class TechnologicalParameterCalcMethodValidator :
TechnologicalParameterCalcMethodBaseValidator<
    TechnologicalParameterCalcMethod,
    UnitBase,
    TechnologicalOperation,
    TechnologicalParameter>
{
}
}

```

</file>

```
<file path="Promatis.Net.MES.MDM.Domain/Units/DepartmentUnitBase.cs">
using Promatis.Net.MES.Domain;
using Promatis.Net.MES.Domain.Interface;

namespace Promatis.Net.MES.MDM.Domain;

public abstract class DepartmentUnitBase : UnitBase
{
    protected DepartmentUnitBase() => Kind = UnitKind.Department;
}
</file>
```

```
<file path="Promatis.Net.MES.MDM.Domain/Units/DepartmentUnitBaseValidator.cs">
using Promatis.Net.MES.Domain;

namespace Promatis.Net.MES.MDM.Domain;

public abstract class DepartmentUnitBaseValidator<T> : UnitBaseValidator<T> where T :
DepartmentUnitBase
{
}
</file>
```

```
<file path="Promatis.Net.MES.MDM.Domain/Units/PositionUnitBase.cs">
using Promatis.Net.MES.Domain;
using Promatis.Net.MES.Domain.Interface;

namespace Promatis.Net.MES.MDM.Domain;

public abstract class PositionUnitBase : UnitBase
{
    protected PositionUnitBase() => Kind = UnitKind.Position;
}
</file>
```

```
<file path="Promatis.Net.MES.MDM.Domain/Units/PositionUnitBaseValidator.cs">
using Promatis.Net.MES.Domain;

namespace Promatis.Net.MES.MDM.Domain;

public class PositionUnitBaseValidator<T> : UnitBaseValidator<T> where T : PositionUnitBase
{
}
</file>
```

```
<file path="Promatis.Net.MES.MDM.Domain/Units/ProductionUnitBase.cs">
using Promatis.Net.MES.Domain;
using Promatis.Net.MES.Domain.Interface;

namespace Promatis.Net.MES.MDM.Domain;

public abstract class ProductionUnitBase : UnitBase
{
    protected ProductionUnitBase() => Kind = UnitKind.Production;
}
</file>
```

```
<file path="Promatis.Net.MES.MDM.Domain/Units/ProductionUnitBaseValidator.cs">
using Promatis.Net.MES.Domain;

namespace Promatis.Net.MES.MDM.Domain;

public class ProductionUnitBaseValidator<T> : UnitBaseValidator<T> where T : ProductionUnitBase
{
}
</file>
```

```
<file path="Promatis.Net.MES.MDM.Domain/Units/StorageUnitBase.cs">
using Promatis.Net.MES.Domain;
using Promatis.Net.MES.Domain.Interface;

namespace Promatis.Net.MES.MDM.Domain;

public abstract class StorageUnitBase : UnitBase
```

```

{
    protected StorageUnitBase() => Kind = UnitKind.Storage;
}
</file>

<file path="Promatis.Net.MES.MDM.Domain/Units/StorageUnitBaseValidator.cs">
using Promatis.Net.MES.Domain;
{
namespace Promatis.Net.MES.MDM.Domain;
{
public class StorageUnitBaseValidator<T> : UnitBaseValidator<T> where T : StorageUnitBase
{
}
}
</file>

<file path="Promatis.Net.MES.MDM.Domain/Units/TransportUnitBase.cs">
using Promatis.Net.MES.Domain;
using Promatis.Net.MES.Domain.Interface;
{
namespace Promatis.Net.MES.MDM.Domain;
{
public abstract class TransportUnitBase : UnitBase
{
    protected TransportUnitBase() => Kind = UnitKind.Transport;
}
}
</file>

<file path="Promatis.Net.MES.MDM.Domain/Units/TransportUnitBaseValidator.cs">
using Promatis.Net.MES.Domain;
{
namespace Promatis.Net.MES.MDM.Domain;
{
public class TransportUnitBaseValidator<T> : UnitBaseValidator<T> where T : TransportUnitBase
{
}
}
</file>

<file path="Promatis.Net.MES.MDM.Service/Promatis.Net.MES.MDM.Service.csproj">
<Project Sdk="Microsoft.NET.Sdk">
{
    <PropertyGroup>
        <TargetFramework>net10.0</TargetFramework>
        <ImplicitUsings>enable</ImplicitUsings>
        <Nullable>enable</Nullable>
    </PropertyGroup>
{
    <ItemGroup>
        <ProjectReference Include="..\..\..\MesCore\Promatis.Net.MES.Service\Promatis.Net.MES.Service.csproj" />
        <ProjectReference Include="..\Promatis.Net.MES.MDM.Data\Promatis.Net.MES.MDM.Data.csproj" />
    </ItemGroup>
}
</Project>
</file>

<file path="Promatis.Net.MES.MDM.Service/Services/TechnologicalOperationParameterService.cs">
using Microsoft.EntityFrameworkCore;
using Promatis.Net.MES.MDM.Data;
using Promatis.Net.MES.MDM.Domain;
using Promatis.Net.MES.Service;
{
namespace Promatis.Net.MES.MDM.Service;
{
/// <summary>
/// BD8C0C'LC0KC' ACT@C$8D 4C'O D4?D 0C$;CT=C,,0 C0@C,,2D07C=0CÄ8 C00D 0CÄ5D$@Cä2 C¢ >C05D 0Dd8D0<.D
/// </summary>
public class TechnologicalOperationParameterService(IDbContextFactory<MesMdmApplicationDbContext>
contextFactory)
{
    : TechnologicalOperationParameterService<
        TechnologicalOperationParameter,
        TechnologicalOperation,
        TechnologicalParameter,
        MesMdmApplicationDbContext>(contextFactory)
{
    // A¢;C AD 3CäBCä2 C¢ 8D ?Cä;DÄ7Cä2C =C,,N C" 1C,,7C05D 0;Cä3C,,:CR 8 UI.D
}
}

```

</file>

```
<file path="Promatis.Net.MES.MDM.Service/Services/TechnologicalOperationService.cs">
using Microsoft.EntityFrameworkCore;
using Promatis.Net.MES.MDM.Data;
using Promatis.Net.MES.MDM.Domain;
using Promatis.Net.MES.Service;

namespace Promatis.Net.MES.MDM.Service;

/// <summary>
/// A=C05Dt=C O C@C,,:C'0CD=C O D ;D46C 0 CD;D0 CC0@C 2C'5C08D0 BCTEC0>C'>C48Dt5D :C,,<C, >C05D 0Dd8D0<C,i
/// A,,!A0 A A' A0 : At0C@D'2C 5D" BD >C"=Cä9 CD6CT=CT@C,,: C 1D BD 0C=BC0>C4> D 5D 2C,,AC OCD@C @CT0C'LC0KC
/// </summary>
public class TechnologicalOperationService(IDbContextFactory<MesMdmApplicationDbContext>
contextFactory)
: TechnologicalOperationService<TechnologicalOperation, TechnologicalOperationUnit,
MesMdmApplicationDbContext>(contextFactory)
{
    /// <summary>
    /// A0@C,,:C'0CD=C O DD0C @C,,:C ?Cä;C,,<Cä@DD8Ct<C â
    /// A=C0AD$@D48D CCTB Dt8D BD'9 CD>Dt5D =C,,9 D,,0C ;Cä= C0> C$ACT< C0@C 2C,,;C < C# C, &W V-&VB0AC$>C"AD$2
    /// </summary>
    public override Task<TechnologicalOperation> CreateChildTemplateAsync(TechnologicalOperation
parent)
    {
        if (parent == null) throw new ArgumentNullException(nameof(parent));

        // At0D'8D$0 CD>CÄ5C00: CTAC'8 D >CD8D$5C'L D 0CÄ OC$;D05D$AD0 ;C,,AD$>CÄÄ 3CT=CT@C,,@D45CÄ 8D :C'NDt5C
        if (parent.IsLeaf)
        {
            throw new InvalidOperationException(
                $"A05C$>Ct<Cä6C0> D >Ct4C BDÄ 4CäGCT@C08C' MC'5CÄ5C0B. Aä?CT@C FC,,O '{parent.Name}' D02C'OCTB
            )
        }

        // A,,=C,,FC,,0C'8Ct8D CCT< required-D 2Cä9D BC$0 D >C4;C AC0> D ?CTFC,,DC,,:C FC,,8 C=CÄ?C,,;D0BCä@C0>C4>
        var childOperation = new TechnologicalOperation
        {
            Id = Guid.NewGuid(),
            ParentId = parent.Id,
            Parent = null, // B 0Ct@D'2C 5CÄ AD KC':D2 2 Aä B2 4C'O Dt8D BCä9 UI-D 5D AC,,8D

            // A0> D4<Cä;Dt0C08Dä 2C0CD$@C, 3D CC0?D2 ACä7CD0CT< C=C05Dt=D4N C BCä<C @C0CDä >C05D 0Dd8Dä ,, C
            IsLeaf = true,

            Code = string.Empty,
            Name = string.Empty,
            Description = string.Empty
        };

        return Task.FromResult(childOperation);
    }
}
</file>
```

```
<file path="Promatis.Net.MES.MDM.Service/Services/TechnologicalParameterCalcMethodService.cs">
using Microsoft.EntityFrameworkCore;
using Promatis.Net.MES.Domain;
using Promatis.Net.MES.MDM.Data;
using Promatis.Net.MES.MDM.Domain;
using Promatis.Net.MES.Service;

namespace Promatis.Net.MES.MDM.Service;

/// <summary>
/// BD8C00C'LC0KC' ACT@C$8D 4C'O D4?D 0C$;CT=C,,O C,,=D BD CC=FC,,OCÄ8 C, <CTBCä4C <C, @C Adt5D$0 D$5C'5CÄ5D$@C
/// </summary>
public class TechnologicalParameterCalcMethodService(IDbContextFactory<MesMdmApplicationDbContext>
contextFactory)
: TechnologicalParameterCalcMethodService<
    TechnologicalParameterCalcMethod,
    UnitBase,
    TechnologicalOperation,
    TechnologicalParameter,
    MesMdmApplicationDbContext>(contextFactory)
{
}
```

```

    // A0>C´=D´9 D ?CT:D$@ C 8Ct=CTA-C´>C48Cª8 CD;Dò =C AD$@Cä9Cª8 C 3D 5C40Dd8C, 4C =CÔKDR 3CäBCä2.Đ
}
</file>

<file path="Promatis.Net.MES.MDM.Service/Services/TechnologicalParameterService.cs">
using Microsoft.EntityFrameworkCore;Đ
using Promatis.Net.MES.Data;Đ
using Promatis.Net.MES.MDM.Data;Đ
using Promatis.Net.MES.MDM.Domain;Đ
using Promatis.Net.MES.Service;Đ
Đ
namespace Promatis.Net.MES.MDM.Service;Đ
Đ
/// <summary>Đ
/// BD8C00C´LC0KC´ ACT@C$8D 4C´O D 0C >D$K D > D ?D 0C$>Dt=C,,:Cä< D$5DT=Cä;Cä3C,,GCTACª8DR ?C @C <CTBD >C" 2
/// </summary>Đ
public class TechnologicalParameterService(IDbContextFactory<MesMdmApplicationDbContext>
contextFactory)Đ
    : TechnologicalParameterService<TechnologicalParameter,
MesMdmApplicationDbContext>(contextFactory)Đ
{Đ
    public override async Task<List<TechnologicalParameter>> GetAllAsync()Đ
    {Đ
        await using MesApplicationDbContext context = await ContextFactory.CreateDbContextAsync();Đ
Đ
        return await context.Set<TechnologicalParameter>().Đ
            .Include(x => x.UnitOfMeasurement) // Ad0CD=C O Ct0C4@D47Cª0 D ?D 0C$>Dt=C,,:C CBâ Ct<.Đ
            .ToListAsync();Đ
    }Đ
}
</file>

<file path="Promatis.Net.MES.MDM.Tests/Promatis.Net.MES.MDM.Tests.csproj">
<Project Sdk="Microsoft.NET.Sdk">Đ
Đ
    <PropertyGroup>Đ
        <TargetFramework>net10.0</TargetFramework>Đ
        <ImplicitUsings>enable</ImplicitUsings>Đ
        <Nullable>enable</Nullable>Đ
        <IsPackable>false</IsPackable>Đ
    </PropertyGroup>Đ
Đ
    <ItemGroup>Đ
        <PackageReference Include="coverlet.collector" Version="10.0.0">Đ
            <PrivateAssets>all</PrivateAssets>Đ
            <IncludeAssets>runtime; build; native; contentfiles; analyzers; buildtransitive</
IncludeAssets>Đ
        </PackageReference>Đ
        <PackageReference Include="FluentAssertions" Version="8.10.0" />Đ
        <PackageReference Include="FluentValidation" Version="12.1.1" />Đ
        <PackageReference Include="Microsoft.EntityFrameworkCore.InMemory" Version="10.0.8" />Đ
        <PackageReference Include="Microsoft.NET.Test.Sdk" Version="18.5.1" />Đ
        <PackageReference Include="Moq" Version="4.20.72" />Đ
        <PackageReference Include="xunit.runner.visualstudio" Version="3.1.5">Đ
            <PrivateAssets>all</PrivateAssets>Đ
            <IncludeAssets>runtime; build; native; contentfiles; analyzers; buildtransitive</
IncludeAssets>Đ
        </PackageReference>Đ
        <PackageReference Include="xunit.v3" Version="3.2.2" />Đ
    </ItemGroup>Đ
Đ
    <ItemGroup>Đ
        <ProjectReference Include="..
\Promatis.Net.MES.MDM.Service\Promatis.Net.MES.MDM.Service.csproj" />Đ
    </ItemGroup>Đ
Đ
    <ItemGroup>Đ
        <Using Include="Xunit" />Đ
    </ItemGroup>Đ
Đ
</Project>
</file>

<file path="Promatis.Net.MES.MDM.Tests/UnitCategoryValidationTests.cs">
using FluentAssertions;Đ
using FluentValidation.TestHelper;Đ

```

```

using Promatis.Net.MES.Domain.Interface;
using Promatis.Net.MES.MDM.Domain;

namespace Promatis.Net.MES.MDM.Tests;

// B 5C ;C,,7C FC,,8 D CD"=CäAD$5C•
public class TestDept : DepartmentUnitBase { }
public class TestProd : ProductionUnitBase { }
public class TestStor : StorageUnitBase { }
public class TestPos : PositionUnitBase { }
public class TestTrans : TransportUnitBase { }

// B 5C ;C,,7C FC,,8 C$0C`8CD0D$>D >C-
public class TestDeptValidator : DepartmentUnitBaseValidator<TestDept> { }
public class TestProdValidator : ProductionUnitBaseValidator<TestProd> { }
public class TestStorValidator : StorageUnitBaseValidator<TestStor> { }
public class TestPosValidator : PositionUnitBaseValidator<TestPos> { }
public class TestTransValidator : TransportUnitBaseValidator<TestTrans> { }

public class UnitCategoryValidationTests
{
    private readonly TestDeptValidator _deptValidator = new();
    private readonly TestProdValidator _prodValidator = new();
    private readonly TestStorValidator _storValidator = new();
    private readonly TestPosValidator _posValidator = new();
    private readonly TestTransValidator _transValidator = new();

    [Theory]
    [InlineData(UnitType.Workshop, true)] // Aä: CD;Dò CT?C @D$0CÄ5C0BC
    [InlineData(UnitType.Section, true)] // Aä: CD;Dò CT?C @D$0CÄ5C0BC
    [InlineData(UnitType.Crane, false)] // AäHC,,1C=0: A=C C05 CÄ>Cd5D" 1D`BDÄ CT?C @D$0CÄ5C0BCä<D
    public void DepartmentValidator_Should_Verify_Types(UnitType type, bool isValid)
    {
        var unit = new TestDept { Type = type, Name = "Dept" };
        TestValidationResult<TestDept>? result = _deptValidator.TestValidate(unit);

        if (isValid) result.ShouldNotHaveAnyValidationErrors();
        else result.ShouldHaveValidationErrorFor(x => x).WithErrorMessage("B$8Cò =CR ACä>D$2CTBD BC$CCTB C=0D");
    }

    [Theory]
    [InlineData(UnitType.MachineTool, true)] // Aä: CD;Dò &öGV7F-öí
    [InlineData(UnitType.Table, true)] // Aä: CD;Dò &öGV7F-öí
    [InlineData(UnitType.Storage, false)] // AäHC,,1C=0: B :C`0CB =CR <Cä6CTB C KD$L Production
    public void ProductionValidator_Should_Verify_Types(UnitType type, bool isValid)
    {
        var unit = new TestProd { Type = type, Name = "Prod" };
        TestValidationResult<TestProd>? result = _prodValidator.TestValidate(unit);

        if (isValid) result.ShouldNotHaveAnyValidationErrors();
        else result.ShouldHaveValidationErrorFor(x => x).WithErrorMessage("B$8Cò =CR ACä>D$2CTBD BC$CCTB C=0D");
    }

    [Theory]
    [InlineData(UnitType.Cell, true)] // BôGCT9C=0 - DôBCâ C¢ 4C`O B :C`0CD0D
    [InlineData(UnitType.Rack, true)] // B BCT;C`0Cb r MD$> Aä: CD;Dò !C=;C 4C
    [InlineData(UnitType.Vehicle, false)] // B$@C =D ?Cä@D" r =CR !C=;C 4D
    public void StorageValidator_Should_Verify_Types(UnitType type, bool isValid)
    {
        var unit = new TestStor { Type = type, Name = "Stor" };
        TestValidationResult<TestStor>? result = _storValidator.TestValidate(unit);

        if (isValid) result.ShouldNotHaveAnyValidationErrors();
        else result.ShouldHaveValidationErrorFor(x => x).WithErrorMessage("B$8Cò =CR ACä>D$2CTBD BC$CCTB C=0D");
    }

    [Theory]
    [InlineData(UnitType.Cell, true)] // BôGCT9C=0 CÄ>Cd5D" 1D`BDÄ Cä7C,,FC,,5C•
    [InlineData(UnitType.Other, true)] // Other CÄ>Cd5D" 1D`BDÄ Cä7C,,FC,,5C•
    [InlineData(UnitType.Workshop, false)] // Bd5DR =CR <Cä6CTB C KD$L Aô>Ct8Dd8CT9D
    public void PositionValidator_Should_Verify_Types(UnitType type, bool isValid)
    {
        var unit = new TestPos { Type = type, Name = "Pos" };
        TestValidationResult<TestPos>? result = _posValidator.TestValidate(unit);
    }
}

```

```

        if (isValid) result.ShouldNotHaveAnyValidationErrors();
        else result.ShouldHaveValidationErrorFor(x => x).WithErrorMessage("B$Cò =CR ACä>D$2CTBD BC$CCTB C=0D
    }
}
[Theory]
[InlineData(UnitType.Vehicle, true)] // Aö>C4@D47Dt8C¢ r C¢ 4C´O B$@C =D ?Cä@D$0D
[InlineData(UnitType.Conveyor, true)] // A= >C02CT9CT@ - Aä: CD;Dò "D 0C0AC0>D BC
[InlineData(UnitType.MachineTool, false)] // B BC =Cä: - C05 B$@C =D ?Cä@D-
[InlineData(UnitType.Cell, false)] // B0GCT9C=0 - C05 B$@C =D ?Cä@D-
public void TransportValidator_Should_Verify_Types(UnitType type, bool isValid)
{
    var unit = new TestTrans { Type = type, Name = "Trans" };
    TestValidationResult<TestTrans>? result = _transValidator.TestValidate(unit);

    if (isValid) result.ShouldNotHaveAnyValidationErrors();
    else result.ShouldHaveValidationErrorFor(x => x).WithErrorMessage("B$Cò =CR ACä>D$2CTBD BC$CCTB C=0D
}

[Fact]
public void Kind_Should_Be_Automatically_Set_By_Base_Class()
{
    // Aö@Cä2CT@D05CÄÂ GD$> C00D,,8 C0>C$KCR 0C AD$@C :D$=D´5 C=;C AD K D 0CÄ8 C0@CäAD$0C$;D0ND" ¶-æBí
    // A05D 5CD0CT< Cä1D07C BCT;DÄ=D´9 Type C, æ ÖR 4C´O D >C ;Dä4CT=C,,O Cä3D 0C08Dt5C08C´ &W V-&VBí

    new TestDept { Type = UnitType.Other, Name = "Test" }.Kind.Should().Be(UnitKind.Department);
    new TestProd { Type = UnitType.Other, Name = "Test" }.Kind.Should().Be(UnitKind.Production);
    new TestStor { Type = UnitType.Other, Name = "Test" }.Kind.Should().Be(UnitKind.Storage);
    new TestPos { Type = UnitType.Other, Name = "Test" }.Kind.Should().Be(UnitKind.Position);
    new TestTrans { Type = UnitType.Other, Name = "Test" }.Kind.Should().Be(UnitKind.Transport);
}
}
</file>

<file path="Promatis.Net.MES.MDM.Tests/UnitTest1.cs">
namespace Promatis.Net.MES.MDM.Tests
{
    public class UnitTest1
    {
        [Fact]
        public void Test1()
        {
        }
    }
}
</file>

<file path="Promatis.Net.MES.MDM.UI/_Imports.razor">
@using Microsoft.AspNetCore.Components.Forms
@using Microsoft.AspNetCore.Components.Routing
@using Microsoft.AspNetCore.Components.Web
@using MudBlazor
@using Promatis.Net.UI.Components.Workspaces
@using Promatis.Net.UI.Components.EditDialogs
</file>

<file path="Promatis.Net.MES.MDM.UI/Pages/TechnologicalParameter/Card/
TechnologicalParameterDialog.razor">
<EditDialog Title="@Title"
    IsNew="@IsNew"
    Model="@Model"
    Validator="@Validator"
    OnSaveAction="@OnSaveAction">
    <Tabs>
        @* A= AÄ Aä AT B" A= A A= 1 *@
        <DialogTab Title="AäAC0>C$=Cä5" Icon="@Icons.Material.Filled.Info">
            <Content>
                <TechnologicalParameterGeneralTab Model="@Model" />
            </Content>
        </DialogTab>

        @* A= AÄ Aä AT B" A= A A= 2 *@
        <DialogTab Title="A= >C0DC,,3D4@C FC,,0 DCA" Icon="@Icons.Material.Filled.Settings">
            <Content>
                <TechnologicalParameterTechnicalTab Model="@Model" />
            </Content>
        </DialogTab>
    </Tabs>
    </EditDialog>

```

```

        </Content>@
    </DialogTab>@
</Tabs>@
</EditDialog>
</file>

<file path="Promatis.Net.MES.MDM.UI/Pages/TechnologicalParameter/Card/
TechnologicalParameterDialog.razor.cs">
using FluentValidation;@
using Microsoft.AspNetCore.Components;@
@
namespace Promatis.Net.MES.MDM.UI.Pages.TechnologicalParameter.Card;@
@
public partial class TechnologicalParameterDialog : ComponentBase@
{
    [Parameter] public required string Title { get; set; }@
    [Parameter] public required bool IsNew { get; set; }@
    [Parameter] public required Domain.TechnologicalParameter Model { get; set; }@
    [Parameter] public required IValidator Validator { get; set; }@
    [Parameter] public required Func<Task> OnSaveAction { get; set; }@
}
</file>

<file path="Promatis.Net.MES.MDM.UI/Pages/TechnologicalParameter/Card/
TechnologicalParameterGeneralTab.razor">
@using Promatis.Net.MES.MDM.Domain@
@
<div class="d-flex flex-column gap-4 pt-2">@
    <MudTextField Label="A00C,,<CT=Cä2C =C,,5"
        @bind-Value="Model.Name"@
        For="@(() => Model.Name)"@
        Margin="Margin.Dense"@
        Variant="Variant.Outlined"@
        Required="true" />@
@
    <MudTextField Label="B 8D BCT<C0KC' :Cä4"@
        @bind-Value="Model.Code"@
        For="@(() => Model.Code)"@
        Margin="Margin.Dense"@
        Variant="Variant.Outlined"@
        Required="true"@
        HelperText="B$>C'LC  C'0D$8C08Dd0 C" 2CT@DT=CT< D 5C48D BD 5, Dd8DD@D² 8 _" />@
@
    <MudTextField Label="Aä?C,,AC =C,,5 / A0@C,,<CTGC =C,,5"
        @bind-Value="Model.Description"@
        For="@(() => Model.Description)"@
        Margin="Margin.Dense"@
        Variant="Variant.Outlined"@
        Lines="3" />@
</div>@
@
@code {
    [Parameter] public required TechnologicalParameter Model { get; set; }
}
</file>

<file path="Promatis.Net.MES.MDM.UI/Pages/TechnologicalParameter/Card/
TechnologicalParameterTechnicalTab.razor">
@using Promatis.Net.Domain.Interface@
@using Promatis.Net.MES.Domain@
@using Promatis.Net.MES.Domain.Interface@
@
<div class="d-flex flex-column gap-4 pt-2">@
@
    @* A$+A0 AD Bä)A,, B A,,!A B B0 AT B Aä Aä AT . A,, AÄ B A0 B0 B$ A0 AÄ A A0+BR □
    <MudSelect T="Guid?" @
        Label="AT4C,,=C,,FC 8Ct<CT@CT=C,,0" @
        @bind-Value="Model.UnitOfMeasurementId" @
        For="@(() => Model.UnitOfMeasurementId)"@
        Margin="Margin.Dense" @
        Variant="Variant.Outlined" @
        Required="true">@
        @foreach (UnitOfMeasurement uom in _availableUoms)@
        {
            <MudSelectItem Value="@((Guid?)uom.Id)">@($"[{uom.Code}] {uom.Name}")</MudSelectItem>@
        }@
    </MudSelect>@
@

```

```

</MudSelect>
<MudSelect T="string"
  Label="B$8Cò 4C =CÔKDR ?C @C <CTBD 0"
  @bind-Value="Model.DataType"
  For="@(() => Model.DataType)"
  Margin="Margin.Dense"
  Variant="Variant.Outlined"
  Required="true">
    @foreach (string type in AllowedDataTypes)
    {
      <MudSelectItem Value="@type">@type</MudSelectItem>
    }
  </MudSelect>
@* AÄ Aä AT!B$ AT AÔ+A' B' Aä AD Bò Aä A,, "Aä Aä Aä A4 A A,, 'AT A,,/ B AT BT# *@
<MudSelect T="CalculationMethod"
  Label="B 0Ct@CTHCT=CÔKCR <CTBCä4D² 0C4@CT3C FC,,8 DCA"
  MultiSelection="true"
  SelectedValues="_selectedMethods"
  SelectedValuesChanged="OnAllowedMethodsChanged"
  Margin="Margin.Dense"
  Variant="Variant.Outlined"
  HelperText="A$KC 5D 8D$5 CöCC² <CTBCä4Cä2, CD>D BD4?CÔKDR 4C'0 Cö@Cä8Ct2Cä4D BC$0">
    @foreach (CalculationMethod method in Enum.GetValues(typeof(CalculationMethod)))
    {
      @if (method != CalculationMethod.None)
      {
        <MudSelectItem Value="@method">@method.GetDescription()</MudSelectItem>
      }
    }
  </MudSelect>
</div>
</file>

<file path="Promatis.Net.MES.MDM.UI/Pages/TechnologicalParameter/Card/
TechnologicalParameterTechnicalTab.razor.cs">
using Microsoft.AspNetCore.Components;
using Promatis.Net.MES.Domain;
using Promatis.Net.MES.Domain.Interface;
using Promatis.Net.MES.Service;
namespace Promatis.Net.MES.MDM.UI.Pages.TechonologicalParameter.Card;
public partial class TechnologicalParameterTechnicalTab : ComponentBase
{
  [Inject] protected IUnitOfMeasurementService UomService { get; set; } = null!;
  [Parameter] public required Domain.TechonologicalParameter Model { get; set; }

  protected readonly string[] AllowedDataTypes = ["Numeric", "String", "Boolean", "DateTime"];
  protected List<UnitOfMeasurement> _availableUoms = [];

  // A,,!Aô A A' Aô : Aô5D 5C$5CD5C0> C00 C²>C0BD 0C²B IReadOnlyCollection D >C4;C AC0> D$@CT1Cä2C =C,,OCA x
  protected IReadOnlyCollection<CalculationMethod> _selectedMethods =
  Array.Empty<CalculationMethod>();

  protected override async Task OnInitializedAsync()
  {
    await base.OnInitializedAsync();
    _availableUoms = await UomService.GetAllAsync();

    // B 0D ?C :Cä2D'2C 5CÄ GC,,AC' C0>C 8D$>C$>C' <C AC²8 C,,7 A C" 4CäAD$CC0=D'9 CÄ0D AC,,2 DD;C 3Cä2D
    _selectedMethods = Enum.GetValues(typeof(CalculationMethod))
      .Cast<CalculationMethod>()
      .Where(method => method != CalculationMethod.None &&
        Model.AllowedMethods.HasFlag(method))
      .ToList()
      .AsReadOnly(); // Aô@C,,2CT4CT=C,,5 C² •&V DöæÇ"6öÆEV7F-öí
  }

  /// <summary>
  /// B @C 1C BD'2C 5D" ?D 8 C,,7CÄ5C05C08C, 3C ;CäGCT:.
  /// A,,!Aô A A' Aô : A @C4CCÄ5C0B C0@C,,2CT4CT= C² BC,,?D2 •&V DöæÇ"6öÆEV7F-öâ 4C'0 D4AD$@C =CT=C,,0 CäHC,,1C
  /// </summary>
  protected void OnAllowedMethodsChanged(IReadOnlyCollection<CalculationMethod> updatedValues)

```

```

    {
        _selectedMethods = updatedValues;
    }
    // B EC`CÔKC$0CT< CÄ0D AC,,2 Dt5C±1Cä:D >C" >C @C BCÔ> C" ?Cä1C,,BCä2Cä5 Dt8D ;Cä -çB 4C´O B #A  D
    CalculationMethod resultMask = CalculationMethod.None;
    foreach (var method in updatedValues)
    {
        resultMask |= method;
    }
    Model.AllowedMethods = resultMask;
}
}
</file>

<file path="Promatis.Net.MES.MDM.UI/Promatis.Net.MES.MDM.UI.csproj">
<Project Sdk="Microsoft.NET.Sdk.Razor">
    <PropertyGroup>
        <TargetFramework>net10.0</TargetFramework>
        <Nullable>enable</Nullable>
        <ImplicitUsings>enable</ImplicitUsings>
    </PropertyGroup>
    <ItemGroup>
        <SupportedPlatform Include="browser" />
    </ItemGroup>
    <ItemGroup>
        <PackageReference Include="Microsoft.AspNetCore.Components.Web" Version="10.0.8" />
        <PackageReference Include="MudBlazor" Version="9.4.0" />
    </ItemGroup>
    <ItemGroup>
        <ProjectReference Include="..\..\..\Core\Configuration.Web\Promatis.Net.Configuration.Web.csproj" />
        <ProjectReference Include="..\..\..\MesCore\Promatis.Net.MES.UI\Promatis.Net.MES.UI.csproj" />
        <ProjectReference Include="..\Promatis.Net.MES.MDM.Service\Promatis.Net.MES.MDM.Service.csproj" />
    </ItemGroup>
    <ItemGroup>
        <Folder Include="Pages\TechnologicalOperations\Card\" />
    </ItemGroup>
</Project>
</file>

<file path="Promatis.Net.MES.MDM.UI/UiModule.cs">
using MudBlazor;
using Promatis.Net.UI;
namespace Promatis.Net.MES.MDM.UI;
public class UiModule : IUiModule
{
    public string Name => GetType().Assembly.GetName().Name ?? "Unknown.Module";

    public IEnumerable<(string Title, string Href, string Icon, string? Group)> GetMenuItems()
    {
        return new List<(string Title, string Href, string Icon, string? Group)>
        {
            // B ?D 0C$>Dt=C,,: D$5DT=Cä;Cä3C,,GCTAC±8DR >Cô5D 0Dd8C•
            ("B$5DT=Cä;Cä3C,,GCTAC±8CR >Cô5D 0Dd8C,"Ä "öÖW2öÖF0÷FV6†æöÆöv-6 ÄÖ÷ W& F-öç2"Ä
            Icons.Material.Filled.SettingsInputComponent, "B ?D 0C$>Dt=C,,:C,"Í
            // Äö;CäAC±8C' ACô@C 2CäGC08C¢ BCTECÔ>C´>C48Dt5D :C,,E Cö0D 0CÄ5D$@Cä2D
            ("B$5DT=Cä;Cä3C,,GCTAC±8CR ?C @C <CTBD K", "/mes/mdm/technological-parameters",
            Icons.Material.Filled.SettingsInputComponent, "B ?D 0C$>Dt=C,,:C,"•
        };
    }
}
</file>

<file path="Promatis.Net.MES.MDM.UI/wwwroot/exampleJsInterop.js">

```

```
// This is a JavaScript module that is loaded on demand. It can export any number of
// functions, and may import other JavaScript modules if required.
export function showPrompt(message) {
  return prompt(message, 'Type anything here');
}
</file>

</files>
```