


## Code Editor

CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway"  
  {  
  }  
}
```



## TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway":  
  {  
  }  
}
```



## TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway":  
  {  
  }  
}
```



TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway":  
  {  
  }  
}
```

TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway":  
  {  
  }  
}
```

## TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/repository.json

TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/repository.json

```
{  
  "url": "http://127.0.0.1:3002",  
  "repository":  
    {  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/repository.json

```
{  
  "url": "http://127.0.0.1:3002",  
  "repository":  
    {  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

TERMINAL

domain/sayHello

1



## Code Editor

CODE → services/repository.json

```
{  
  "url": "http://127.0.0.1:3002",  
  "repository":  
    {  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```



TERMINAL


domain/sayHello

1

## Code Editor

CODE → services/repository.json

```
{  
  "url": "http://127.0.0.1:3002",  
  "repository":  
    {  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```



## TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/repository.json

```
{  
  "url": "http://127.0.0.1:3002",  
  "repository":  
    {  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

## TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/repository.json

```
{  
  "url": "http://127.0.0.1:3002",  
  "repository":  
    {  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

## TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/repository.json

```
{  
  "url": "http://127.0.0.1:3002",  
  "repository":  
    {  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

## TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/repository.json

```
{  
  "url": "http://127.0.0.1:3002",  
  "repository":  
    {  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

## TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/repository.json

```
{  
  "url": "http://127.0.0.1:3002",  
  "repository":  
    {  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

## TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/repository.json

```
{  
  "url": "http://127.0.0.1:3002",  
  "repository":  
    {  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

## TERMINAL

domain/sayHello

1



## Code Editor

CODE → services/repository.json

```
{  
  "url": "http://127.0.0.1:3002",  
  "repository":  
    {  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

## TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/repository.json

```
{  
  "url": "http://127.0.0.1:3002",  
  "repository":  
    {  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

## TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/repository.json

```
{  
  "url": "http://127.0.0.1:3002",  
  "repository":  
    {  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

## TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/repository.json

```
{  
  "url": "http://127.0.0.1:3002",  
  "repository":  
    {  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

## TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/repository.json

```
{  
  "url": "http://127.0.0.1:3002",  
  "repository":  
    {  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

## TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/repository.json

```
{  
  "url": "http://127.0.0.1:3002",  
  "repository":  
    {  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

## TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/repository.json

```
{  
  "url": "http://127.0.0.1:3002",  
  "repository":  
    {  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

## TERMINAL

domain/sayHello

1

## Code Editor

CODE → services/repository.json

```
{  
  "url": "http://127.0.0.1:3002",  
  "repository":  
    {  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```



## TERMINAL

domain/sayHello

1



## Code Editor

CODE → services/repository.json

```
{  
  "url": "http://127.0.0.1:3002",  
  "repository":  
    {  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```



## TERMINAL

domain/sayHello

1