TERMINAL ~ Distributed JavaScript Runtime ~ [INFO] Server started at http://127.0.0.1:3000 [INFO] RPC procedures: [domain/sayHello [INFO] Provided web client [INFO] Ran request: domain/sayHello



~ Distributed JavaScript Runtime ~ [INFO] Server started at http://127.0.0.1:3000 [INFO] RPC procedures: [domain/sayHello [INFO] Provided web client [INFO] Ran request: domain/sayHello



~ Distributed JavaScript Runtime ~ [INFO] Server started at http://127.0.0.1:3000 [INFO] RPC procedures: [domain/sayHello [INFO] Provided web client [INFO] Ran request: domain/sayHello

LORER

app

CODE

TERMINAL


```
~ Distributed JavaScript Runtime ~
```

[INFO] Server started at http://127.0.0.1:3000 [INFO] RPC procedures: [

domain/sayHello

[INFO] Provided web client

[INFO] Ran request: domain/sayHello





TERMINAL

[INFO] Provided web client [INFO] Ran request: domain/sayHello



Code Editor

EXPLORER



CODE



TERMINAL

```
~ Distributed JavaScript Runtime ~

[INFO] Server started at http://127.0.0.1:3000

[INFO] RPC procedures: [

domain/sayHello
```

