

Code Editor

CODE → services/default-worker.json

```
{  
  "url": "http://127.0.0.1:4002",  
  "worker":  
    {  
      "trustKey": "secret",  
      "segments": ["default"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

> 

Code Editor

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "access": "public" } }  
}
```

TERMINAL

> 

Code Editor

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "access": "public" } }  
}
```



TERMINAL

> 

Code Editor

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "access": "public" } }  
}
```



TERMINAL

> █

Code Editor

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "access": "public" } }  
}
```



TERMINAL

> 

Code Editor

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "access": "public" } }  
}
```



TERMINAL

> 

Code Editor

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "access": "public" } }  
}
```



TERMINAL

> 

Code Editor

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "access": "public" } }  
}
```



TERMINAL

> 

Code Editor

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "access": "public" } }  
}
```

TERMINAL

> 

Code Editor

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "access": "public" } }  
}
```

TERMINAL

> █

Code Editor

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "access": "public" } }  
}
```

TERMINAL

> █

Code Editor

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "access": "public" } }  
}
```

TERMINAL

> █

Code Editor

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "access": "public" } }  
}
```



TERMINAL

> 

Code Editor

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "access": "public" } }  
}
```



TERMINAL

> 

Code Editor

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "access": "protected" } }  
}
```



TERMINAL

> 