```
CODE → segments/default.json

{
    "./domain/sayHello": { "access": "public" } }
}
```

**TERMINAL** 

```
CODE → services/standalone.json
  "url": "http://127.0.0.1:3000",
  "standalone":
    "segments": ["default"],
    "assets": ["index.html", "vite.svg", "assets/**/*"]
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000"
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:2000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.2.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http: 127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE --> services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "seandalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    standalone":
    "segments": ["default"],
    "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    "segments": ["default"],
    "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    "segments": ["default"],
    "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalo e":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone"
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone"
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE -> services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["idefault"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": [*default"],
        "assets": [*index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE -> services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": [default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["defa ylt"],
        "assets": ["index.htm]", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"].
        "assets": ["index.html", vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default",
        "assets": ["index.html", //ite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.htm" vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.httpl", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["ir dex.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

# **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index html", "vite.svg", "assets/**/*"]
    }
}
```

# **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.s xg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "ssets/**/*"]
    }
}
```

### **TERMINAL**

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/**]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

### **TERMINAL**

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```

**TERMINAL**