













Code Editor

EXPLORER

- ✓  app
 - >  public
 - >  segments
 - ✓  services
 -  data-worker.json
 -  default-worker.json
 -  gateway.json
 -  proxy.json
 -  repository.json
 -  standalone.json

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
    {  
      "segments": ["default", "data"],  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

TERMINAL











```
domain/sayHello
```

```
1
```



Code Editor

EXPLORER

- ✓  app
 - >  public
 - >  segments
 - ✓  services
 -  data-worker.json
 -  default-worker.json
 -  gateway.json
 -  proxy.json
 -  repository.json
 -  standalone.json

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
    {  
      "segments": ["default", "data"],  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

TERMINAL











```
domain/sayHello
```

```
1
```



Code Editor

EXPLORER

- ✓  app
 - >  public
 - >  segments
 - ✓  services
 -  data-worker.json
 -  default-worker.json
 -  gateway.json
 -  proxy.json
 -  repository.json
 -  standalone.json

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
    {  
      "segments": ["default", "data"],  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

TERMINAL











```
domain/sayHello
```

```
1
```



Code Editor

EXPLORER

- ✓  app
 - >  public
 - >  segments
 - ✓  services
 -  data-worker.json
 -  default-worker.json
 -  gateway.json
 -  proxy.json
 -  repository.json
 -  standalone.json

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
    {  
      "segments": ["default", "data"],  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

TERMINAL











```
domain/sayHello
```

```
1
```



Code Editor

EXPLORER

- ✓  app
 - >  public
 - >  segments
 - ✓  services
 -  data-worker.json
 -  default-worker.json
 -  gateway.json
 -  proxy.json
 -  repository.json
 -  standalone.json

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
    {  
      "segments": ["default", "data"],  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```

TERMINAL











```
domain/sayHello
```

```
1
```



Code Editor

EXPLORER

- ✓  app
 - >  public
 - >  segments
 - ✓  services
 -  data-worker.json
 -  default-worker.json
 -  gateway.json
 -  proxy.json
 -  repository.json
 -  standalone.json

CODE → services/data-worker.json











TERMINAL

domain/sayHello

1

Code Editor

EXPLORER

- ✓  app
- >  public
- >  segments
- ✓  services
 -  data-worker.json
 -  default-worker.json
 -  gateway.json
 -  proxy.json
 -  repository.json
 -  standalone.json

CODE → services/data-worker.json

TERMINAL

```
1 domain/sayHello
```

Code Editor

CODE → services/data-worker.json

R
pp
public
segments
services
data-worker.json
default-worker.json
gateway.json
proxy.json
repository.json
standalone.json



TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

nts

s

worker.json

t-worker.json

ay.json

son

ory.json

lone.json

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json



TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json



TERMINAL


domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```



TERMINAL


domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```



TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {"segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{
  "url": "http://127.0.0.1:4001",
  "worker": {
    "segments": ["data"],
    "gateway": "http://127.0.0.1:3001"
  }
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{
  "url": "http://127.0.0.1:4001",
  "worker": {
    "segment": ["data"],
    "gateway": "http://127.0.0.1:3001"
  }
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{
  "url": "http://127.0.0.1:4001",
  "worker":
  {
    "segments": ["data"],
    "gateway": "http://127.0.0.1:3001"
  }
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL


domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```



TERMINAL

domain/sayHello

1