

EXPLORER

- app
 - public
 - segments
 - data.json
 - default.json
 - services
 - standalone.json
- src
 - domain
 - keepHelloCount.ts

cay Halla to

```
CODE → services/standalone.json
  "url": "http://127.0.0.1:3000",
  "standalone":
    "segments": ["default", "data"],
    "assets": ["index.htm", "vite.svg", "assets/**/*"]
```





EXPLORER

- app
 - public
 - segments
 - data.json
 - default.json
 - services
 - standalone.json
 - src
 - domain
 - keepHelloCount.ts

cay Halla to

```
CODE → services/standalone.json
  "url": "http://127.0.0.1:3000",
```

"segments": ["default", "data"], "assets": ["index.html", "vite.svg", "assets/**/*"]



TERMINAL

"standalone":





EXPLORER

- ✓ app
 - > public
 - segments
 - {} data.json
 - default.json
 - services
 - standalone.json
- ✓ src
 - ✓ domain
 - keepHelloCount.ts

cayHalla ta

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default", "data"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```



```
(PLORER
      app
       public
       segments
       data.json
       default.json
       services
       src
        domain
         keepHelloCount.ts
        sayHello.ts
        webui
```

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default", "data"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```



```
pp
public
segments
data.json
default.json
services
src
domain
 keepHelloCount.ts
 sayHello.ts
webui
ndex.html
```

```
CODE → services/standalone.json

{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default", "data"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```



```
nts
on
ijson
HelloCount.ts
ello.ts
```

ml

```
{
    "url": "http://127.0.0.1:3000",
    "standalone":
    {
        "segments": ["default", "data"],
        "assets": ["index.html", "vite.svg", "assets/**/*"]
    }
}
```



```
"standalone":
{
    "segments": ["default", "data"],
    "assets": ["index.html", "vite.svg", "assets/**/*"]
}
```

ınt.ts





> cd app

abb>

cd appapp> npm run build

> cd app app> npm run build

```
> cd app
app> npm run build
[INFO] Built data segment (1 module, 1 procedure, 0 classes)
```

```
    cd app
    app> npm run build
    [INFO] Built data segment (1 module, 1 procedure, 0 classes)
    [INFO] Built default segment (1 module, 1 procedure, 0 classes)
```

```
cd app
app> npm run build
[INFO] Built data segment (1 module, 1 procedure, 0 classes)
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
app>
```

```
cd app
app> npm run build
[INFO] Built data segment (1 module, 1 procedure, 0 classes)
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
app>
```



```
> cd app
app> npm run build
[INFO] Built data segment (1 module, 1 procedure, 0 classes)
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
app>
```



```
> cd app
app> npm run build
[INFO] Built data segment (1 module, 1 procedure, 0 classes)
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
app>
```



```
> cd app
app> npm run build
[INFO] Built data segment (1 module, 1 procedure, 0 classes)
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
app>
```

```
> cd app
app> npm run build
[INFO] Built data segment (1 module, 1 procedure, 0 classes)
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
app>
```

```
> cd app
app> npm run build
[INFO] Built data segment (1 module, 1 procedure, 0 classes)
[INFO] Built default segment (1 module, 1 procedure, 9 classes)
app>
```

```
> cd app
app> npm run build
[INFO] Built data segment (1 module, 1 procedure, 0 classes)
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
app>
```

```
> cd app
app> npm run build
[INFO] Built data segment (1 module, 1 procedure, 0 classes)
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
app>
```

abb>

```
cd app
app> npm run build
[INFO] Built data segment (1 module, 1 procedure, 0 classes)
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
```

```
> cd app
app> npm run build
[INFO] Ruilt data segment (1 module, 1 procedure, 0 classes)
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
app>
```

```
    cd app
    app> npm run build
    [NFO] Built data segment (1 module, 1 procedure, 0 classes)
    [NFO] Built default segment (1 module, 1 procedure, 0 classes)
    app>
```

```
> cd app
app> npm run build
[NFO] Built data segment (1 module, 1 procedure, 0 classes)
[NFO] Built default segment (1 module, 1 procedure, 0 classes)
app>
```

```
> cd app app> npm run build [INFO] Built data segment (1 module, 1 procedure, 0 classes) [INFO] Built default segment (1 module, 1 procedure, 0 classes)
```



abb>

```
> cd app
app> npm run build
[INFO] Built data segment (1 module, 1 procedure, 0 classes)
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
app>
```