


## Code Editor

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
    {  
      "segments": ["default"],  
      "assets": ["index.html", "vite.svg", "assets/**/*"]  
    }  
}
```



TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → services/standalone.json

```
{
  "url": "http://127.0.0.1:3000",
  "standalone": {
    "segments": ["default"],
    "assets": ["index.html", "vite.svg", "assets/**/*"]
  }
}
```

## TERMINAL

~ Distributed JavaScript Runtime ~

-----  
[INFO] Server started at http://127.0.0.1:3000

[INFO] RPC procedures: [

## Code Editor

CODE → services/standalone.json

```
{
  "url": "http://127.0.0.1:3000",
  "standalone": {
    "segments": ["default"],
    "assets": ["index.html", "vite.svg", "assets/**/*"]
  }
}
```

## TERMINAL

~ Distributed JavaScript Runtime ~

```
-----
[INFO] Server started at http://127.0.0.1:3000
[INFO] RPC procedures: [
  domain/sayHello
]
```

## Code Editor

EXPLORER

- app
- public
- segments
- default.json
- services
- standalone.json
- src
- domain
- sayHello.ts
- webui
- assets
- App.tsx
- index.html

CODE → services/standalone.json

```
{
  "url": "http://127.0.0.1:3000",
  "standalone": {
    "segments": ["default"],
    "assets": ["index.html", "vite.svg", "assets/**/*"]
  }
}
```

TERMINAL

~ Distributed JavaScript Runtime ~

-----  
[INFO] Server started at http://127.0.0.1:3000

[INFO] RPC procedures: [  
domain/sayHello




] [INFO] Provided web client

[INFO] Ran request: domain/sayHello



## Code Editor

### EXPLORER

- ✓  app
  - >  public
- ✓  segments
  -  default.json
- ✓  services
  -  standalone.json
- ✓  src
- ✓  domain
  -  sayHello.ts
- ✓  webui
  - >  assets
  -  App.tsx
  -  index.html

CODE → services/standalone.json

```
{
  "url": "http://127.0.0.1:3000",
  "standalone":
  {
    "segments": ["default"],
    "assets": ["index.html", "vite.svg", "assets/**/*"]
  }
}
```








### TERMINAL

~ Distributed JavaScript Runtime ~

```
-----
[INFO] Server started at http://127.0.0.1:3000
[INFO] RPC procedures: [
  domain/sayHello
]
[INFO] Provided web client
[INFO] Ran request: domain/sayHello
```

## Code Editor

### EXPLORER

- ✓  app
  - >  public
- ✓  segments
  -  default.json
- ✓  services
  -  standalone.json
- ✓  src
- ✓  domain
  -  sayHello.ts
- ✓  webui
  - >  assets
    -  App.tsx
  -  index.html

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
  {  
    "segments": ["default"],  
    "assets": ["index.html", "vite.svg", "assets/**/*"]  
  }  
}
```

### TERMINAL

~ Distributed JavaScript Runtime ~

```
-----  
[INFO] Server started at http://127.0.0.1:3000  
[INFO] RPC procedures: [  
  domain/sayHello  
]  
[INFO] Provided web client  
[INFO] Ran request: domain/sayHello
```

## Code Editor

### EXPLORER

- ✓  app
  - >  public
- ✓  segments
  -  default.json
- ✓  services
  -  standalone.json
- ✓  src
- ✓  domain
  -  sayHello.ts
- ✓  webui
  - >  assets
    -  App.tsx
  -  index.html

CODE → services/standalone.json

```
{
  "url": "http://127.0.0.1:3000",
  "standalone":
  {
    "segments": ["default"],
    "assets": ["index.html", "vite.svg", "assets/**/*"]
  }
}
```








### TERMINAL

~ Distributed JavaScript Runtime ~

```
-----
[INFO] Server started at http://127.0.0.1:3000
[INFO] RPC procedures: [
  domain/sayHello
]
[INFO] Provided web client
[INFO] Ran request: domain/sayHello
```

## Code Editor

### EXPLORER

- ✓  app
  - >  public
- ✓  segments
  -  default.json
- ✓  services
  -  standalone.json
- ✓  src
- ✓  domain
  -  sayHello.ts
- ✓  webui
  - >  assets
    -  App.tsx
    -  index.html

CODE → services/standalone.json

```
{
  "url": "http://127.0.0.1:3000",
  "standalone":
  {
    "segments": ["default"],
    "assets": ["index.html", "vite.svg", "assets/**/*"]
  }
}
```

### TERMINAL

~ Distributed JavaScript Runtime ~


-----  
[INFO] Server started at http://127.0.0.1:3000



[INFO] RPC procedures: [  
    domain/sayHello

] [INFO] Provided web client

[INFO] Ran request: domain/sayHello









Code Editor

