Code Editor

CODE → services/data-worker.json

```
{
    "url": "http://127.0.0.1:4001",
    "worker":
    {
        "segments": ["data"]
    }
}
```

TERMINAL

```
    domain/sayHello
]
```

Code Editor

CODE → services/data-worker.json

```
{
    "url": "http://127.0.0.1:4001",
    "worker":
    {
        "segments": ["data"]
    }
}
```

TERMINAL

```
    domain/sayHello
]
```

Code Editor

CODE → services/data-worker.json

```
{
    "url": "http://127.0.0.1:4001",
    "worker":
    {
        "segments": ["data"]
    }
}
```

TERMINAL

```
    domain/sayHello
]
```

Code Editor

CODE → services/data-worker.json

```
{
    "url": "http://127.0.0.1:4001",
    "worker":
    {
        "segments": ["data"]
    }
}
```

TERMINAL

```
    domain/sayHello
]
```

Code Editor

CODE → services/data-worker.json

```
{
    "url": "http://127.0.0.1:4001",
    "worker":
    {
        "segments": ["data"]
    }
}
```

TERMINAL

```
    domain/sayHello
]
```

Code Editor

CODE → services/default-worker.json

TERMINAL

```
    domain/sayHello
]
```

Code Editor

CODE → services/default-worker.json

```
{
   "url": "http://127.0.0.1:4002",
   "worker":
   {
      "segments": ["default"]
   }
}
```

TERMINAL

```
   domain/sayHello
]
```

Code Editor

CODE → services/default-worker.json

```
{
    "url": "http://127.0.0.1:4002",
    "worker":
    {
        "segments": ["default"]
    }
}
```

TERMINAL

```
    domain/sayHello
]
```

Code Editor

CODE → services/default-worker.json

```
{
   "url": "http://127.0.0.1:4002",
   "worker":
   {
      "segments": ["default"]
   }
}
```

TERMINAL

```
   domain/sayHello
]
```

Code Editor

CODE → services/default-worker.json

```
{
    "url": "http://127.0.0.1:4002",
    "worker":
    {
        "segments": ["default"]
    }
}
```

TERMINAL

```
    domain/sayHello
]
```

Code Editor

CODE → services/default-worker.json

```
{
    "url": "http://127.0.0.1:4002",
    "worker":
    {
        "segments": ["default"]
    }
}
```

TERMINAL

```
    domain/sayHello
]
```

Code Editor

CODE → services/default-worker.json

```
{
    "url": "http://127.0.0.1:4002",
    "worker":
    {
        "segments": ["default"]
    }
}
```

TERMINAL

```
    domain/sayHello
]
```

Code Editor

CODE → services/default-worker.json

```
{
    "url": "http://127.0.0.1:4002",
    "worker":
    {
        "segments": ["default"]
    }
}
```

TERMINAL

```
    domain/sayHello
]
```

Code Editor

CODE → services/default-worker.json

```
{
    "url": "http://127.0.0.1:4002",
    "worker":
    {
        "segments": ["default"]
    }
}
```

TERMINAL

```
    domain/sayHello
]
```

Code Editor

CODE → services/default-worker.json

```
{
    "url": "http://127.0.0.1:4002",
    "worker":
    {
        "segments": ["default"]
    }
}
```

TERMINAL

```
    domain/sayHello
]
```

Code Editor

CODE → services/default-worker.json

```
{
    "url": "http://127.0.0.1:4002",
    "worker":
    {
        "segments": ["default"]
    }
}
```

TERMINAL

```
    domain/sayHello
]
```

Code Editor

CODE → services/default-worker.json

```
{
    "url": "http://127.0.0.1:4002",
    "worker":
    {
        "segments": ["default"]
    }
}
```

TERMINAL

```
    domain/sayHello
]
```

Code Editor

CODE → services/default-worker.json

```
{
   "url": "http://127.0.0.1:4002",
   "worker":
   {
      "segments": ["default"]
   }
}
```

TERMINAL

```
   domain/sayHello
]
```

Code Editor

CODE → services/default-worker.json

```
{
   "url": "http://127.0.0.1:4002",
   "worker":
   {
      "segments": ["default"]
   }
}
```

TERMINAL

```
   domain/sayHello
]
```

Code Editor

CODE → services/default-worker.json

```
{
    "url": "http://127.0.0.1:4002",
    "worker":
    {
        "segments": ["default"]
    }
}
```

TERMINAL

```
    domain/sayHello
]
```

Code Editor

CODE → services/default-worker.json

```
{
   "url": "http://127.0.0.1:4002",
   "worker":
   {
      "segments": ["default"]
   }
}
```

TERMINAL

```
   domain/sayHello
]
```