



Code Editor

EXPLORER

- ✓ app
- > public
- > segments
- ✓ services
 - standalone.json
 - ✓ src
 - ✓ domain
 - keepHelloCount.ts
 - sayHello.ts
- > webui
- index.html

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
  {  
    "segments": ["default", "data"],  
    "assets": ["index.html", "vite.svg", "assets/**/*"]  
  }  
}
```

TERMINAL

domain/sayHello



EXPLORER

- ✓ app
- > public
- > segments
- ✓ services
 - ▶ standalone.json
- ✓ src
- ✓ domain
 - keepHelloCount.ts
 - sayHello.ts
- > webui

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
  {  
    "segments": ["default", "data"],  
    "assets": ["index.html", "vite.svg", "assets/**/*"]  
  }  
}
```

TERMINAL

domain/sayHello



EXPLORER

- ✓ app
- > public
- > segments
- ✓ services
 - default-worker.json
 - standalone.json
- ✓ src
- ✓ domain
 - keepHelloCount.ts
 - sayHello.ts
- > webui

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
  {  
    "segments": ["default", "data"],  
    "assets": ["index.html", "vite.svg", "assets/**/*"]  
  }  
}
```

TERMINAL

domain/sayHello



EXPLORER

- ✓ app
- > public
- > segments
- ✓ services
 - default-worker.json
 - standalone.json
- ✓ src
- ✓ domain
 - keepHelloCount.ts
 - sayHello.ts
- > webui

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
  {  
    "segments": ["default", "data"],  
    "assets": ["index.html", "vite.svg", "assets/**/*"]  
  }  
}
```

TERMINAL

domain/sayHello



Code Editor

EXPLORER

✓ app

> public

> segments

✓ services



default-worker.json

standalone.json

✓ src

✓ domain

keepHelloCount.ts

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
  {  
    "segments": ["default", "data"],  
    "assets": ["index.html", "vite.svg", "assets/**/*"]  
  }  
}
```

TERMINAL

domain/sayHello



Code Editor

EXPLORER

- ✓ app
- > public
- > segments
- ✓ services
 - data-worker.json
 - default-worker.json
 - standalone.json
- ✓ src
- ✓ domain
 - keepHelloCount.ts
 - Hello.ts

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
  {  
    "segments": ["default", "data"],  
    "assets": ["index.html", "vite.svg", "assets/**/*"]  
  }  
}
```

TERMINAL

domain/sayHello



Code Editor

EXPLORER

- ✓ app
- > public
- > segments
- ✓ services
 - data-worker.json
 - default-worker.json
 - standalone.json
- ✓ src
- ✓ domain
 - keepHelloCount.ts
 - ...

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
  {  
    "segments": ["default", "data"],  
    "assets": ["index.html", "vite.svg", "assets/**/*"]  
  }  
}
```

TERMINAL


domain/sayHello



Code Editor

EXPLORER

- ✓ app
- > public
- > segments
- ✓ services



- data-worker.json

- default-worker.json

- standalone.json

- ✓ src

- ✓ domain

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
  {  
    "segments": ["default", "data"],  
    "assets": ["index.html", "vite.svg", "assets/**/*"]  
  }  
}
```

TERMINAL

```
domain/sayHello
```



EXPLORER

- ✓ app
- > public
- > segments
- ✓ services
 - gateway.json
 - data-worker.json
 - default-worker.json
 - standalone.json
- ✓ src
- ✓ domain

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
  {  
    "segments": ["default", "data"],  
    "assets": ["index.html", "vite.svg", "assets/**/*"]  
  }  
}
```

TERMINAL

domain/sayHello



Code Editor

EXPLORER

- ✓ app
- > public
- > segments
- ✓ services
 - data-worker.json
 - default-worker.json
 - gateway.json
 - standalone.json
- ✓ src
- ✓ domain

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
  {  
    "segments": ["default", "data"],  
    "assets": ["index.html", "vite.svg", "assets/**/*"]  
  }  
}
```

TERMINAL

domain/sayHello



EXPLORER

- ✓ app
- > public
- > segments
- ✓ services
 - data-worker.json
 - default-worker.json
 - gateway.json
 - standalone.json
- ✓ src

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
  {  
    "segments": ["default", "data"],  
    "assets": ["index.html", "vite.svg", "assets/**/*"]  
  }  
}
```

TERMINAL

domain/sayHello



EXPLORER

- ✓ app
- > public
- > segments
- ✓ services
 - repository.json

- data-worker.json
- default-worker.json
- gateway.json
- standalone.json

- ✓ src

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
  {  
    "segments": ["default", "data"],  
    "assets": ["index.html", "vite.svg", "assets/**/*"]  
  }  
}
```

TERMINAL

domain/sayHello



EXPLORER

- ✓ app
- > public
- > segments
- ✓ services
 - data-worker.json
 - default-worker.json
 - gateway.json
 - repository.json
 - standalone.json
- ✓ src

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
  {  
    "segments": ["default", "data"],  
    "assets": ["index.html", "vite.svg", "assets/**/*"]  
  }  
}
```

TERMINAL

domain/sayHello



EXPLORER

- ✓ app
- > public
- > segments
- ✓ services
 - data-worker.json
 - default-worker.json
 - gateway.json
 - repository.json
 - standalone.json

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
  {  
    "segments": ["default", "data"],  
    "assets": ["index.html", "vite.svg", "assets/**/*"]  
  }  
}
```

TERMINAL

domain/sayHello



EXPLORER

- ✓ app
- > public
- > segments
- ✓ services
 - proxy.json
 - data-worker.json
 - default-worker.json
 - gateway.json
 - repository.json
 - standalone.json

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
  {  
    "segments": ["default", "data"],  
    "assets": ["index.html", "vite.svg", "assets/**/*"]  
  }  
}
```

TERMINAL

domain/sayHello



Code Editor

EXPLORER

- ✓ app
- > public
- > segments
- ✓ services
 - ➔ data-worker.json
 - ➔ default-worker.json
 - ➔ gateway.json
 - ➔ proxy.json
 - ➔ repository.json
 - ➔ standalone.json

CODE → services/standalone.json

```
{  
  "url": "http://127.0.0.1:3000",  
  "standalone":  
  {  
    "segments": ["default", "data"],  
    "assets": ["index.html", "vite.svg", "assets/**/*"]  
  }  
}
```

TERMINAL

domain/sayHello