



TERMINAL

Initializes a new Jitar project from a template.

Options:

- name Project name used for creating the project folder (required)
- template Template to use [react, vue, jitar-only] (required)
- location The root location of the project (optional - default: ./)

```
> jitar init --name=app --template=react
```





TERMINAL

Options:

- name Project name used for creating the project folder (required)
- template Template to use [react, vue, jitar-only] (required)
- location The root location of the project (optional - default: ./)

```
> jitar init --name=app --template=react  
Intializing project 'app' with 'react' template.
```





TERMINAL

Options:

- name Project name used for creating the project folder (required)
- template Template to use [react, vue, jitar-only] (required)
- location The root location of the project (optional - default: ./)

```
> jitar init --name=app --template=react
```

```
Intializing project 'app' with 'react' template.
```

```
SUCCESS! Run the following commands to continue:
```





TERMINAL

--name Project name used for creating the project folder (required)
--template Template to use [react, vue, jitar-only] (required)
--location The root location of the project (optional - default: ./)

```
> jitar init --name=app --template=react  
Intializing project 'app' with 'react' template.  
SUCCESS! Run the following commands to continue:  
cd app
```





TERMINAL

--template Template to use [react, vue, jitar-only] (required)
--location The root location of the project (optional - default: ./)

```
> jitar init --name=app --template=react  
Intializing project 'app' with 'react' template.  
SUCCESS! Run the following commands to continue:  
cd app  
npm install
```





TERMINAL

--location The root location of the project (optional - default: ./)

```
> jitar init --name=app --template=react  
Intializing project 'app' with 'react' template.  
SUCCESS! Run the following commands to continue:
```

```
cd app
```

```
npm install
```

```
npm run build
```





TERMINAL

```
> jitar init --name=app --template=react
Intializing project 'app' with 'react' template.
SUCCESS! Run the following commands to continue:
cd app
npm install
npm run build
npm run standalone
> █
```