














## Code Editor

### EXPLORER

- ✓  app
  - >  public
  - ✓  segments
    -  default.json
  - ✓  services
    -  standalone.json
  - ✓  src
  - ✓  domain
    -  sayHello.ts
  - ✓  webui
  - >  assets

CODE → src/domain/sayHello.ts

```
export async function sayHello(name: string): Promise<string> {  
    return `Hello, ${name}!`;  
}
```












### TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

### EXPLORER

- ✓  app
  - >  public
  - ✓  segments
    -  default.json
  - ✓  services
    -  standalone.json
  - ✓  src
  - ✓  domain
    -  sayHello.ts
  - ✓  webui
  - >  assets

CODE → src/domain/sayHello.ts

```
export async function sayHello(name: string): Promise<string> {  
    return `Hello, ${name}!`;  
}
```












### TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

### EXPLORER

- ✓  app
  - >  public
  - ✓  segments
    -  default.json
  - ✓  services
    -  standalone.json
  - ✓  src
    - ✓  domain
      -  sayHello.ts
  - ✓  webui
    - >  assets

CODE → src/domain/sayHello.ts

```
export async function sayHello(name: string): Promise<string> {  
  return `Hello, ${name}!`;  
}
```












### TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

### EXPLORER

- ✓  app
  - >  public
  - ✓  segments
    -  default.json
  - ✓  services
    -  standalone.json
  - ✓  src
    - ✓  domain
      -  sayHello.ts
  - ✓  webui
    - >  assets

CODE → src/domain/sayHello.ts

```
export async function sayHello(name: string): Promise<string> {  
    return `Hello, ${name}!`;  
}
```












### TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

### EXPLORER

- ✓  app
  - >  public
  - ✓  segments
    -  default.json
  - ✓  services
    -  standalone.json
  - ✓  src
    - ✓  domain
      -  sayHello.ts
  - ✓  webui
    - >  assets

CODE → src/domain/sayHello.ts

```
export async function sayHello(name: string): Promise<string> {  
    return `Hello, ${name}!`;  
}
```












### TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

### EXPLORER

- ✓  app
  - >  public
  - ✓  segments
    -  default.json
  - ✓  services
    -  standalone.json
  - ✓  src
  - ✓  domain
    -  sayHello.ts
  - ✓  webui
  - >  assets

CODE → segments/default.json

```
{  
  "./domain/sayHello": { "sayHello": { "access": "public" } }  
}
```

### TERMINAL

~ Distributed JavaScript Runtime ~

## EXPLORER

- ✓  app
- >  public
- ✓  segments
  -  default.json
- ✓  services
  -  standalone.json
- ✓  src
- ✓  domain
  -  sayHello.ts
- ✓  webui
- >  assets

## Code Editor

CODE → segments/default.json

```
{  
  "./domain/sayHello": { "sayHello": { "access": "public" } }  
}
```

## TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "./domain/sayHello": { "sayHello": { "access": "public" } }  
}
```

R  
pp  
public  
segments  
default.json  
services  
standalone.json  
src  
domain  
sayHello.ts  
webui  
assets

## TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```



TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```



TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```



TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```




TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```




TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```




TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```



TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```

TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```

TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```

TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "./domain/sayHello" { "sayHello": { "access": "public" } }  
}
```



TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```

TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```



TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```



TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```



TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```

TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```



TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```



TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```




TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```



TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```


TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```



TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```


TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```



TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```



TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```



TERMINAL

~ Distributed JavaScript Runtime ~

## Code Editor

CODE → segments/default.json

```
{  
  "/domain/sayHello": { "sayHello": { "access": "public" } }  
}
```



TERMINAL

~ Distributed JavaScript Runtime ~