



## TERMINAL



~ Distributed JavaScript Runtime ~

-----  
[INFO] Server started at http://127.0.0.1:3000

[INFO] RPC procedures: [  
  domain/sayHello

]






## TERMINAL



~ Distributed JavaScript Runtime ~

-----  
[INFO] Server started at <http://127.0.0.1:3000>

[INFO] RPC procedures: [  
    domain/sayHello






## TERMINAL



~ Distributed JavaScript Runtime ~

-----  
[INFO] Server started at <http://127.0.0.1:3000>

[INFO] RPC procedures: [  
  domain/sayHello





## TERMINAL



~ Distributed JavaScript Runtime ~

-----  
[INFO] Server started at <http://127.0.0.1:3000>

[INFO] RPC procedures: [  
  domain/sayHello





## TERMINAL



~ Distributed JavaScript Runtime ~

-----  
[INFO] Server started at http://127.0.0.1:3000

[INFO] RPC procedures: [  
  domain/sayHello

]  
█





## TERMINAL



~ Distributed JavaScript Runtime ~

-----  
[INFO] Server started at http://127.0.0.1:3000

[INFO] RPC procedures: [  
  domain/sayHello

]  
■





## TERMINAL



~ Distributed JavaScript Runtime ~

[INFO] Server started at <http://127.0.0.1:3000>

[INFO] RPC procedures: [  
  domain/sayHello

]





## TERMINAL



~ Distributed JavaScript Runtime ~

[INFO] Server started at <http://127.0.0.1:3000>

[INFO] RPC procedures: [  
  domain/sayHello

]







## TERMINAL



~ Distributed JavaScript Runtime ~

[INFO] Server started at <http://127.0.0.1:3000>

[INFO] RPC procedures: [  
  domain/sayHello

]





TERMINAL





Distributed JavaScript Runtime ~

FO] Server started at <http://127.0.0.1:3000>

FO] RPC procedures: [

domain/sayHello





aScript Runtime ~



ted at <http://127.0.0.1:3000>


dures: [



ello



<http://localhost:3000>











http://localhost:3000











http://localhost:3000





http://localhost:3000



Hello, Vite + React + Jitar!