



EXPLORER

- ✓ app
- > public
- > segments
- > services
- ✓ src
 - ✓ domain
 - keepHelloCount.ts
 - sayHello.ts
 - > webui
- index.html
- package.json

CODE



TERMINAL



Code Editor

EXPLORER

- ✓  app
- >  public
- >  segments
- >  services
- ✓  src
 - ✓  domain
 -  keepHelloCount.ts
 -  sayHello.ts
 - >  webui
-  index.html
-  package.json

CODE



TERMINAL



EXPLORER

- ✓  app
- >  public
- >  segments
- >  services
- ✓  src
 - ✓  domain
 -  keepHelloCount.ts
 -  sayHello.ts
- >  webui
-  index.html
-  package.json

CODE



TERMINAL





EXPLORER

- ✓ app
- > public
- > segments
- > services
- ✓ src
 - ✓ domain
 - keepHelloCount.ts
 - sayHello.ts
- > webui
- index.html
- package.json

CODE



TERMINAL



Code Editor

EXPLORER

- ✓  app
- >  public
- >  segments
- >  services
- ✓  src
- ✓  domain
 -  keepHelloCount.ts
 -  sayHello.ts
- >  webui
-  index.html
-  package.json

CODE



TERMINAL





EXPLORER

- ✓ app
- > public
- > segments
- > services
- ✓ src
- ✓ domain
 - keepHelloCount.ts
 - sayHello.ts
- > webui
- index.html
- package.json

CODE



TERMINAL





Code Editor

EXPLORER

- ✓ app
- > public
- > segments
- ✓ services
 - data-worker.json
 - default-worker.json
 - gateway.json
 - proxy.json
 - repository.json
 - standalone.json

CODE

TERMINAL






Code Editor

EXPLORER


- ✓ app
- > public
- > segments
- ✓ services
 - data-worker.json
 - default-worker.json
 - gateway.json
 - proxy.json
 - repository.json
 - standalone.json

CODE

TERMINAL




EXPLORER

- ✓  app
- >  public
- >  segments
- ✓  services
 -  data-worker.json
 -  default-worker.json
 -  gateway.json
 -  proxy.json
 -  repository.json
 -  standalone.json

CODE



TERMINAL





Code Editor


EXPLORER

- ✓ app
- > public
- > segments
- ✓ services
 - data-worker.json
 - default-worker.json
 - gateway.json
 - proxy.json
 - repository.json
 - standalone.json

CODE



TERMINAL





Code Editor


EXPLORER

- ✓ app
- > public
- > segments
- ✓ services
 - data-worker.json
 - default-worker.json
 - gateway.json
 - proxy.json
 - repository.json
 - standalone.json

CODE





TERMINAL





Code Editor


EXPLORER

- ✓  app
- >  public
- >  segments
- ✓  services
 -  data-worker.json
 -  default-worker.json
 -  gateway.json
 -  proxy.json
 -  repository.json
 -  standalone.json

CODE



TERMINAL





Code Editor

EXPLORER

- ✓ app
- > public
- > segments
- ✓ services
 - data-worker.json
 - default-worker.json
 - gateway.json
 - proxy.json
 - repository.json
 - standalone.json

CODE



TERMINAL





Code Editor

EXPLORER

- ✓ app
- > public
- > segments
- ✓ services
 - data-worker.json
 - default-worker.json
 - gateway.json
 - proxy.json
 - repository.json
 - standalone.json

CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway":  
  {  
  }  
}
```

TERMINAL



Code Editor


CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway":  
  {  
  }  
}
```

EXPLORER

- / app
- > public
- > segments
- ✓ services
 - { } data-worker.json
 - { } default-worker.json
 - { } gateway.json
 - { } proxy.json
 - { } repository.json
 - { } standalone.json

TERMINAL



Code Editor

CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway":  
  {  
  }  
}
```

R
pp
public
segments
services
data-worker.json

default-worker.json
gateway.json
proxy.json
repository.json
standalone.json

TERMINAL

> 

Code Editor


CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway":  
  {  
  }  
}
```

nts

s

worker.json



-worker.json

ay.json

son

ory.json

alone.json

TERMINAL



Code Editor

CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway":  
  {  
  }  
}
```

on
r.json




TERMINAL

> █

Code Editor

CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway":  
  {  
  }  
}
```




TERMINAL



Code Editor

CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway":  
  {  
    "trustKey": "secret"  
  }  
}
```



TERMINAL

