

Code Editor

CODE → services/default-worker.json

```
{  
  "url": "http://127.0.0.1:4002",  
  "worker":  
    {  
      "segments": ["default"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/default-worker.json

```
{  
  "url": "http://127.0.0.1:4002",  
  "worker":  
    {  
      "segments": ["default"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/default-worker.json

```
{  
  "url": "http://127.0.0.1:4002",  
  "worker":  
    {  
      "segments": ["default"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```



TERMINAL

domain/sayHello

1

Code Editor

CODE → services/default-worker.json

```
{  
  "url": "http://127.0.0.1:4002",  
  "worker":  
    {  
      "segments": ["default"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/gateway.json

TERMINAL

1 domain/sayHello

Code Editor

CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway":  
    {  
    }  
}
```

TERMINAL


domain/sayHello

1

Code Editor

CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway":  
    {  
    }  
}
```



TERMINAL


domain/sayHello

1

Code Editor

CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway":  
    {  
    }  
}
```



TERMINAL

domain/sayHello

1

Code Editor

CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway":  
    {  
    }  
}
```

TERMINAL

```
1 domain/sayHello
```

Code Editor

CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway":  
    {  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway":  
    {  
    }  
}
```

TERMINAL


domain/sayHello

1

Code Editor

CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway"  
  {  
  }  
}
```



TERMINAL


domain/sayHello

1

Code Editor

CODE → services/gateway.json

```
{  
  "url": "http://127.0.0.1:3001",  
  "gateway"  
  {  
  }  
}
```



TERMINAL

domain/sayHello

1