



## TERMINAL

```
> jitar init --name=app --template=react  
Intializing project 'app' with 'react' template.  
SUCCESS! Run the following commands to continue:  
cd app  
npm install  
npm run build  
npm run standalone  
> █
```



## TERMINAL

```
> jitar init --name=app --template=react
Intializing project 'app' with 'react' template.
SUCCESS! Run the following commands to continue:
cd app
npm install
npm run build
npm run standalone
> cd app
```



## TERMINAL

```
> jitar init --name=app --template=react
Intializing project 'app' with 'react' template.
SUCCESS! Run the following commands to continue:
cd app
npm install
npm run build
npm run standalone
> cd app
app> █
```



## TERMINAL

```
> jitar init --name=app --template=react  
Intializing project 'app' with 'react' template.  
SUCCESS! Run the following commands to continue:  
cd app  
npm install  
npm run build  
npm run standalone  
> cd app  
app> npm install
```



## TERMINAL

Intializing project 'app' with 'react' template.  
SUCCESS! Run the following commands to continue:

```
cd app
```

```
npm install
```

```
npm run build
```

```
npm run standalone
```

```
> cd app
```

```
app> npm install
```





## TERMINAL

SUCCESS! Run the following commands to continue:

```
cd app
```

```
npm install
```

```
npm run build
```

```
npm run standalone
```

```
> cd app
```

```
app> npm install
```

```
0% [ ] 100%
```





## TERMINAL

SUCCESS! Run the following commands to continue:

```
cd app
```

```
npm install
```

```
npm run build
```

```
npm run standalone
```

```
> cd app
```

```
app> npm install
```

```
0% [█] 100%
```



# TERMINAL

SUCCESS! Run the following commands to continue:

```
cd app
```

```
npm install
```

```
npm run build
```

# npm run standalone

```
> cd app
```

```
app> npm install
```

0% [ ■■ ] 100%







## TERMINAL

SUCCESS! Run the following commands to continue:

```
cd app
```

```
npm install
```

```
npm run build
```

```
npm run standalone
```

```
> cd app
```

```
app> npm install
```

```
0% [■■■          ] 100%
```





## TERMINAL

SUCCESS! Run the following commands to continue:

```
cd app
```

```
npm install
```

```
npm run build
```

```
npm run standalone
```

```
> cd app
```

```
app> npm install
```

```
0% [■■■■■] 100%
```





## TERMINAL

SUCCESS! Run the following commands to continue:

```
cd app
```

```
npm install
```

```
npm run build
```

```
npm run standalone
```

```
> cd app
```

```
app> npm install
```

```
0% [■■■■■] 100%
```



# TERMINAL

SUCCESS! Run the following commands to continue:

```
cd app
```

```
npm install
```

```
npm run build
```

# npm run standalone

```
> cd app
```

```
app> npm install
```

0% [ ■■■■■■ ] 100%





## TERMINAL

SUCCESS! Run the following commands to continue:

```
cd app
```

```
npm install
```

```
npm run build
```

```
npm run standalone
```

```
> cd app
```

```
app> npm install
```

```
0% [■■■■■■■■■■] 100%
```





## TERMINAL

SUCCESS! Run the following commands to continue:

```
cd app
```

```
npm install
```

```
npm run build
```

```
npm run standalone
```

```
> cd app
```

```
app> npm install
```

```
0% [■■■■■■■■■ ] 100%
```





## TERMINAL

SUCCESS! Run the following commands to continue:

```
cd app
```

```
npm install
```

```
npm run build
```

```
npm run standalone
```

```
> cd app
```

```
app> npm install
```

```
0% [■■■■■■■■■■] 100%
```





## TERMINAL

SUCCESS! Run the following commands to continue:

```
cd app
```

```
npm install
```

```
npm run build
```

```
npm run standalone
```

```
> cd app
```

```
app> npm install
```

```
0% [■■■■■■■■■■] 100%
```







## TERMINAL

SUCCESS! Run the following commands to continue:

```
cd app
```

```
npm install
```

```
npm run build
```

```
npm run standalone
```

```
> cd app
```

```
app> npm install
```

```
0% [■■■■■■■■■■] 100% ✓
```

```
app> ■
```



## TERMINAL

SUCCESS! Run the following commands to continue:

```
cd app
```

```
npm install
```

```
npm run build
```

```
npm run standalone
```

```
> cd app
```

```
app> npm install
```

```
0% [■■■■■■■■■■] 100% ✓
```

```
app> npm run build■
```



## TERMINAL

```
cd app
npm install
npm run build
npm run standalone
> cd app
app> npm install
0% [■■■■■■■■■■] 100% ✓
app> npm run build
■
```



## TERMINAL

```
npm install
npm run build
npm run standalone
> cd app
app> npm install
0% [■■■■■■■■■■] 100% ✓
app> npm run build
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
app> ■
```



## TERMINAL

```
npm install
npm run build
npm run standalone
> cd app
app> npm install
0% [■■■■■■■■■■] 100% ✓
app> npm run build
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
app> npm run standalone
```



## TERMINAL

```
npm run build
```

```
npm run standalone
```

```
> cd app
```

```
app> npm install
```

```
0% [■■■■■■■■■■] 100% ✓
```

```
app> npm run build
```

```
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
```

```
app> npm run standalone
```





## TERMINAL

```
npm run standalone
```

```
> cd app
```

```
app> npm install
```

```
0% [■■■■■■■■■■] 100% ✓
```

```
app> npm run build
```

```
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
```

```
app> npm run standalone
```





## TERMINAL

```
> cd app
```


```
app> npm install
```

```
0% [■■■■■■■■■■] 100% ✓
```

```
app> npm run build
```

```
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
```

```
app> npm run standalone
```







## TERMINAL


```
app> npm install
```

```
0% [■■■■■■■■■■] 100% ✓
```

```
app> npm run build
```

```
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
```

```
app> npm run standalone
```






## TERMINAL

0% [■■■■■■■■■■] 100% ✓

app> npm run build

[INFO] Built default segment (1 module, 1 procedure, 0 classes)


app> npm run standalone





## TERMINAL


```
app> npm run build  
[INFO] Built default segment (1 module, 1 procedure, 0 classes)  
app> npm run standalone
```





## TERMINAL


[INFO] Built default segment (1 module, 1 procedure, 0 classes)  
app> npm run standalone






TERMINAL

```
app> npm run standalone
```





TERMINAL




~ Distributed JavaScript Runtime ~





TERMINAL




~ Distributed JavaScript Runtime ~

-----





## TERMINAL



~ Distributed JavaScript Runtime ~

---


[INFO] Server started at <http://127.0.0.1:3000>







## TERMINAL



~ Distributed JavaScript Runtime ~

---


[INFO] Server started at <http://127.0.0.1:3000>

[INFO] RPC procedures: [





## TERMINAL



~ Distributed JavaScript Runtime ~

---

```
[INFO] Server started at http://127.0.0.1:3000
[INFO] RPC procedures: [
  domain/sayHello
```





## TERMINAL



~ Distributed JavaScript Runtime ~

-----  
[INFO] Server started at http://127.0.0.1:3000

[INFO] RPC procedures: [  
  domain/sayHello

]

