```
"assets": ["index.html", "vite.svg", "assets/**/*"]
TERMINAL
~ Distributed JavaScript Runtime ~
[INFO] Server started at http://127.0.0.1:3000
[INFO] RPC procedures: [
 domain/keepHelloCount,
 domain/sayHello
```

"segments": ["default", "data"],

```
TERMINAL

~ Distributed JavaScript Runtime ~

[INFO] Server started at http://127.0.0.1:3000

[INFO] RPC procedures: [
   domain/keepHelloCount,
   domain/sayHello

]
```

```
TERMINAL

~ Distributed JavaScript Runtime ~

[INFO] Server started at http://127.0.0.1:3000

[INFO] RPC procedures: [
   domain/keepHelloCount,
   domain/sayHello

]
```

```
TERMINAL

"Distributed JavaScript Runtime"

[INFO] Server started at http://127.0.0.1:3000

[INFO] RPC procedures: [
domain/keepHelloCount,
domain/sayHello
]
```

```
TERMINAL

"Distributed JavaScript Runtime ~

[INFO] Server started at <a href="http://127.0.0.1:3000">http://127.0.0.1:3000</a>

[INFO] RPC procedures: [

domain/keepHelloCount,
domain/sayHello
]
```

```
TERMINAL

- Distributed JavaScript Runtime -

[INFO] Server started at <a href="http://127.0.0.1:3000">http://127.0.0.1:3000</a>

[INFO] RPC procedures: [

domain/keepHelloCount,
domain/sayHello]

]
```

```
TERMINAL

"Distributed JavaScript Runtime ~

[INFO] Server started at <a href="http://127.0.0.1:3000">http://127.0.0.1:3000</a>


[INFO] RPC procedures: [

domain/keepHelloCount,
domain/sayHello
]
```


```
"segments": ["default", "data"],
 "assets": ["index.html", "vite.svg", "assets/**/*"]
RMINAL
Distributed JavaScript Runtime ~
FO] Server started at <a href="http://127.0.0.1:3000">http://127.0.0.1:3000</a>
FO] RPC procedures: [
domain/keepHelloCount,
domain/sayHello
```



```
"default", "data"],
ex.html", "vite.svg", "assets/**/*"]
       aScript Runtime ~
ted at <a href="http://127.0.0.1:3000">http://127.0.0.1:3000</a>
dures: [
elloCount,
```



```
"data"],
"vite.svg", "assets/**/*"]
untime ~
tp://127.0.0.1:3000
```



```
sets/**/*"]
<u>3000</u>
```

