



Web Browser



http://127.0.0.1:3001/rpc/domain/keepHelloCount?name=John



Request not trusted

ELEMENTS CONSOLE NETWORK APPLICATION

Request

GET http://127.0.0.1:3001/rpc/domain/keepHelloCount

Status

401 Unauthorized

Response

"Request not trusted"

Web Browser



http://127.0.0.1:3001/rpc/domain/keepHelloCount?name=John

Request not trusted

>_ gateway
>_ default
>_ data

ELEMENTS CONSOLE NETWORK APPLICATION

Request

GET http://127.0.0.1:3001/rpc/domain/keepHelloCount

Status

401 Unauthorized

Response

"Request not trusted"

Request not trusted

ELEMENTS CONSOLE NETWORK APPLICATION

Request
GET http://127.0.0.1:3001/rpc/domain/keepHelloCount


Status
401 Unauthorized


This screenshot shows a web browser window with a dark theme. At the top, the URL bar displays the address: "http://127.0.0.1:3001/rpc/domain/keepHelloCount?name=John". Below the URL bar, the main content area shows the message "Request not trusted". At the bottom of the browser window, there is a developer tools interface with tabs labeled ELEMENTS, CONSOLE, NETWORK (which is underlined), and APPLICATION. The NETWORK tab shows a single request entry: a GET request to the specified URL. To the right of the request, the status is listed as "Status 401 Unauthorized". The background of the entire image is a dark gray, suggesting a terminal or code editor window behind the browser.

401


Count
main/keepHelloCount

> gateway
> default
> **data**





```
aScript Runtime ~  
-----  
ited at http://127.0.0.1:4001  
dures: [  
elloCount  
  
st: domain/keepHelloCount  
ntrusted request: domain/keepHelloCount
```



RMINAL

Distributed JavaScript Runtime ~

[FO] Server started at http://127.0.0.1:4001

[FO] RPC procedures: [
domain/keepHelloCount

[FO] Ran request: domain/keepHelloCount

[ARN] Denied untrusted request: domain/keepHelloCount

> gateway
> default
> data

ELEMEN

Request
GET ht

TERMINAL

~ Distributed JavaScript Runtime ~

[INFO] Server started at http://127.0.0.1:4001

[INFO] RPC procedures:
domain/keepHelloCount
]

[INFO] Ran request: domain/keepHelloCount

[WARN] Denied untrusted request: domain/keepHelloCount

- > gateway
- > default
- > **data**