


Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```



TERMINAL


domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{
  "url": "http://127.0.0.1:4001",
  "worker": {
    "segments": ["data"],
    "gateway": "http://127.0.0.1:3001"
  }
}
```



TERMINAL


domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```



TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/data-worker.json

```
{  
  "url": "http://127.0.0.1:4001",  
  "worker":  
    {  
      "segments": ["data"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/default-worker.json

TERMINAL

```
1 domain/sayHello
```

Code Editor

CODE → services/default-worker.json

```
{
  "url": "http://127.0.0.1:4002",
  "worker":
  {
    "segments": ["default"],
    "gateway": "http://127.0.0.1:3001"
  }
}
```

TERMINAL


domain/sayHello

1

Code Editor

CODE → services/default-worker.json

```
{  
  "url": "http://127.0.0.1:4002",  
  "worker":  
    {  
      "segments": ["default"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```



TERMINAL


domain/sayHello

1

Code Editor

CODE → services/default-worker.json

```
{  
  "url": "http://127.0.0.1:4002",  
  "worker":  
    {  
      "segments": ["default"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```



TERMINAL

domain/sayHello

1

Code Editor

CODE → services/default-worker.json

```
{
  "url": "http://127.0.0.1:4002",
  "worker": {
    "segments": ["default"],
    "gateway": "http://127.0.0.1:3001"
  }
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/default-worker.json

```
{  
  "url": "http://127.0.0.1:4002",  
  "worker":  
    {  
      "segments": ["default"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/default-worker.json

```
{  
  "url": "http://127.0.0.1:4002",  
  "worker":  
    {  
      "segments": ["default"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/default-worker.json

```
{  
  "url": "http://127.0.0.1:4002",  
  "worker":  
    {  
      "segments": ["default"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/default-worker.json

```
{  
  "url": "http://127.0.0.1:4002",  
  "worker":  
    {  
      "segments": ["default"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL


domain/sayHello

1

Code Editor

CODE → services/default-worker.json

```
{  
  "url": "http://127.0.0.1:4002",  
  "worker":  
    {  
      "segments": ["default"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```



TERMINAL

domain/sayHello

1

Code Editor

CODE → services/default-worker.json

```
{  
  "url": "http://127.0.0.1:4002",  
  "worker":  
    {  
      "segments": ["default"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/default-worker.json

```
{  
  "url": "http://127.0.0.1:4002",  
  "worker":  
    {  
      "segments": ["default"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/default-worker.json

```
{  
  "url": "http://127.0.0.1:4002",  
  "worker":  
    {  
      "segments": ["default"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/default-worker.json

```
{  
  "url": "http://127.0.0.1:4002",  
  "worker":  
    {  
      "segments": ["default"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/default-worker.json

```
{  
  "url": "http://127.0.0.1:4002",  
  "worker":  
    {  
      "segments": ["default"],  
      "gateway": "http://127.0.0.1:3001"  
    }  
}
```

TERMINAL

domain/sayHello

1

Code Editor

CODE → services/default-worker.json

```
{
  "url": "http://127.0.0.1:4002",
  "worker": {
    "segments": ["default"],
    "gateway": "http://127.0.0.1:3001"
  }
}
```

TERMINAL

domain/sayHello

1