



## Code Editor

### EXPLORER

- ✓  app
  - >  public
  - >  segments
  - >  services
  - ✓  src
    - >  domain
    - >  middleware
    - >  webui



index.html



package.json



vite.config.ts

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "acce
```

### TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

### EXPLORER

- ✓  app
  - >  public
  - >  segments
  - >  services
  - ✓  src
    - >  domain
    -   middleware
    - >  webui

 index.html

 package.json

 vite.config.ts

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "acce
```

### TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

### EXPLORER

- ✓  app
  - >  public
  - >  segments
  - >  services
- ✓  src
  - >  domain
  - >  middleware
  - >  webui

 index.html

 package.json

 vite.config.ts

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "acce}
```

### TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

### EXPLORER

- ✓  app
  - >  public
  - >  segments
  - >  services
  - ✓  src
    - >  domain
    - >  middleware
    - >  webui

 index.html

 package.json

 vite.config.ts

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "acce}
```

### TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

### EXPLORER

- ✓  app
  - >  public
  - >  segments
  - >  services
  - ✓  src
    - >  domain
    - ✓  middleware
    - >  webui



index.html



package.json



vite.config.ts

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "acce
```

### TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

### EXPLORER

- ✓  app
  - >  public
  - >  segments
  - >  services
  - ✓  src
    - >  domain
    -   middleware
    - >  webui

 index.html

 package.json

 vite.config.ts

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "acce
```

### TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

### EXPLORER

- ✓  app
  - >  public
  - >  segments
  - >  services
  - ✓  src
    - >  domain
    - ✓  middleware
    - >  webui



index.html



package.json



vite.config.ts

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "acce
```

### TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

### EXPLORER

- ✓  app
  - >  public
  - >  segments
  - >  services
  - ✓  src
    - >  domain
    - ✓  middleware

- >  webui



index.html



package.json

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "acce
```

### TERMINAL

~ Distributed JavaScript Runtime ~

-----





## Code Editor

### EXPLORER

- ✓  app
  - >  public
  - >  segments
  - >  services
  - ✓  src
    - >  domain
    - ✓  middleware

serverAuth.ts

- >  webui

 index.html

 package.json

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "acce  
}
```







### TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

### EXPLORER

- ✓  app
  - >  public
  - >  segments
  - >  services
  - ✓  src
    - >  domain
    - ✓  middleware
      -  serverAuth.ts
    - >  webui
  -  index.html
  -  package.json

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "acce
```









### TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

### EXPLORER

- ✓  app
  - >  public
  - >  segments
  - >  services
  - ✓  src
    - >  domain
    - ✓  middleware
      - 
      -  serverAuth.ts
    - >  webui
  -  index.html

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "acce
```











### TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

### EXPLORER

- ✓  app
  - >  public
  - >  segments
  - >  services
  - ✓  src
    - >  domain
    - ✓  middleware
      - clientAuth.ts
      -  serverAuth.ts
    - >  webui
    -  index.html

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "acce
```

### TERMINAL

~ Distributed JavaScript Runtime ~



## Code Editor

### EXPLORER

- ✓  app
  - >  public
  - >  segments
  - >  services
  - ✓  src
    - >  domain
    - ✓  middleware
      -  clientAuth.ts
      -  serverAuth.ts
    - >  webui
  -  index.html

CODE → segments/data.json

```
{  
  "/domain/keepHelloCount": { "keepHelloCount": { "acce
```

### TERMINAL

~ Distributed JavaScript Runtime ~