```
> cd app app> npm run build [INFO] Built data segment (1 module, 1 procedure, 0 classes) [INFO] Built default segment (1 module, 1 procedure, 0 classes) app>
```


```
> cd app
app> npm run build
[INFO] Built data segment (1 module, 1 procedure, 0 classes)
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
app> npm run standalone
```

```
> cd app
app> npm run build
[INFO] Built data segment (1 module, 1 procedure, 0 classes)
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
app> npm run standalone
```


```
> cd app
app> npm run build
[INFO] Built data segment (1 module, 1 procedure, 0 classes)
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
app> npm run standalone
```

```
> cd app
app> npm run build
[INFO] Built data segment (1 module, 1 procedure, 0 classes)
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
app> npm run standalone
```

cd app
app> npm run build
[INFO] Built data segment (1 module, 1 procedure, 0 classes)
[INFO] Built default segment (1 module, 1 procedure, 0 classes)
app> npm run standalone




app> npm run build [INFO] Built data segment (1 module, 1 procedure, 0 classes) [INFO] Built default segment (1 module, 1 procedure, 0 classes) app> npm run standalone




```
"segments": ["default", "data"],
    "assets": ["index.html", "vite.svg", "assets/**/*"]
}
```

[INFO] Built data segment (1 module, 1 procedure, 0 classes) [INFO] Built default segment (1 module, 1 procedure, 0 classes) app> npm run standalone





```
"segments": ["default", "data"],
    "assets": ["index.html", "vite.svg", "assets/**/*"]
}
```

[INFO] Built default segment (1 module, 1 procedure, 0 classes) app> npm run standalone




app> npm run standalone






~ Distributed JavaScript Runtime ~




~ Distributed JavaScript Runtime ~




~ Distributed JavaScript Runtime ~

[INFO] Server started at http://127.0.0.1:3000



~ Distributed JavaScript Runtime ~


[INFO] Server started at http://127.0.0.1:3000 [INFO] RPC procedures: [



~ Distributed JavaScript Runtime ~

[INFO] Server started at http://127.0.0.1:3000 [INFO] RPC procedures: [

domain/keepHelloCount,



```
TERMINAL

- Distributed JavaScript Runtime -

[INFO] Server started at http://127.0.0.1:3000

[INFO] RPC procedures: [

domain/keepHelloCount,
domain/sayHello
]
```

```
"assets": ["index.html", "vite.svg", "assets/**/*"]
TERMINAL
~ Distributed JavaScript Runtime ~
[INFO] Server started at http://127.0.0.1:3000
[INFO] RPC procedures: [
 domain/keepHelloCount,
 domain/sayHello
```

"segments": ["default", "data"],

```
TERMINAL

~ Distributed JavaScript Runtime ~

[INFO] Server started at http://127.0.0.1:3000

[INFO] RPC procedures: [

domain/keepHelloCount,
domain/sayHello
]
```

```
TERMINAL

- Distributed JavaScript Runtime ~

[INFO] Server started at http://127.0.0.1:3000

[INFO] RPC procedures: |

domain/keepHelloCount,
domain/sayHello
]
```

```
TERMINAL

- Distributed JavaScript Runtime -

[INFO] Server started at http://127.0.0.1:3000

[INFO] RPC procedures: [

domain/keepHelloCount,

domain/sayHello
```

```
"assets": ["index.html", "vite.svg", "assets/**/*"]
TERMINAL
~ Distributed JavaScript Runtime ~
[INFO] Server started at http://127.0.0.1:3000
[INFO] RPC procedures: [
 domain/keepHelloCount,
 domain/sayHello
```

"segments": ["default", "data"],

```
"segments": ["default", "data"],
    "assets": ["index.html", "vite.svg", "assets/**/*"]
TERMINAL
```

