Table creation statements

Changelog

- 1. deleted videotape
- 2. added stock and videoID to movie

```
create table movies (
videoID int NOT NULL AUTO_INCREMENT,
title varchar(100) NOT NULL,
year int NOT NULL,
cat varchar(100) NOT NULL,
introduction varchar(255),
directors varchar(255),
producers varchar(255),
stock int NOT NULL,
PRIMARY KEY(videoID)
);
```

```
create table orderItems (
orderID int NOT NULL,
videoID int NOT NULL,
quantity int NOT NULL,
FOREIGN KEY(orderID) references customerOrders(orderID),
FOREIGN KEY(videoID) references movies(videoID)
);
```

```
CREATE TABLE customerOrders (
  orderID int NOT NULL AUTO_INCREMENT,
  dateOrdered DATE NOT NULL,
  shippingDestination varchar(40),
  period int,
  status ENUM("UNPAID", "PAID", "SHIPPED") NOT NULL,
  returnTrackingInformation varchar(40),
  email varchar(50) NOT NULL,
  PRIMARY KEY(orderID),
  FOREIGN KEY(email) REFERENCES customers(email)
  );
```

```
CREATE TABLE customers (
email varchar(50) NOT NULL,
password varchar(50) NOT NULL,
loyaltyPoints int NOT NULL,
creditCardNum varchar(15),
address varchar(50),
phoneNumber varchar(50),
PRIMARY KEY (email)
);
```

```
CREATE TABLE managers (
email varchar(50) NOT NULL,
password varchar(50) NOT NULL,
PRIMARY KEY (email)
);
```

```
CREATE TABLE ratings (
  criticName varchar(50) NOT NULL,
  videoID int NOT NULL,
  review varchar(255) NOT NULL,
  PRIMARY KEY(criticName),
  FOREIGN KEY(videoID) REFERENCES movies(videoID)
  )
```

Pre-inserted data

Movies

```
insert into movies (title, year, cat, introduction, directors, producers,
stock) values (
'The Thing',
1982,
'Horror',
'Kurt Russel and friends fight an alien',
```

```
'John carpenter',
'David Foster',
5
);
```

```
insert into movies (title, year, cat, introduction, directors, producers,
stock) values (
'Alien',
1979,
'Horror',
'Sigourney Weaver and friends fight an alien',
'Ridley Scott',
'Walter Hill',
5
);
```

```
insert into customers (email, password, loyaltyPoints, creditCardNum,
address, phoneNumber) values (
  "toddhoward@gmail.com",
  "password",
  0,
  "1234-1234",
  "123 street ontario",
  "999-9999"
);
```

```
insert into customers (email, password, loyaltyPoints, creditCardNum,
address, phoneNumber) values (
"songwang@gmail.com",
"password",
0,
"1234-1234",
"123 street ontario",
"999-9999"
);
```

//Note this inserted item is pre-paid (status = "PAID")

```
insert into customerOrders (dateOrdered, shippingDestination, period,
status, email) values (
```

```
"1999-10-12",
"Downtown",

1,
"PAID",
'toddhoward@gmail.com'
);
```

```
insert into customerOrders (dateOrdered, shippingDestination, period,
status, email) values (
"1999-10-12",
"Downtown",
1,
"PAID",
'songwang@gmail.com'
);
```

(adds one copy of The Thing to todd howard's order)

```
insert into orderItems(orderID, videoID, quantity)
values (
1,
1,
1
);
```

(adds one copy of the thing to songwangs order)

```
insert into orderItems(orderID, videoID, quantity)
values (
2,
1,
1
);
```

Query: returns all order items that need to be shipped, includes quantity, title year of the movie, orderID, and customer email

```
SELECT movies.title, movies.year, orderItems.quantity, orderItems.videoID,
orderItems.orderID, customerOrders.email
FROM orderItems
INNER JOIN movies ON orderItems.videoID = movies.videoID
INNER JOIN customerOrders ON customerOrders.orderID = orderItems.orderID;
```