FlatScan Malware Analysis Report

Executive and Technical Static Analysis - v0.10.2

Critical Risk
Likely malicious

vidar.exe

Generated 2026-08-13T18:18:29Z UTC

SHA256: a758ff0a172386bd3d1efaba38bc94cd899080eb53039097c1b043c2c8c8bafc

VERDICT	RISK SCORE	CONFIDENCE
Likely malicious	**100/100**	**High**
Likely malicious	Critical Risk	static analysis

Report scope

FlatScan performs static analysis only. The sample is not executed. Findings are heuristic indicators intended to support triage, containment, and deeper reverse engineering.

Executive assessment

The sample contains multiple high-confidence malicious indicators. Prioritize containment, IOC blocking, credential rotation, and dynamic analysis in an isolated malware lab.

CISO Decision Summary

RISK	CONFIDENCE	FINDINGS	TTPS
100/100	**High**	**19**	**10**
Likely malicious	100/100	Critical:2 High:5 Medium:4 Low:5	MITRE mapped

Classification: Likely malicious
Likely malware type: AsyncRAT, FormBook/XLoader, Generic ransomware, XWorm

Key capabilities

- Cryptographic secret handling
- Embedded artifact carrier
- Static configuration artifacts
- Unix/Linux persistence artifact references

Business impact

- Embedded artifact carving found additional payload-like content by offset and hash; preserve the original container and analyze carved hashes in an isolated lab.
- Potential Unix/Linux persistence indicators; validate whether paths are application resources or operational scripts.

Final Analyst Assessment

DISPOSITION	PRIORITY	CONFIDENCE	SCOPE
Likely malicious	**Immediate**	**High**	**PE executable**
Critical Risk	triage queue	static evidence	evidence surface

The sample contains multiple high-confidence malicious indicators. Prioritize containment, IOC blocking, credential rotation, and dynamic analysis in an isolated malware lab.

Decision points

- Confirm the sample origin, delivery path, first-seen time, and whether it executed on any production system.
- Operationalize extracted network indicators with allow-list-aware blocking and historical telemetry searches.
- Treat the sample as unsafe while containment, IOC blocking, and deeper reverse engineering are completed.
- Use the 10 mapped ATT&CK entries to guide SIEM, EDR, and proxy hunting logic.

Management Actions

- Block extracted IOCs at proxy, DNS, EDR, and email security controls where operationally safe.
- Block outbound connections to extracted network IOCs and rotate credentials on affected hosts.
- Block outbound stratum protocol connections and scan for miner process artifacts.
- Block the recovered C2/webhook indicators and pivot threat-intel on the campaign/build IDs and mutexes.
- Check for disk sector writes or mass file deletions on affected hosts.

- Correlate process injection artifacts in EDR telemetry; capture memory from injected processes.
- Hunt for named pipe creation events matching extracted pipe names in EDR telemetry.
- Identify exposed hosts and rotate credentials/tokens used on those endpoints.
- Investigate whether the high-entropy region contains an encrypted payload or packed executable stage.
- Look for CreateProcess+SUSPENDED followed by WriteProcessMemory and ResumeThread in EDR logs.
- 3 additional actions omitted from PDF.

Evidence Summary

This table condenses the strongest static evidence into management-readable meaning. Use the detailed findings and JSON output for analyst follow-up.

Severity	Evidence	Why it matters
Critical	Chain: Classic DLL injection chain - behavioral API chain: process injection + memory allocation + network	Correlate process injection artifacts in EDR telemetry; capture memory from injected processes.
Critical	Chain: Process hollowing chain - behavioral API chain: process injection + execution + process access	Look for CreateProcess+SUSPENDED followed by WriteProcessMemory and ResumeThread in EDR logs.
High	Chain: Keylogger with exfiltration - behavioral API chain: process injection + network	Block outbound connections to extracted network IOCs and rotate credentials on affected hosts.
High	Chain: Named pipe C2 with code injection - behavioral API chain: named pipe C2 + process injection	Hunt for named pipe creation events matching extracted pipe names in EDR telemetry.
High	Chain: Credential theft + webhook exfiltration - behavioral API chain: process access + network	Revoke captured credentials and block webhook endpoints found in IOCs.
High	Wiper: Low-level disk write / file deletion API chain - DeviceIoControl and file-deletion APIs are combined	Check for disk sector writes or mass file deletions on affected hosts.
High	Cryptominer: Mining pool connection strings - stratum protocol, pool, or miner strings are present	Block outbound stratum protocol connections and scan for miner process artifacts.
Medium	Behavior: Dynamic API resolution with executable memory - LoadLibrary/GetProcAddress and memory permission APIs are present	Review the evidence with incident context and validate with runtime telemetry.
Medium	Persistence: Linux persistence indicator - cron, systemd, SSH, preload, or shell profile paths are present	The sample may survive reboot or re-login; check startup locations and device policy controls.
Medium	Packing: Multiple high-entropy regions - 25 high-entropy regions found	Static visibility may be reduced; deeper unpacking or dynamic tracing may be required.
Medium	Packing: Large high-entropy blob detected - 4KB block at offset 0x422000 has entropy 8.00/8.00 - likely encrypted or compressed payload	Static visibility may be reduced; deeper unpacking or dynamic tracing may be required.
Low	Obfuscation: Encoded data decoded successfully - 1 base64/hex/URL encoded artifacts decoded	Review the evidence with incident context and validate with runtime telemetry.
Low	IOC: High IOC density - 10 total IOCs extracted	Review the evidence with incident context and validate with runtime telemetry.

Low	Configuration: Static configuration artifacts extracted - 36 likely configuration or secret-handling artifacts	Review extracted config artifacts for live C2, token, wallet, campaign, or mutex values before sharing reports.
		5 additional evidence rows omitted from PDF.

Advanced Analysis

Family classifier

- [High] Generic ransomware (ransomware): ransomware strings or findings
- [Medium-High] AsyncRAT (rat): named-family fingerprint, ops
- [Medium-High] FormBook/XLoader (stealer): named-family fingerprint, ops
- [Medium-High] XWorm (rat): named-family fingerprint, ops
- [Medium] Packed or bundled payload (dropper): 9 carved artifacts

Crypto/config artifacts

- [Low] mutex-candidate: runtime.mutex
- [Low] mutex-candidate: sync.Mutex.Lockruntime.Goschedmalloc
- [Low] mutex-candidate: sync.RWMutex.Lockwait
- [Low] mutex-candidate: exhaustionlocked
- [Low] mutex-candidate: nmspinningstartlockedm
- [Low] mutex-candidate: overlappingmheap.freeSpanLocked
- [Low] mutex-candidate: runtime.mutexPreferLowLatency
- [Low] mutex-candidate: runtime.mutexWaitListHead
- [Low] mutex-candidate: runtime.mutexSampleContention
- [Low] mutex-candidate: runtime.waitReason.isMutexWait
- 26 additional config artifacts omitted.

Safe carved artifacts

- `Gzip compressed data offset=0x64186 sha256=7c0804505a89549113816c375fa023926e50be204cd25741ee20f88c1caf8c3c entropy=6.16`
- `Gzip compressed data offset=0x78be9 sha256=aafa93cf1a0b9c1213b71e7cd3457ad2f8d227f04f5fd8dd90b862c8a7ef2345 entropy=6.26`
- `Gzip compressed data offset=0x8cf8c sha256=1f4558c2572c9d522187a24d062b61d10998d3d4899c5721cc4e4c84f0a718ab entropy=4.21`
- `Gzip compressed data offset=0x2705ee sha256=f854aea0e3b4aa0daea4a2a6bb8d100750c4a2f6060312266fbe8f5216ca5f0c entropy=7.98`
- `Gzip compressed data offset=0x29740c sha256=e0602f420d5dd7e3048e59d7a253c79d0ee2c105fd38673dcf10f4f3cc1eafbc entropy=7.95`
- `Gzip compressed data offset=0x298d93 sha256=f4e3604630af10094c0da49a63b44ccc4bec3bbb22ae3c4e5e54c3fc5c657dbb entropy=7.83`
- `Gzip compressed data offset=0x352729 sha256=fdb05f580b2120c72a248f1f1be9223eccd02b4b3f5f1aef24bc431e87af07b5 entropy=7.76`
- `Gzip compressed data offset=0x35b529 sha256=e2ab2a9190408f32f67732d3058cefd71b067140abff7dd580e7904f4c332d86 entropy=7.85`
- `Gzip compressed data offset=0x36a470 sha256=00dbde7568817ae1f9f1f5a33f880780977ee728da2bcf75547fdd3d189c8a00 entropy=6.19`

Similarity hashes

- FlatHash:
FLS1:16384:11a2765e07421a95d27b58bee35bd35ba714a7596fec64748164b2bad492a6f98a4a4a7
62e79aa303b012fb2ce2337c813432b8da45664fb14eaaee8b4697275133e607d4509a08a4eebe8fc9
60fcb0844b7909d75386488189ed6f529ab2de212547dccc5fb160d955c8aa1a4cb0533aeb824feca3
20e61aea35b5cd09bd9ad88b43b0de653ce838caa8476f11201b971ee4dea76ad38a8d04d66136ae8c
5635d23df924b423a7e9df54eb70c76888b6d540632e37b68560897e7be3396b68635cf1facb6d1159
4c5928d872e0c63139f211d4b99121803bed977c83f670e870ccf02ba0794469152a7dab7191331b12
071a19ec31337b74e9349d14e3dca5295471d43fe45324fa8fc2032efc9a580169cdd16b3c7bb875ec
4e34e458aaa7cc3e69ca3e04f9504ea71e0a9c5dc92c2f97faa306062f1e1acb26ddc529e0484b1110
950f917897ffc4cf567087be4b6e8bbd0d97c2a9a3232872c1de090056c12add9f5de3e23f49516b21
8077c6ff303fe42b4f23faafcc0a4f42833a246a49c11e719420ddad3de19be99af51a351f56fe1f5f
8750b0b75c49f61768d60e3428541ab71dd25ea92adfa00117dc6b50509ef603626935ff430a7256d3
95850cc80e5679cf09f9b485948e647921da8edb0856be4b14fb5229fb28740d40ca2138ba15cafe49
48c129b77503302da5612f77fd2b5fee759c2e4d251fd09dd063cce272adbc105e151c2b247df4c772
cb72147d50488592292c10f4515e00576236353627909c8f288a2f6ea9715a13ede24014026d588d8a
a3f66e229eb5e178ea490aa5d5ec8c331a742ce961f490775cfec9e69aa1463ede4f46a055fc6cafcd
1965a6e078b289b0b236bee112da11c9863da0e9457092e51246031630c319cadfbe1188b4c23d3bc5
9c7d1998eae59f173d2d41f2e6aecb4a6812f270e1536ee211e78df1e68b2366148bdae38e74c7eaa2
8d2479b1e192ef7116de23155e4f096a47c52e971983f93894a587f6d86ed74b8236e61ba2793d7ccc
1762c29f758e103f7f3ff5390a2e2045d594a79f183e41070726d3021a36de4e1043834ba42b869009
6be93f63b8e4f43b18ac29e61a387c756d27d0381d4646f61eb869b0fd54a8a71feff69d1971d3c9d2
3f2040ad4858568b6e59d38de11838f7b6c63fb50577971bbf5cee0b5d5b63f19821750fd1de3b5f10
7f4da39d07667fd9623329aee571041574980e642c19c88ec91e03c9c5dd3ca9d24c42effce5e82140
5cd93619cf2752765bc209cb9a1447d02abb1358c4fdbbbe44c66fa275dfc9ed330658f4bb04e4dce5
272abd0b464f4801a7757b64e6138f6fb7bc9813595f0ab49157fa128563e7a9b90ab66dfe28c1d065
7747555a10a91dac5e0ce8c537e754e4eef04d55c7c68e660cbb73ce6a0fcfcf3a4ced3f0256e8e10c
e523a5066
- Byte histogram: 580c24f1c6247e712123e94de2a070d1804a953dcc6cfe2e5d3cc0a72be44fec
- String set: 57b91206fc3855f4d06bf1b9540a68c356c43bf824bc6ff3611c890c6b63694a
- Import hash: 2b7bd21d160267a3bf75de97e3662abb5c711ce5f15c623be4efb13a146f2ff6
- Section hash: 9573cca6324c982e5310a88f51100264c595089b6e3995bdb5ba16225c6b92ff

MITRE ATT&CK TTP Matrix

The matrix below maps static evidence to ATT&CK-style tactics and techniques. Confidence reflects static-evidence strength, not confirmed runtime execution.

Tactic	Technique	Conf.	Evidence
Collection	Input Capture (T1056)	High	Keylogger with exfiltration - behavioral API chain: process injection + network
Command and Control	Application Layer Protocol (T1071)	Info	Malware configuration recovered - AsyncRAT configuration extracted: 5 C2, 1 campaign-id
Command and Control	Non-Application Layer Protocol (T1095)	High	Named pipe C2 with code injection - behavioral API chain: named pipe C2 + process injection
Credential Access	Credentials from Web Browsers (T1555.003)	High	Credential theft + webhook exfiltration - behavioral API chain: process access + network
Defense Evasion	Obfuscated Files or Information (T1027)	Medium	Large high-entropy blob detected - 4KB block at offset 0x422000 has entropy 8.00/8.00 - likely encrypted or compressed payload
Defense Evasion	Process Hollowing (T1055.012)	High	Process hollowing chain - behavioral API chain: process injection + execution + process access
Defense Evasion	Process Injection (T1055)	High	Classic DLL injection chain - behavioral API chain: process injection + memory allocation + network

Discovery	Data from Local System	Low	Static configuration artifacts extracted - 36 likely configuration or secret-handling artifacts
Impact	Data Destruction (T1485)	High	Low-level disk write / file deletion API chain - DeviceIoControl and file-deletion APIs are combined
Impact	Resource Hijacking (T1496)	High	Mining pool connection strings - stratum protocol, pool, or miner strings are present

Priority Findings

Critical **Chain: Classic DLL injection chain (40)**

- Evidence: behavioral API chain: process injection + memory allocation + network
- ATT&CK: Defense Evasion / Process Injection (T1055)
- Recommendation: Correlate process injection artifacts in EDR telemetry; capture memory from injected processes.

Critical **Chain: Process hollowing chain (38)**

- Evidence: behavioral API chain: process injection + execution + process access
- ATT&CK: Defense Evasion / Process Hollowing (T1055.012)
- Recommendation: Look for CreateProcess+SUSPENDED followed by WriteProcessMemory and ResumeThread in EDR logs.

High **Chain: Keylogger with exfiltration (30)**

- Evidence: behavioral API chain: process injection + network
- ATT&CK: Collection / Input Capture (T1056)
- Recommendation: Block outbound connections to extracted network IOCs and rotate credentials on affected hosts.

High **Chain: Named pipe C2 with code injection (30)**

- Evidence: behavioral API chain: named pipe C2 + process injection
- ATT&CK: Command and Control / Non-Application Layer Protocol (T1095)
- Recommendation: Hunt for named pipe creation events matching extracted pipe names in EDR telemetry.

High **Chain: Credential theft + webhook exfiltration (28)**

- Evidence: behavioral API chain: process access + network
- ATT&CK: Credential Access / Credentials from Web Browsers (T1555.003)
- Recommendation: Revoke captured credentials and block webhook endpoints found in IOCs.

High **Wiper: Low-level disk write / file deletion API chain (26)**

- Evidence: DeviceIoControl and file-deletion APIs are combined
- ATT&CK: Impact / Data Destruction (T1485)
- Recommendation: Check for disk sector writes or mass file deletions on affected hosts.

High **Cryptominer: Mining pool connection strings (26)**

- Evidence: stratum protocol, pool, or miner strings are present
- ATT&CK: Impact / Resource Hijacking (T1496)
- Recommendation: Block outbound stratum protocol connections and scan for miner process artifacts.

Medium **Behavior: Dynamic API resolution with executable memory (12)**

- Evidence: LoadLibrary/GetProcAddress and memory permission APIs are present

Medium **Persistence: Linux persistence indicator (12)**

- Evidence: cron, systemd, SSH, preload, or shell profile paths are present

Medium **Packing: Multiple high-entropy regions (10)**

- Evidence: 25 high-entropy regions found

Medium **Packing: Large high-entropy blob detected (8)**

- Evidence: 4KB block at offset 0x422000 has entropy 8.00/8.00 - likely encrypted or compressed payload
- ATT&CK: Defense Evasion / Obfuscated Files or Information (T1027)
- Recommendation: Investigate whether the high-entropy region contains an encrypted payload or packed executable stage.

Low **Obfuscation: Encoded data decoded successfully (4)**

- Evidence: 1 base64/hex/URL encoded artifacts decoded

Low **IOC: High IOC density (4)**

- Evidence: 10 total IOCs extracted

Low **Configuration: Static configuration artifacts extracted (4)**

- Evidence: 36 likely configuration or secret-handling artifacts
- ATT&CK: Discovery / Data from Local System
- Recommendation: Review extracted config artifacts for live C2, token, wallet, campaign, or mutex values before sharing reports.

Low **IOC: Embedded hash-like indicators (3)**

- Evidence: multiple MD5/SHA1/SHA256-looking values were extracted

Low **PE Posture: PE has a self-signed certificate (3)**

- Evidence: CN=blobalkas.tv,O=JzyswPRF0wWV30,L=VfLufa,ST=6IVuYA8H6,C=US

- 3 additional findings omitted from PDF. See JSON/text report for full detail.

Cryptography and Secret Handling Assessment

Cryptography indicators are interpreted as capability clues. Malware may use crypto for legitimate protocol handling, payload decryption, credential theft, or string/configuration obfuscation.

Primitive	Purpose	Conf.	Evidence
Encoding/obfuscation layer	Static obfuscation or configuration wrapping	Medium	1 decoded artifacts
Symmetric crypto markers	Possible AES-GCM or authenticated decryption logic	Medium	AES/GCM/tag/IV/nonce style strings

Hunting Guidance

Use these points to operationalize the static findings in EDR, SIEM, proxy, DNS, and malware repository searches.

- Hunt for outbound HTTP(S) traffic to extracted URLs, especially webhook or API endpoints.
- Review DNS and proxy logs for the extracted domains and adjacent subdomains.
- Search for SHA256 a758ff0a172386bd3d1efaba38bc94cd899080eb53039097c1b043c2c8c8bafc and any matching execution events.

Sample Metadata

MD5:	b971e00a0514a9dd90ae4147fd2be083
SHA1:	814b4d722a9bc8eff65d7833ccf9b47cf486c3f2
SHA256:	a758ff0a172386bd3d1efaba38bc94cd899080eb53039097c1b043c2c8c8bafc
SHA512:	4596403357bab28164b2172a40d8f8555bd3645fb58c5669b0aa87978debab0757487e c6b7f1c5bb358c3be9ca1dd29ee26f336572a9dbf180f1e06d3fc96c5f
PE import hash:	5292ba861fbedd8ccd6f23c56196bc91

Indicators of Compromise

URLs (1)

- `https://go.dev/issue/66821):`

Domains (4)

- `eq.io`
- `go.dev`
- `godebugs.info`
- `time.local`

MD5 (2)

- `dddddddddddddddddddddddddddddddd`
- `eddddddddddddddddddddddddddddddd`

SHA256 (3)

- `0000000000000000000000000000000000000000000000000000000000000000`
- `5f566b8060af5dcf2bb32599f0d90d9b6c002cd445f22159b86edf45e23a5dae`
- `aaaaaaaaaaaaaaaaaaaaabbbbbbbbbbbcccccccccccccccccccccccccccccccc`

Executable and Container Details

PE details

Machine:	amd64
Timestamp:	1970-01-01T00:00:00Z
Subsystem:	windows-gui
Image base:	0x140000000
Entry point:	0x74dc0
Managed .NET runtime:	false
Certificate table:	true
Signature:	signature present; 1 certificate(s) recovered
Signer subject(s):	CN=blobalkas.tv,O=JzyswPRF0wWV30,L=VfLufa,ST=6IVuYA8H6,C=US
Self-signed:	true
Security mitigations:	ASLR, DEP, HighEntropyVA, TerminalServerAware
Missing mitigations:	CFG
Image characteristics:	EXECUTABLE_IMAGE, LARGE_ADDRESS_AWARE
Overlay:	offset=0x455400 size=2.4 KiB

PE sections

- .text raw=0x600 size=1355264 entropy=6.21 executable=true writable=false
- .rdata raw=0x14b400 size=2945536 entropy=5.84 executable=false writable=false
- .data raw=0x41a600 size=72192 entropy=4.77 executable=false writable=true
- .pdata raw=0x42c000 size=22016 entropy=5.31 executable=false writable=false
- .xdata raw=0x431600 size=512 entropy=1.77 executable=false writable=false

- .idata raw=0x431800 size=1536 entropy=3.98 executable=false writable=true
- .reloc raw=0x431e00 size=16896 entropy=5.43 executable=false writable=false
- .symtab raw=0x436000 size=128000 entropy=5.12 executable=false writable=false

PE imports (46 stored)

- AddVectoredContinueHandler:kernel32.dll
- AddVectoredExceptionHandler:kernel32.dll
- CloseHandle:kernel32.dll
- CreateEventA:kernel32.dll
- CreateIoCompletionPort:kernel32.dll
- CreateThread:kernel32.dll
- CreateWaitableTimerExW:kernel32.dll
- DuplicateHandle:kernel32.dll
- ExitProcess:kernel32.dll
- FreeEnvironmentStringsW:kernel32.dll
- GetConsoleMode:kernel32.dll
- GetCurrentThreadId:kernel32.dll
- GetEnvironmentStringsW:kernel32.dll
- GetErrorMode:kernel32.dll
- GetProcAddress:kernel32.dll
- GetProcessAffinityMask:kernel32.dll
- GetQueuedCompletionStatusEx:kernel32.dll
- GetStdHandle:kernel32.dll
- GetSystemDirectoryA:kernel32.dll
- GetSystemInfo:kernel32.dll
- GetThreadContext:kernel32.dll
- LoadLibraryExW:kernel32.dll
- LoadLibraryW:kernel32.dll
- PostQueuedCompletionStatus:kernel32.dll
- RaiseFailFastException:kernel32.dll
- ResumeThread:kernel32.dll
- RtlLookupFunctionEntry:kernel32.dll
- RtlVirtualUnwind:kernel32.dll
- SetConsoleCtrlHandler:kernel32.dll
- SetErrorMode:kernel32.dll
- SetEvent:kernel32.dll
- SetProcessPriorityBoost:kernel32.dll
- SetThreadContext:kernel32.dll
- SetWaitableTimer:kernel32.dll
- SuspendThread:kernel32.dll
- SwitchToThread:kernel32.dll
- TlsAlloc:kernel32.dll
- VirtualAlloc:kernel32.dll
- VirtualFree:kernel32.dll
- VirtualQuery:kernel32.dll
- WaitForMultipleObjects:kernel32.dll
- WaitForSingleObject:kernel32.dll
- WerGetFlags:kernel32.dll
- WerSetFlags:kernel32.dll
- WriteConsoleW:kernel32.dll
- WriteFile:kernel32.dll

High entropy regions

- offset=0x268000 length=65536 entropy=7.93
- offset=0x270000 length=65536 entropy=7.98
- offset=0x278000 length=65536 entropy=7.98
- offset=0x280000 length=65536 entropy=7.98
- offset=0x288000 length=65536 entropy=7.97
- offset=0x290000 length=65536 entropy=7.97
- offset=0x298000 length=65536 entropy=7.91
- offset=0x2a0000 length=65536 entropy=7.83
- offset=0x2a8000 length=65536 entropy=7.85
- offset=0x2b0000 length=65536 entropy=7.85
- offset=0x2b8000 length=65536 entropy=7.85
- offset=0x2c0000 length=65536 entropy=7.84
- offset=0x2c8000 length=65536 entropy=7.83
- offset=0x2d0000 length=65536 entropy=7.82
- offset=0x2d8000 length=65536 entropy=7.83
- offset=0x2e0000 length=65536 entropy=7.82
- offset=0x2e8000 length=65536 entropy=7.83
- offset=0x2f0000 length=65536 entropy=7.84
- offset=0x2f8000 length=65536 entropy=7.80
- offset=0x300000 length=65536 entropy=7.77
- offset=0x308000 length=65536 entropy=7.79
- offset=0x310000 length=65536 entropy=7.84
- offset=0x318000 length=65536 entropy=7.86
- offset=0x320000 length=65536 entropy=7.84
- offset=0x328000 length=65536 entropy=7.80

Suspicious Functions and APIs

- [Medium] VirtualAlloc - memory allocation (strings/imports)
- [Medium] OpenProcess - process access (strings/imports)
- [High] SetThreadContext - process injection (strings/imports)
- [Medium] GetThreadContext - process access (strings/imports)
- [Medium] ResumeThread - process injection (strings/imports)
- [Medium] GetVolumeInformation - sandbox fingerprinting (strings/imports)
- [Low] LoadLibrary - dynamic loading (strings/imports)
- [Low] GetProcAddress - dynamic loading (strings/imports)
- [Low] WSAStartup - network (strings/imports)
- [Medium] CreateNamedPipe - named pipe C2 (strings/imports)
- [Medium] RegSetValue - persistence (strings/imports)
- [Medium] CreateProcess - execution (strings/imports)
- [Medium] ptrace - linux anti-debug/process access (strings/imports)
- [Low] GetProcAddress - dynamic loading (pe imports)
- [Medium] GetThreadContext - process access (pe imports)
- [Low] LoadLibrary - dynamic loading (pe imports)
- [Medium] ResumeThread - process injection (pe imports)
- [High] SetThreadContext - process injection (pe imports)
- [Medium] VirtualAlloc - memory allocation (pe imports)

Suspicious String Highlights

- Decrypt
- Encrypt
- lock: lock countbad system huge page sizearena already initialized to unused region of span bytes failed with errno=runtime: VirtualAlloc of /sched/gomaxprocs:threadsmissing typ...
- crypto/internal/fips140/aes.encryptBlock
- crypto/internal/fips140/aes.decryptBlock
- crypto/internal/fips140/aes.encryptBlockGeneric
- crypto/internal/fips140/aes.decryptBlockGeneric
- crypto/internal/fips140/aes.(*CBCEncrypter).CryptBlocks
- crypto/internal/fips140/aes.(*CBCDecrypter).CryptBlocks
- crypto/internal/fips140/aes.NewCBCEncrypter
- crypto/internal/fips140/aes.NewCBCDecrypter
- crypto/internal/fips140/aes.encryptBlockAsm
- crypto/internal/fips140/aes.decryptBlockAsm
- crypto/internal/fips140/aes.EncryptBlockInternal
- VirtualAlloc
- crypto/internal/fips140/aes.encryptBlockAsm.abi0
- crypto/internal/fips140/aes.decryptBlockAsm.abi0

Decoded Artifacts

- hex from ascii string at offset 2499462: DDDDDDDD