Contents

Markdown Renderer Test 2: Intermediate 1
1. Code Highlighting (Many Languages) 1
Rust 1
TypeScript 2
SQL 2
Go 2
HTML + CSS 3
YAML and TOML 3
Diff 3
Line with no language 3
2. Links 4
3. LaTeX Math 4
Inline variety 4
Aligned equations 4
Matrices 4
Piecewise function 4
Maxwell's equations 4
Bayes and probability 5
4. Mermaid (Many Diagram Types) 5
Class diagram 5
State diagram 6
Gantt chart 6
Pie chart 7
Entity relationship 8
5. Misc Features 8
Expected Results 9

Markdown Renderer Test 2: Intermediate

Tests more languages, richer math environments, more Mermaid diagram types, and features that often live alongside them (tables, footnotes, task lists).

---

1. Code Highlighting (Many Languages)

Rust

```rust
use std::collections::HashMap;

#[derive(Debug, Clone)]
struct User {
```

```rust
    id: u32,
    name: String,
}

fn main() {
    let mut users: HashMap<u32, User> = HashMap::new();
    users.insert(1, User { id: 1, name: "Ada".into() });
    if let Some(u) = users.get(&1) {
        println!("Found {:?}", u);
    }
}
```

TypeScript

```typescript
interface Point<T extends number = number> {
  x: T;
  y: T;
}

export function distance(a: Point, b: Point): number {
  return Math.hypot(a.x - b.x, a.y - b.y);
}
```

SQL

```sql
SELECT u.name, COUNT(o.id) AS order_count
FROM users u
LEFT JOIN orders o ON o.user_id = u.id
WHERE u.created_at >= '2025-01-01'
GROUP BY u.name
HAVING COUNT(o.id) > 5
ORDER BY order_count DESC;
```

Go

```go
package main

import "fmt"

func main() {
    ch := make(chan int)
    go func() { ch <- 42 }()
    fmt.Println(<-ch)
}
```

HTML + CSS

```html
<div class="card" id="main">
  <h1 style="color: #333;">Title</h1>
  <!-- a comment -->
  <a href="https://example.com">Link</a>
</div>
```

```css
.card > h1:hover {
  color: rgb(255 0 128 / 80%);
  transition: all 0.3s ease-in-out;
}
```

YAML and TOML

```yaml
services:
  web:
    image: nginx:latest
    ports:
      - "8080:80"
    environment:
      - DEBUG=true
```

```toml
[package]
name = "demo"
version = "0.1.0"

[dependencies]
serde = { version = "1.0", features = ["derive"] }
```

Diff

```
- const old = "removed line";
+ const updated = "added line";
  const unchanged = true;
```

Line with no language

```
Plain text block.
    Indentation   and   spacing   must   be   preserved.
No highlighting expected here.
```

---

2. Links

Type	Example
Inline	Wikipedia
URL with parentheses	Function (mathematics)
URL with query	Search
Link with code	`npm install`
Bold link	**Important**
Image link	

Footnote reference here[1] and another one[2].

---

3. LaTeX Math

Inline variety

Inline examples: $\alpha + \beta = \gamma$, x_i^2, $\sqrt[3]{27} = 3$, $\vec{v} \cdot \vec{w}$, $\mathbb{R}^n$, and $\lim_{x \to 0} \frac{\sin x}{x} = 1$.

Aligned equations

$$\begin{aligned} (a+b)^2 &= a^2 + 2ab + b^2 \\ (a-b)^2 &= a^2 - 2ab + b^2 \\ (a+b)(a-b) &= a^2 - b^2 \end{aligned} \tag{1}$$

Matrices

$$A = \begin{pmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{pmatrix}, \quad \det(A) = \begin{Vmatrix} a & b \\ c & d \end{Vmatrix} = ad - bc \tag{2}$$

Piecewise function

$$f(x) = \begin{cases} x^2 & \text{if } x \geq 0 \\ -x & \text{if } x < 0 \end{cases} \tag{3}$$

Maxwell's equations

$$\begin{aligned} \nabla \cdot \mathbf{E} &= \frac{\rho}{\varepsilon_0} \\ \nabla \cdot \mathbf{B} &= 0 \\ \nabla \times \mathbf{E} &= -\frac{\partial \mathbf{B}}{\partial t} \\ \nabla \times \mathbf{B} &= \mu_0 \mathbf{J} + \mu_0 \varepsilon_0 \frac{\partial \mathbf{E}}{\partial t} \end{aligned} \tag{4}$$

---

[1] This is the first footnote, with a link.

[2] A named footnote with `inline code`.

Bayes and probability

$$P(A \mid B) = \frac{P(B \mid A)\,P(A)}{P(B)} \tag{5}$$

---

4. Mermaid (Many Diagram Types)

Class diagram




Figure 1: Mermaid diagram 1

State diagram




Figure 2: Mermaid diagram 2

Gantt chart




Figure 3: Mermaid diagram 3

Pie chart




Figure 4: Mermaid diagram 4

Entity relationship




Figure 5: Mermaid diagram 5

---

5. Misc Features

- ☒ Completed task
- ☐ Pending task
- ~~Strikethrough text~~
- H_2O and x^2 (extended syntax; may not render everywhere)

> **Note:** a blockquote with `code`, a link, and math $E = mc^2$.

Expected Results

- ☐ Every language block has distinct token coloring; the diff shows red/green lines
- ☐ The no-language block stays monospaced with spacing intact
- ☐ The Wikipedia link with parentheses is not cut off at the first)
- ☐ Footnotes render with back-references
- ☐ Aligned equations line up on the = sign; matrices have brackets
- ☐ The piecewise function has a large left brace
- ☐ Five Mermaid diagrams render: class, state, Gantt, pie, ER
- ☐ Math inside the blockquote renders