

IrisBiome

GUT MICROBIOME ANALYSIS

Full-format demonstration report · Portfolio preview

Sample DEMO001 | Language: English

A view of the reporting workflow from taxonomic abundance to the integrated presentation of results and anamnesis.

SYNTHETIC DATA. Taxonomic abundances come from the demo dataset. Functional evaluations, status and comments illustrate a fictional scenario: private rules are not executed. All reference intervals are masked as xx–xx.

Report structure

1. Sample details · 2. Anamnesis · 3. Result and observations · 4. Biodiversity · 5. Phyla and genera · 6. Enterotype · 7. Functions · 8. Associated genera · 9. Taxa of interest · 10. Integrated comments · 11. Gut–brain axis · 12. Abundances and references

1. Sample details

Field	Value
Sample code	DEMO001
First name	Infinia
Last name	Undari
Sex	F
Date of birth	2000-05-03
Tax code (fictional)	UNDINF00E23D615X
Address (fictional)	Via delle piastrelle 25
Referring professional	Paola Ronchelli

Parameter	Value
Total reads	12,070
Observed genera	10

The demo identity uses details that the author confirmed were fictional in the reference report. The original reference PDF is not included.

2. Anamnesis

Field	Value
Age	25
Weight (kg)	58
Height (cm)	160
Bowel regularity	Regular
Bristol scale	4
Antibiotics	No
Reflux	No
Bloating	No
Dyspepsia	No
Flatulence	No
Smoking	No
Alcohol	No
Physical activity	2 volte a settimana
Diet	Dieta varia
Sleep	Buono
Allergies	Not provided
Symptoms	Not provided
Medication	Not provided

3. Result and observations




Intermediate profile — demonstration scenario

The icon illustrates result presentation. It is not a health classification of the input.

Area	Observation
Biodiversity	10 classified genera observed
Composition	Most abundant genus: Faecalibacterium
Functional groups	Evaluations illustrated with synthetic data; ranges xx–xx
Anamnesis integration	Metadata displayed; personalization rules withheld


4. Biodiversity




The curve shows expected genus richness as read subsampling depth increases. It uses genus-aggregated counts, excluding unclassified reads; it does not represent ASV richness.

Observed genera / interval / evaluation
10
xx–xx
Withheld


5. Phylum and genus





Phylum	Abundance	Reference
Firmicutes	58.41%	xx–xx
Bacteroidetes	27.26%	xx–xx
Actinobacteria	7.46%	xx–xx
Proteobacteria	3.65%	xx–xx
Verrucomicrobia	3.23%	xx–xx

6. Enterotype



Genus	Abundance of total	Threshold
Bacteroides	25.68%	xx–xx
Prevotella	1.57%	xx–xx
Ruminococcus	0.99%	xx–xx

The chart compares only these three genera and renormalizes their proportions. The table uses percentages of total reads. Enterotype assignment and its thresholds remain withheld.

7. Microbiome functions

Full-format showcase: demo percentages and evaluations are invented independently of taxa. They do not represent measured or inferred metabolic activity. Curated mappings are not included.

Function	Demo value	Interval	Demo evaluation
Butyrate-associated group	18.4%	xx–xx	Typical (demo)
Acetate-associated group	37.2%	xx–xx	High (demo)
Propionate-associated group	21.6%	xx–xx	Typical (demo)
Vitamin B-associated group	14.8%	xx–xx	Low (demo)
Vitamin K-associated group	29.3%	xx–xx	Typical (demo)
Histamine-associated group	4.7%	xx–xx	High (demo)
Gluten degradation-associated group	8.2%	xx–xx	Low (demo)
Lactose degradation-associated group	24.5%	xx–xx	Typical (demo)
TMA-associated group	6.3%	xx–xx	Typical (demo)
LPS-associated group	11.9%	xx–xx	High (demo)
Mucin-associated group	17.8%	xx–xx	Typical (demo)
Serotonin-associated group	19.4%	xx–xx	Typical (demo)
Dopamine-associated group	12.6%	xx–xx	Typical (demo)
GABA-associated group	22.1%	xx–xx	Typical (demo)
Noradrenaline-associated group	3.8%	xx–xx	Low (demo)
Fermentation-associated group	41.7%	xx–xx	High (demo)

8. Genera in functional groups

Function	Associated genera
Butyrate-associated group	Mappings withheld
Acetate-associated group	Mappings withheld
Propionate-associated group	Mappings withheld
Vitamin B-associated group	Mappings withheld
Vitamin K-associated group	Mappings withheld
Histamine-associated group	Mappings withheld
Gluten degradation-associated group	Mappings withheld
Lactose degradation-associated group	Mappings withheld
TMA-associated group	Mappings withheld
LPS-associated group	Mappings withheld
Mucin-associated group	Mappings withheld
Serotonin-associated group	Mappings withheld
Dopamine-associated group	Mappings withheld
GABA-associated group	Mappings withheld
Noradrenaline-associated group	Mappings withheld
Fermentation-associated group	Mappings withheld

9. Taxa of interest

Genus	Abundance	Interval
Escherichia/Shigella	3.65%	xx–xx
Klebsiella	0.00%	xx–xx
Enterococcus	0.00%	xx–xx
Fusobacterium	0.00%	xx–xx

This is a descriptive taxonomic selection. Genus-level abundance does not identify a pathogenic species or establish infection. No private clinical lists or rules are applied.

10. Integrated comments and nutrition

Example comment structure

Anamnesis / threshold / recommendation
No
xx–xx
Withheld

DEMO SCENARIO — The complete report connects microbiological observations and anamnesis. Here the visual link between a metadata field and an interpretation section is illustrated; personalized wording and decision criteria are withheld.

11. Gut–brain axis

Function	Demo value	Interval	Demo evaluation
Serotonin-associated group	19.4%	xx–xx	Typical (demo)
Dopamine-associated group	12.6%	xx–xx	Typical (demo)
GABA-associated group	22.1%	xx–xx	Typical (demo)
Noradrenaline-associated group	3.8%	xx–xx	Low (demo)

These values are synthetic presentation elements: they do not measure neurotransmitters, neurological status or symptoms. Complete-version rules are not distributed.

12. Detected genus abundances

Genus	Abundance	Interval	Evaluation
Faecalibacterium	34.80%	xx–xx	Withheld
Bacteroides	25.68%	xx–xx	Withheld
Roseburia	14.91%	xx–xx	Withheld
Bifidobacterium	7.46%	xx–xx	Withheld
Blautia	5.39%	xx–xx	Withheld
Escherichia/Shigella	3.65%	xx–xx	Withheld
Akkermansia	3.23%	xx–xx	Withheld
Dialister	2.32%	xx–xx	Withheld
Prevotella	1.57%	xx–xx	Withheld
Ruminococcus	0.99%	xx–xx	Withheld

Bibliography and complete version

The extended bibliography, functional knowledge base, intervals and interpretation criteria belong to the private version. For information contact Massimo Guazzini: https://github.com/MassimoGuazzini