data	address	date	hostname	macaddress		osmatch
	172.31.103.17	Fecha:2022- 05-23, Hora:10:40:49		addr 40:A8:F0:5A:A0 addrtype mac vendor Hewlett Packard		cpe:/o:linux:linux_kernel:4 63230 Linux 3.10 - 4.11 accuracy 100 osfamily Linux
	172.31.103.19	Fecha:2022- 05-23, Hora:10:41:13		addr 40:A8:F0:5A:A0 addrtype mac vendor Hewlett Packard	C:59	venuoi Eiiux
	172.31.103.38	Fecha:2022- 05-23, Hora:10:41:22		addr 40:A8:F0:3F:79: addrtype mac vendor Hewlett Packard		cpe:/o:linux_kernel:2.6.32 55173 Linux 2.6.32 accuracy 94 osfamily Linux
	172.31.103.45	Fecha:2022- 05-23, Hora:10:41:33		addr 08:00:27:C2:85:1 addrtype mac vendor Oracle Virtual Bovirtual NIC	паше	cpe:/o:microsoft:windows_8 76543 Microsoft Windows 7 Professional or Windows 8 accuracy 100 osfamily Windows
	172.31.103.57	Fecha:2022- 05-23, Hora:10:41:45		addr 6C:4B:90:BE:F9 addrtype mac vendor LiteON	accuracy cpe line :AF name	cpe:/o:microsoft:windows_10:1703 69466 Microsoft Windows 10 1703 accuracy 93 osfamily Windows
	172.31.103.61	Fecha:2022- 05-23, Hora:10:44:37		addr EC:B1:D7:6F:D addrtype mac vendor Hewlett Packard	accuracy cpe line D:00 name	cpe:/o:microsoft:windows 78352 Microsoft Windows Longhorn accuracy 93 osfamily Windows

127.0.0.1:5500/sample.html 1/6

address	date	hostname	macaddress		osmatch			
						portid	protoco	ol re
						21	tcp	no res
						79	tcp	no res
						80	tcp	no res
						443	tcp	no res
						515	tcp	no res
						631	tcp	no res
				accuracy		4000	tcp	no res
172.31.103.82	Fecha:2022- 05-23, Hora:10:44:39	addrtyp	addr 00:21:B7:C9:20:79 addrtype mac	cpe line name osclass	cpe:/h:lexmark:x656de 43173 Lexmark T654 or X656de printer accuracy 100	5000	tcp	no res
			vendor Lexmark International		osfamily embedded type printer vendor Lexmark	5001	tcp	no res
						6100	tcp	no res
						8000	tcp	no res
						9000	tcp	no res
						9100	tcp	no res
						9200	tcp	no res
						9500	tcp	no res
						10000	tep	po un
				accuracy cpe line	y 92 cpe:/o:microsoft:windows_10:1703 69466			
	Fecha:2022-		addr 6C:4B:90:C4:CC:2D		Microsoft Windows 10 1703			
172.31.103.92	05-23, Hora:10:44:52		addrtype mac vendor LiteON	osclass	accuracy 92 osfamily Windows osgen 10			
					type general purpose vendor Microsoft			

127.0.0.1:5500/sample.html 2/6

address	date	hostname	macaddress		osmatch			
						portid	protoc	ol
						80	tcp	no re:
						111	tcp	no res
				accuracy		139	tcp	no re:
I 172.31.103.100 (Fecha:2022- 05-23,		addr 00:D0:B8:24:AE:D3 addrtype mac	cpe line name	cpe:/o:linux:linux_kernel:3 56585 Linux 2.6.32 - 3.5 accuracy 100	443	tcp	no re:
J	Hora:10:44:54		vendor Iomega	osclass	osfamily Linux	445	tcp	no res
						548	tcp	no re:
						873	tep	no re:
						2049	tcp	no re:
				accuracy	93			
				cpe	cpe:/o:microsoft:windows_10:1703			
,	E 1 2022		addr 40:A8:F0:51:3D:C2	line name	69466 Microsoft Windows 10 1703			
172.31.103.164 (addrtype mac		accuracy 93			
I	Hora:10:45:10		vendor Hewlett Packard		osfamily Windows			
				osclass	osgen 10 type general purpose			
					type general purpose			

vendor Microsoft

127.0.0.1:5500/sample.html 3/6

10000 100000 100000 100000 100000 10000 10000 10000 10000 100000 100000 100000 10000	address	date	hostname	macaddress		osmatch			
10000 100000 100000 100000 100000 10000 10000 10000 10000 100000 100000 100000 10000							portio	l protoco	l r
Solution							21	tcp	no re:
Add							79	tcp	no re:
Size							80	tcp	no re:
Accuracy 96							443	tcp	no re:
Accuracy 96 Special comments Accuracy 96 Special comment Accuracy 96 Special comments							515	tcp	no re:
Section Sect							631	tcp	no re:
Fecha: 2022-172.31.103.200 05-23, Hora: 10.45:22 Addrtype mae Addrtype ma							4000	tcp	no re:
International Oscilars Oscilars Oscilars Oscilars Oscilar Osci	172.31.103.200 05-	23,		addrtype mac	line	43173 Lexmark T654 or X656de printer	5000	tcp	no re:
8000 tcp 9000 tcp 9100 tcp 9200 tcp 9500 tcp 10000 tcp	Но	Iora:10:45:22			osclass	osfamily embedded type printer	5001	tcp	no re:
9000 tcp 9000 tcp 9100 tcp 9200 tcp 9200 tcp 9500 tcp							6100	tcp	no re:
9100 tcp 9200 tcp 9500 tcp							8000	tcp	no re:
9200 tcp 9500 tcp 10000 tcp 110000 tcp							9000	tcp	no re:
200 tep 1							9100	tcp	no re:
10000 tcp 1000							9200	tcp	no re:
accuracy 87 line 9077							9500	tcp	no re:
Fecha: 2022- 172.31.103.219 05-23, Hora: 10:45:31 Addr b C:4B:90:CB:9A:7F addrtype mac vendor LiteON The control of the con							10000	tcp	po un
vendor AVtech	172.31.103.219 05-	23,		addrtype mac	line name	9077 AVtech Room Alert 26W environmental monitor accuracy 87 osfamily embedded			

127.0.0.1:5500/sample.html 4/6

address	date	hostname	macaddress		osmatch			
						portid	d protoco	d 1
						21	tcp	no res
						79	tcp	no res
						80	tcp	no res
						443	tcp	no res
						515	tcp	no res
						631	tcp	no res
				accuracy cpe line	y 97 cpe:/h:lexmark:t644 21705	5000	tcp	no res
172.31.103.240 05-	cha:2022- 23, ra:10:45:43		addr 00:04:00:CE:81:7A addrtype mac vendor Lexmark International	name	Dell 5210n or Lexmark C530-series or T640-series printer accuracy 97 osfamily embedded	5001	tcp	no res
				osclass	type printer	6100	tcp	no res
						8000	tcp	no res
						9000	tcp	no res
						9100	tcp	no res
						9200	tcp	no res
						9500	tcp	no res
						10000	tcp	no res
172.31.103.252 05-	cha:2022- 23, ra:10:45:51		addr BC:16:F5:7D:64:F7 addrtype mac vendor Cisco Systems	accuracy cpe line name	cpe:/h:cisco:sg_300 14512 Cisco SG200 or SG300 switch accuracy 100 osfamily embedded type switch vendor Cisco			

127.0.0.1:5500/sample.html 5/6

				•		
address	date	hostname	macaddress	osmatch		
172.31.103.254	Fecha:2022- 4 05-23, Hora:10:45:54	name type _gateway PTR		accuracy 100 cpe cpe:/a:cisco:adaptive_security_appliance_software:9 line 16974 Cisco 2950, 2960, 3550, 3560, 3750, or 4500 switch or 6500 router (IOS 12.1 - 15.0); or Adaptive Security Appliance firewall accuracy 100 osfamily ASA osclass osgen 9.X type firewall vendor Cisco	nortid protoc	al.
172.31.103.25	Fecha:2022- 05-23, Hora:10:45:57	name type info-cat6 PTR	None	accuracy 100 cpe cpe:/o:linux:linux_kernel:2.6.32 line 55543 name Linux 2.6.32 accuracy 100 osfamily Linux	portid protoco 80 tcp 139 tcp 445 tcp	no res
					3000 tcp	no res

127.0.0.1:5500/sample.html 6/6