

securescope

analyst_applications

Column	Type	Null	Default	Links to	Comments	Media type
application_id (<i>Primary</i>)	bigint(20)	No				
role_id	bigint(20)	No		roles -> role_id		
first_name	varchar(100)	No				
last_name	varchar(100)	No				
email	varchar(150)	No				
phone	varchar(30)	Yes	NULL			
city	varchar(150)	Yes	NULL			
current_job	varchar(150)	Yes	NULL			
experience_level	varchar(50)	Yes	NULL			
specialization	longtext	Yes	NULL			
technical_tools	longtext	Yes	NULL			
assessment_types	longtext	Yes	NULL			
security_experience	text	Yes	NULL			
education	varchar(100)	Yes	NULL			
academic_major	varchar(150)	Yes	NULL			
certifications	text	Yes	NULL			
specialized_training	text	Yes	NULL			
main_project	text	Yes	NULL			
project_role	text	Yes	NULL			
github_url	varchar(255)	Yes	NULL			
linkedin_url	varchar(255)	Yes	NULL			
portfolio_url	varchar(255)	Yes	NULL			
web_security_answer	text	Yes	NULL			
vulnerability_risk_finding_answer	text	Yes	NULL			
authorized_testing_answer	text	Yes	NULL			
why_securescope	text	Yes	NULL			
contribution	text	Yes	NULL			
review_agreement	tinyint(1)	No	0			
declaration	text	Yes	NULL			
status	enum('pending', 'approved', 'rejected', 'cancelled')	No	pending			
reviewed_by	bigint(20)	Yes	NULL	users -> user_id		
reviewed_at	datetime	Yes	NULL			
rejection_reason	varchar(500)	Yes	NULL			
created_user_id	bigint(20)	Yes	NULL	users -> user_id		
created_at	timestamp	No	current_timestamp()			
updated_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	application_id	4	A	No	
uq_analyst_application_email	BTREE	Yes	No	email	4	A	No	
idx_analyst_application_status	BTREE	No	No	status	4	A	No	
idx_analyst_application_role	BTREE	No	No	role_id	4	A	No	
idx_analyst_application_reviewed_by	BTREE	No	No	reviewed_by	4	A	Yes	
idx_analyst_application_created_user	BTREE	No	No	created_user_id	2	A	Yes	

analyst_application_documents

Column	Type	Null	Default	Links to	Comments	Media type
document_id <i>(Primary)</i>	bigint(20)	No				
application_id	bigint(20)	No		analyst_applications -> application_id		
document_type	enum('cv', 'professional_certificate', 'training_certificate', 'recommendation_letter', 'experience_proof', 'portfolio')	No				
file_name	varchar(255)	No				
file_url	varchar(1000)	No				
uploaded_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	document_id	0	A	No	
idx_analyst_document_application	BTREE	No	No	application_id	0	A	No	
idx_analyst_document_type	BTREE	No	No	document_type	0	A	No	

analyst_application_files

Column	Type	Null	Default	Links to	Comments	Media type
file_id <i>(Primary)</i>	bigint(20)	No				
application_id	bigint(20)	No		analyst_applications -> application_id		
file_type	varchar(50)	No				
original_name	varchar(255)	No				
stored_name	varchar(255)	No				
file_path	varchar(500)	No				
mime_type	varchar(100)	No				
file_size	bigint(20)	No				
uploaded_at	datetime	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	file_id	2	A	No	
idx_application_id	BTREE	No	No	application_id	2	A	No	
idx_file_type	BTREE	No	No	file_type	2	A	No	

assessments

Column	Type	Null	Default	Links to	Comments	Media type
assessment_id (Primary)	bigint(20)	No				
project_id	bigint(20)	No		projects -> project_id		
assessment_name	varchar(200)	No				
description	text	Yes	NULL			
assigned_to	bigint(20)	No		users -> user_id		
status	enum('pending', 'in_progress', 'under_review', 'completed', 'cancelled')	No	pending			
started_at	datetime	Yes	NULL			
completed_at	datetime	Yes	NULL			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	assessment_id	0	A	No	
idx_assessments_project_id	BTREE	No	No	project_id	0	A	No	
idx_assessments_assigned_to	BTREE	No	No	assigned_to	0	A	No	
idx_assessments_status	BTREE	No	No	status	0	A	No	

assessment_types

Column	Type	Null	Default	Links to	Comments	Media type
assessment_type_id (Primary)	bigint(20)	No				
name	varchar(150)	No				
description	text	Yes	NULL			
status	enum('active', 'inactive')	No	active			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	assessment_type_id	4	A	No	
uq_assessment_types_name	BTREE	Yes	No	name	4	A	No	
idx_assessment_types_status	BTREE	No	No	status	2	A	No	

assets

Column	Type	Null	Default	Links to	Comments	Media type
asset_id (Primary)	bigint(20)	No				
client_id	bigint(20)	No		clients -> client_id		
asset_name	varchar(200)	No				
asset_type	varchar(100)	No				

Column	Type	Null	Default	Links to	Comments	Media type
identifier	varchar(255)	Yes	NULL			
description	text	Yes	NULL			
status	enum('active', 'inactive', 'retired')	No	active			
created_at	timestamp	No	current_timestamp()			
updated_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	asset_id	0	A	No	
idx_assets_client_id	BTREE	No	No	client_id	0	A	No	
idx_assets_type	BTREE	No	No	asset_type	0	A	No	
idx_assets_status	BTREE	No	No	status	0	A	No	
idx_assets_identifier	BTREE	No	No	identifier	0	A	Yes	

audit_logs

Column	Type	Null	Default	Links to	Comments	Media type
log_id <i>(Primary)</i>	bigint(20)	No				
user_id	bigint(20)	No		users -> user_id		
action	varchar(100)	No				
table_name	varchar(100)	No				
record_id	bigint(20)	Yes	NULL			
old_data	longtext	Yes	NULL			
new_data	longtext	Yes	NULL			
ip_address	varchar(45)	Yes	NULL			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	log_id	52	A	No	
idx_audit_logs_user_id	BTREE	No	No	user_id	2	A	No	
idx_audit_logs_table_record	BTREE	No	No	table_name	8	A	No	
				record_id	26	A	Yes	
idx_audit_logs_action	BTREE	No	No	action	26	A	No	
idx_audit_logs_created_at	BTREE	No	No	created_at	52	A	No	

clients

Column	Type	Null	Default	Links to	Comments	Media type
client_id <i>(Primary)</i>	bigint(20)	No				
company_name	varchar(200)	No				
company_email	varchar(150)	Yes	NULL			
phone	varchar(30)	Yes	NULL			
address	varchar(255)	Yes	NULL			
industry	varchar(100)	Yes	NULL			

Column	Type	Null	Default	Links to	Comments	Media type
status	enum('active', 'inactive')	No	active			
created_at	timestamp	No	current_timestamp()			
updated_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	client_id	7	A	No	
uq_clients_company_email	BTREE	Yes	No	company_email	7	A	Yes	
idx_clients_company_name	BTREE	No	No	company_name	7	A	No	
idx_clients_status	BTREE	No	No	status	7	A	No	

evidence

Column	Type	Null	Default	Links to	Comments	Media type
evidence_id (Primary)	bigint(20)	No				
finding_id	bigint(20)	No		findings -> finding_id		
uploaded_by	bigint(20)	No		users -> user_id		
file_name	varchar(255)	No				
file_path	varchar(500)	No				
file_type	varchar(100)	Yes	NULL			
description	text	Yes	NULL			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	evidence_id	0	A	No	
idx_evidence_finding_id	BTREE	No	No	finding_id	0	A	No	
idx_evidence_uploaded_by	BTREE	No	No	uploaded_by	0	A	No	

findings

Column	Type	Null	Default	Links to	Comments	Media type
finding_id (Primary)	bigint(20)	No				
assessment_id	bigint(20)	No		assessments -> assessment_id		
asset_id	bigint(20)	No		assets -> asset_id		
risk_level_id	bigint(20)	No		risk_levels -> risk_level_id		
title	varchar(255)	No				
description	text	No				
technical_details	text	Yes	NULL			
status	enum('open', 'under_review', 'confirmed', 'reported', 'remediation', 'resolved', 'verified', 'closed', 'rejected')	No	open			
discovered_by	bigint(20)	No		users -> user_id		
discovered_at	datetime	No	current_timestamp()			

Column	Type	Null	Default	Links to	Comments	Media type
reviewed_by	bigint(20)	Yes	NULL	users -> user_id		
reviewed_at	datetime	Yes	NULL			
created_at	timestamp	No	current_timestamp()			
updated_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	finding_id	0	A	No	
idx_findings_assessment_id	BTREE	No	No	assessment_id	0	A	No	
idx_findings_asset_id	BTREE	No	No	asset_id	0	A	No	
idx_findings_risk_level_id	BTREE	No	No	risk_level_id	0	A	No	
idx_findings_discovered_by	BTREE	No	No	discovered_by	0	A	No	
idx_findings_reviewed_by	BTREE	No	No	reviewed_by	0	A	Yes	
idx_findings_status	BTREE	No	No	status	0	A	No	
idx_findings_risk_status	BTREE	No	No	risk_level_id	0	A	No	
				status	0	A	No	

projects

Column	Type	Null	Default	Links to	Comments	Media type
project_id (Primary)	bigint(20)	No				
client_id	bigint(20)	No		clients -> client_id		
assessment_type_id	bigint(20)	No		assessment_types -> assessment_type_id		
project_name	varchar(200)	No				
description	text	Yes	NULL			
start_date	date	Yes	NULL			
end_date	date	Yes	NULL			
status	enum('draft', 'pending_approval', 'approved', 'assigned', 'in_progress', 'under_review', 'report_generated', 'client_review', 'remediation', 'completed', 'closed', 'cancelled')	No	draft			
created_by	bigint(20)	No		users -> user_id		
created_at	timestamp	No	current_timestamp()			
updated_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	project_id	0	A	No	
idx_projects_client_id	BTREE	No	No	client_id	0	A	No	
idx_projects_assessment_type_id	BTREE	No	No	assessment_type_id	0	A	No	
idx_projects_created_by	BTREE	No	No	created_by	0	A	No	
idx_projects_status	BTREE	No	No	status	0	A	No	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
idx_projects_dates	BTREE	No	No	start_date	0	A	Yes	
				end_date	0	A	Yes	

project_assets

Column	Type	Null	Default	Links to	Comments	Media type
project_asset_id (<i>Primary</i>)	bigint(20)	No				
project_id	bigint(20)	No		projects -> project_id		
asset_id	bigint(20)	No		assets -> asset_id		
added_by	bigint(20)	No		users -> user_id		
added_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	project_asset_id	0	A	No	
uq_project_assets_project_asset	BTREE	Yes	No	project_id	0	A	No	
				asset_id	0	A	No	
idx_project_assets_project_id	BTREE	No	No	project_id	0	A	No	
idx_project_assets_asset_id	BTREE	No	No	asset_id	0	A	No	
idx_project_assets_added_by	BTREE	No	No	added_by	0	A	No	

project_assignments

Column	Type	Null	Default	Links to	Comments	Media type
assignment_id (<i>Primary</i>)	bigint(20)	No				
project_id	bigint(20)	No		projects -> project_id		
analyst_id	bigint(20)	No		users -> user_id		
assigned_by	bigint(20)	No		users -> user_id		
assigned_at	timestamp	No	current_timestamp()			
status	enum('active', 'completed', 'cancelled')	No	active			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	assignment_id	0	A	No	
uq_project_assignments_project_analyst	BTREE	Yes	No	project_id	0	A	No	
				analyst_id	0	A	No	
idx_project_assignments_project_id	BTREE	No	No	project_id	0	A	No	
idx_project_assignments_analyst_id	BTREE	No	No	analyst_id	0	A	No	
idx_project_assignments_assigned_by	BTREE	No	No	assigned_by	0	A	No	
idx_project_assignments_status	BTREE	No	No	status	0	A	No	

recommendations

Column	Type	Null	Default	Links to	Comments	Media type
recommendation_id (<i>Primary</i>)	bigint(20)	No				
finding_id	bigint(20)	No		findings -> finding_id		
title	varchar(255)	No				
description	text	No				
priority	enum('critical', 'high', 'medium', 'low')	No	medium			
created_by	bigint(20)	No		users -> user_id		
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	recommendation_id	0	A	No	
idx_recommendations_finding_id	BTREE	No	No	finding_id	0	A	No	
idx_recommendations_created_by	BTREE	No	No	created_by	0	A	No	
idx_recommendations_priority	BTREE	No	No	priority	0	A	No	

registration_requests

Column	Type	Null	Default	Links to	Comments	Media type
request_id (<i>Primary</i>)	bigint(20)	No				
registration_type	enum('client', 'analyst')	No				
role_id	bigint(20)	No		roles -> role_id		
client_id	bigint(20)	Yes	NULL	clients -> client_id		
first_name	varchar(100)	No				
last_name	varchar(100)	No				
email	varchar(150)	No				
password_hash	varchar(255)	No				
phone	varchar(30)	Yes	NULL			
company_name	varchar(200)	Yes	NULL			
company_email	varchar(150)	Yes	NULL			
company_phone	varchar(30)	Yes	NULL			
company_address	varchar(255)	Yes	NULL			
industry	varchar(100)	Yes	NULL			
status	enum('pending', 'approved', 'rejected', 'cancelled')	No	pending			
reviewed_by	bigint(20)	Yes	NULL	users -> user_id		
reviewed_at	datetime	Yes	NULL			
rejection_reason	varchar(500)	Yes	NULL			
created_user_id	bigint(20)	Yes	NULL	users -> user_id		
created_client_id	bigint(20)	Yes	NULL	clients -> client_id		

Column	Type	Null	Default	Links to	Comments	Media type
created_at	timestamp	No	current_timestamp()			
updated_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	request_id	2	A	No	
idx_registration_requests_type	BTREE	No	No	registration_type	2	A	No	
idx_registration_requests_role_id	BTREE	No	No	role_id	2	A	No	
idx_registration_requests_client_id	BTREE	No	No	client_id	2	A	Yes	
idx_registration_requests_email	BTREE	No	No	email	2	A	No	
idx_registration_requests_status	BTREE	No	No	status	2	A	No	
idx_registration_requests_created_at	BTREE	No	No	created_at	2	A	No	
idx_registration_requests_reviewed_by	BTREE	No	No	reviewed_by	2	A	Yes	
idx_registration_requests_created_user_id	BTREE	No	No	created_user_id	2	A	Yes	
idx_registration_requests_created_client_id	BTREE	No	No	created_client_id	2	A	Yes	

remediations

Column	Type	Null	Default	Links to	Comments	Media type
remediation_id (Primary)	bigint(20)	No				
finding_id	bigint(20)	No		findings -> finding_id		
client_id	bigint(20)	No		clients -> client_id		
description	text	No				
status	enum('pending', 'in_progress', 'submitted', 'resolved', 'verified', 'rejected')	No	pending			
submitted_at	datetime	Yes	NULL			
resolved_at	datetime	Yes	NULL			
verified_by	bigint(20)	Yes	NULL	users -> user_id		
verified_at	datetime	Yes	NULL			
created_at	timestamp	No	current_timestamp()			
updated_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	remediation_id	0	A	No	
uq_remediations_finding_id	BTREE	Yes	No	finding_id	0	A	No	
idx_remediations_client_id	BTREE	No	No	client_id	0	A	No	
idx_remediations_verified_by	BTREE	No	No	verified_by	0	A	Yes	
idx_remediations_status	BTREE	No	No	status	0	A	No	

reports

Column	Type	Null	Default	Links to	Comments	Media type
report_id (Primary)	bigint(20)	No				
project_id	bigint(20)	No		projects -> project_id		
report_title	varchar(255)	No				
summary	text	Yes	NULL			
status	enum('draft', 'generated', 'under_review', 'approved', 'rejected', 'archived')	No	draft			
generated_by	bigint(20)	No		users -> user_id		
approved_by	bigint(20)	Yes	NULL	users -> user_id		
generated_at	datetime	No	current_timestamp()			
approved_at	datetime	Yes	NULL			
file_path	varchar(500)	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	report_id	0	A	No	
idx_reports_project_id	BTREE	No	No	project_id	0	A	No	
idx_reports_generated_by	BTREE	No	No	generated_by	0	A	No	
idx_reports_approved_by	BTREE	No	No	approved_by	0	A	Yes	
idx_reports_status	BTREE	No	No	status	0	A	No	

report_findings

Column	Type	Null	Default	Links to	Comments	Media type
report_id (Primary)	bigint(20)	No		reports -> report_id		
finding_id (Primary)	bigint(20)	No		findings -> finding_id		
finding_order	int(10)	No	1			
included_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	report_id	0	A	No	
				finding_id	0	A	No	
idx_report_findings_finding_id	BTREE	No	No	finding_id	0	A	No	
idx_report_findings_order	BTREE	No	No	report_id	0	A	No	
				finding_order	0	A	No	

risk_levels

Column	Type	Null	Default	Links to	Comments	Media type
risk_level_id (Primary)	bigint(20)	No				
name	varchar(50)	No				
severity_score	tinyint(3)	No				
description	varchar(255)	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	risk_level_id	5	A	No	
uq_risk_levels_name	BTREE	Yes	No	name	5	A	No	
uq_risk_levels_score	BTREE	Yes	No	severity_score	5	A	No	

roles

Column	Type	Null	Default	Links to	Comments	Media type
role_id (Primary)	bigint(20)	No				
role_name	varchar(50)	No				
description	varchar(255)	Yes	NULL			
created_at	timestamp	No	current_timestamp()			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	role_id	3	A	No	
uq_roles_role_name	BTREE	Yes	No	role_name	3	A	No	

users

Column	Type	Null	Default	Links to	Comments	Media type
user_id (Primary)	bigint(20)	No				
role_id	bigint(20)	No		roles -> role_id		
client_id	bigint(20)	Yes	NULL	clients -> client_id		
first_name	varchar(100)	No				
last_name	varchar(100)	No				
email	varchar(150)	No				
password_hash	varchar(255)	No				
phone	varchar(30)	Yes	NULL			
status	enum('active', 'inactive', 'suspended')	No	active			
created_at	timestamp	No	current_timestamp()			
updated_at	timestamp	No	current_timestamp()			
last_login_at	datetime	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	user_id	2	A	No	
uq_users_email	BTREE	Yes	No	email	2	A	No	
idx_users_role_id	BTREE	No	No	role_id	2	A	No	
idx_users_client_id	BTREE	No	No	client_id	2	A	Yes	
idx_users_status	BTREE	No	No	status	2	A	No	