

Genealogy Web App

PROJECT WORKBOOK – TEAM GNLG2

MAHDI CHAYMAE - COSTA CUNHA IVO - BOUSADIA LAHCENE – MACKPAYEN PRINCE
SAMIA OUSSAMA

Table of contents

1. Overview	1
1.1. Objective of the project	1
1.2. Organization	1
1.2.1. Contacts	2
2. Requirements	3
2.1. Specifications	3
2.1.1. Expoactes	3
2.1.2. Specified objective of the project	4
2.1.3. GEDCOM	5
2.1.4. Functional requirements	7
2.1.5. Non-functional requirements	7
2.2. Environment	8
2.2.1. Software	8
2.2.2. Technologies	8
2.3. Use cases	10
2.3.1. Actors	10
2.3.2. Scenarios	10
2.2.3. Current application architecture	13
2.3. Requirement analysis	14
2.3.1. Functions to be added	14
2.3.2. Access levels	14
3. Design	15
3.1. Design rationale	15
3.1.1. Features that we will be put in place in the new app	15
3.1.2. Team decisions concerning the problems met	16
3.2. Static view	18
3.2.1. New website architecture	18
3.2.2. UI models	19
Authentication page	20
Registering page	20
Main page	22
Add files to database page	22
Default viewing page	23
Viewing page (traditional form)	23
Viewing page (circular form)	24
Research by crossing 2 genealogies	24
Research potential cousinhood	25
3.2.3. Dynamic view	25
3.3. Development planning	26
3.3.1. Task IDs	26
3.3.2. Team IDs	27
3.3.3. Task assignment and estimated times	28
4. Engineering	30
4.1. Software organization	30

Genealogy Web App – Project Workbook – Team GNLG2

4.1.1. Classes to be added	30
4.2. Build process.....	31
4.2.1. Requirements.....	31
4.2.2. Build process	33
4.3. Tests.....	33
5. Deployment.....	33
5.1. Deliverables	33
5.2. Installation.....	33
5.3. Configuration.....	33
5.4. Operations.....	33

Figure 1 - Team flow chart	1
Figure 2 - GEDCOM file format	6
Figure 3 - GEDCOM tree format.....	6
Figure 4 - Current system (Use Case)	12
Figure 5 - Current application architecture.....	13
Figure 6 - GNLG2 Web App architecture.....	19
Figure 7 - Authentication page UI model.....	20
Figure 8 - Registration page UI model	20
Figure 9 - Main page UI model.....	22
Figure 10 - Add page UI model	22
Figure 11 - Default viewing page UI model.....	23
Figure 12 - Viewing page (traditional form) UI model	23
Figure 13 - Viewing page (circular form) UI model	24
Figure 14 - Research by crossing 2 genealogies UI model	24
Figure 15 - Research potential cousinhood UI model	25
Figure 16 - Notification page UI model.....	25
Figure 17 - System usage sequence diagram	26
Figure 18 - Non finished class diagram to be implemented	30
Figure 19 - Old system database structure	31

1. Overview

1.1. Objective of the project

The crowning of each university or technical formation is always done through an end of studies project or internship. Our training as part of this formation of a professional nature ends with disciplinary project spanning over two months.

In this context our training allowed us to take advantage of many opportunities to conduct group projects to refine our professional objectives.

Disciplinary group projects lead students to develop several transferable skills such as communication, cooperative and teamwork skills like planning, management, leadership and peer support. And so, we hope that this project will allow our team to develop or refine these skills.

The project itself consists of the modernization of a genealogy website called “expoactes” that allows genealogists to work together on old hard to read or partially erased birth, marriage, and death certificates to first digitalize them and secondly deduce family relations through them.

The project also consists of new functions to be added to the old website.

1.2. Organization

The development team members are composed of 1 project manager and 4 developers.

MAHDI Chaymae will assume the role of project manager, will communicate with the client but will also participate in the redaction of documentation, in the conception, and in the development as needed.

The 4 developers will be BOUSADIA Lahcene, MACKPAYEN Prince Divin, SAMIA Oussama, and COSTA CUNHA Ivo. Those developers will have the same tasks which will be the redaction of documentation, the conception and the development which will include of course the mandatory tests.

BOUSADIA Lahcene is nominated to take responsibility for Project Tracking.

The following organogram resume this point.




Figure 1 - Team flow chart

1.2.1. Contacts

Name	Mail
Ivo COSTA CUNHA	ivo.costa-cunha@etu.unice.fr
Oussama SAMIA	oussama.samia@etu.unice.fr
Lahcene BOUSADIA	lahcene.bousadia@etu.unice.fr
Chaymae MAHDI	chaymae.mahdi@etu.unice.fr
Prince Divin MACKPAYEN	divinmackpayen@gmail.com

2. Requirements

2.1. Specifications

2.1.1. Expoactes

Expoactes is gradually becoming a tool widely used to disseminate the analysis of old civil status documents and parish registers.

The user needs to click on the red icon to register himself on another page that is independent of the home page.

We think those steps are confusing and lead to a lot of negative scenarios where the user leaves the website because he is unable to register himself or even know that he must register himself first to access the data. We aim to improve the UI in our modernised application in a way for it to be intuitive.

Expoactes | | Dépouillement de tables et actes d'état-civil ou de registres paroissiaux [retour sur le forum](#)

Navigation : Communes et paroisses

Statistiques

188.265 actes dont :

- 107.983 Naissances/Baptêmes
- 24.029 Mariages
- 55.149 Décès/Sépultures
- 1.104 Actes divers

Accès membres

Connexion

Conditions d'accès

Communes et paroisses : [Carte](#) | [Tableau](#)

Naissances/Baptêmes | [Mariages](#) | [Décès/Sépultures](#) | [Actes divers](#) | [Tous](#)

A B C D E F G I J L M P R S T U V

Localité	Période	Actes	Filiatifs
Naissances & Baptêmes			
Accons [07160 - Ardèche]	(1668-1792)	3.472	3.472
Ajoix [07000 - Ardèche]	(1686-1789)	758	755
Alissas [07210 - Ardèche]	(1798-1802)	153	153
Arcens [07310 - Ardèche]	(1668-1789)	2.637	2.637
Assions (Les) [07140 - Ardèche]	(1733-1757)	643	643
Astet [07330 - Ardèche]	(1772-1793)	364	364
Aubignas [07400 - Ardèche]	(1584-1812)	2.114	2.114
Baix [07210 - Ardèche]	(1787-1803)	532	532
Balazuc [07120 - Ardèche]	(1668-1803)	781	781
Banne [07460 - Ardèche]	(1787-1793)	516	516
Beaulieu [07460 - Ardèche]	(1769-1802)	584	584
Berrias [07460 - Ardèche]	(1607-1793)	3.849	3.849
Béage (Le) [07630 - Ardèche]	(1671-1764)	2.278	2.278
Bidon [07700 - Ardèche]	(1772-1792)	64	64
Boffres [07440 - Ardèche]	(1753-1792)	447	447
Bordè [07310 - Ardèche]	(1672-1803)	5.842	5.831
Chandolas [07230 - Ardèche]	(1725-1803)	1.182	1.182
Chassagnas [07140 - Ardèche]	(1770-1807)	389	389
Chassiers [07110 - Ardèche]	(1743-1803)	2.544	2.543
Chauzon [07120 - Ardèche]	(1614-1792)	1.507	1.507
Cros-de-Géorand [07630 - Ardèche]	(1661-1803)	3.557	3.557
Dornas [07160 - Ardèche]	(1667-1792)	2.077	2.077
Félines [07340 - Ardèche]	(1730-1792)	1.402	640
Genestelle [07530 - Ardèche]	(1681-1862)	4.134	4.134
Glurais [07190 - Ardèche]	(1672-1789)	1.918	1.917
Gluon [Ardèche]	(1680-1791)	423	423
Guilherand-Granges [07500 - Ardèche]	(1635-1792)	943	940
Issariès [07470 - Ardèche]	(1672-1727)	1.201	1.201
Jaujac [07380 - Ardèche]	(1791-1805)	701	701

Figure 1 – Home page of expoactes

• Features of Expoactes

Expoactes allows site visitors to:

- browse the tables by municipality, then in alphabetical order of surnames.
- search for acts by surnames of interested parties or other appearing.
- access (if you authorize it) the details of the acts.
- management of the number of acts that can be seen by your visitors in each period.

For the management of acts, you have access to an administrative part of the site protected by login and password.

The management of acts includes:

- loading of acts in NIMEGUE (Version 2 and 3) or CSV formats.
- the elimination of redundant acts and the reversal of marriage or promises acts.
- the re-export in NIMEGUE format of the documents you have submitted.
- management of access codes for visitors and depositors.
- the control of deposits and modifications of the database.

The main administrator can manage the access rights of visitors and depositors according to a 9-level hierarchy.

- **Problems on the website**

To access the data a visitor must be register himself or herself and the administrator must validate this inscription, the following alternatives and negative scenarios show some problems:

- The user can get lost in the home page of the site because we do not really see how to be directed on the platform no bouton home page, which is not a good thing for any new user.
- The user cannot find a button to register on the site.
- The user cannot register on the site because he can't find a bouton for that.
- No login and password were given to us.
- We cannot see all the features of the site because we are not allowed only the administrator who can do this kind of features.

2.1.2. Specified objective of the project

The client specifications are the following:

- “expoactes” is a system that allows to add and navigate in civil status acts. It is dated, in old PHP and with a user interface also dated. Upgrade “expoactes” in object-oriented PHP and update the user interface to a modern one. Why also not add visualizations, which is leads to a second part of the project.
- Using GEODCOM files (an export format that also allows the sharing of genealogy data), the client wants to obtain the following functionalities:
 - Obtain visualizations and navigations in the genealogy tree: on a map, a “traditional” tree, a “circular” tree (in fact they are graphs, an ancestor potentially being an ancestor for multiples “reasons”).
 - Allowing the search of common ancestor by crossing 2 genealogies.
 - Have a social aspect by being notified of certain searches concerning the department, city name, patronymic, genealogist name “(les / sont des et / ou).”
 - “standalone” version and a WordPress integration are desired.

The back end of the application must be written in PHP7 using the object-oriented paradigm since it is a client requirement.

Current website: <http://www.racinesardechoises.fr/expoactes/index.php?vue=T&xtyp=N>

In this part, the list of internal technical components to be produced will be given.

2.1.3. GEDCOM

A GEDCOM file is a genealogical act saved in the format of genealogical data communications (GEDCOM) format. It contains family history acts and genealogical event data, as well as metadata linking the acts. GEDCOM files often contain information about births, deaths, marriages, children, and physical attributes of family members.

2.1.3.1. Analysis of GEDCOM files

The GEDCOM format was created to allow to share genealogical data in 1980 by *“L’Eglise de Jesus-Christ des saints des derniers jours”*. The objective was to give a solution to the exchange of data between 2 different genealogy software.

The GEDCOM file contains information about each person, each family, and each event of a tree.

Exporting or importing a GEDCOM file is a mandatory function of genealogy software.

We must be able to process an entire family tree, but also an ascending or descending branch from a selected person.

- **GEDCOM File format**

To be able to analyse GEDCOM files, our team must first know that all the information in the GEDCOM file is described by keywords (e.g.: GIVN for first names, PLAC for location...) and linked together by references (e.g.: @ I... @ For individual, @ F... @ for family) which allow genealogy software to reconstruct your tree from the file. So, this information can help us to make a program that is able to parse and read a GEDCOM file.

A GEDCOM file is divided into:

- A header section (HEAD).
- Various recordings of various kinds:
 - "person" record (INDI = individual)
 - "family" record (FAM = family)
 - "note" record (NOTE = note)
 - "source" record (SOUR = source)
 - "Archive repository" record (REPO = repository)
- multimedia object" record (OBJE = object)
- end of file marker (TRLR = trailer)




Figure 2 - GEDCOM file format

- GEDCOM visualization

There is several software allowing to edit gedcom files, as an example, we can quote geneatic which works on version 7 of Gedcom.

==> <https://garde-du-voeu.com/wp/exporter-un-gedcom-de-geneatique/>




Figure 3 - GEDCOM tree format

2.1.4 Functional requirements

Functional requirements are those that must meet the requirements of the future system by terms of functionality. The identified needs are as following:

- The system must allow the user to visualize the different genealogical trees and navigate inside them either using a map visualization, a traditional tree or a circular tree.
- The user must be allowed to search a common ancestor by crossing 2 genealogies.
- The user must be allowed to find a potential cousinhood by crossing cities and names.
- The system must notify users about searches concerning department, city name, patronymic, or a genealogist name. **“(les / sont des et / ou)”**

2.1.5 Non-functional requirements

Non-functional requirements describe all the constraints to which the system is subjected for its realization and its proper functioning. These are the following:

- The system must be reliable.
- The UI must be ergonomic, user friendly and flexible.
- the system must be able to minimize the processing time in maximum 5s.
- The code must be visible, commented, and understandable in order to allow its evolution and extendibility.

2.2. Environment

To develop this web application our team will use the following software and technologies:

2.2.1. Software

- **GitHub:** It is the obvious choice to host our code in the cloud. It allows also allows versioning and the management of conflicts during a merge.
<https://github.com/Master1-MIAGE-UCA/GNLG2>
- **Balsamic:** It will allow us to create UI models for documentation and as a guideline to our developers.
<https://balsamiq.com/wireframes/>
- **Visual Studio Code:** This simple code editor shines in web and node development. Its functionalities extended by modules make it very adaptable to any project.
<https://code.visualstudio.com>
- **PhpStorm:** It's one of the best IDEs for PHP and that alone makes it an interesting choice for our project.
<https://www.jetbrains.com/phpstorm/>
- **Draw.io:** Easy to use, accessible in any navigator, web app that allows the creation of UML diagrams.
<https://app.diagrams.net>
- **Trello:** It will allow us to organize the project tasks and user stories, associate task with developers and follow what's done and what isn't at deadlines.
<https://trello.com/>
- **ArgoUML:** Another UML diagram editor.
<https://sourceforge.net/projects/argouml/>

2.2.2. Technologies

- **HTML/CSS/JavaScript:** The markup web language and its associated language CSS used to alter easily markups. It will affect the front-end of our application. JavaScript is the web scripting language today used extensively for a multitude of applications.
- **PHP7+:** Historical server-language and sometimes also used for the front-end that still updated. It will be used for back-end in our application.
<https://www.php.net>
- **VueJS:** It's a framework of JavaScript that has simple to use UI design libraries that will be used for the front-end our application and that will allow us to develop a modern UI with the use of the Material UI library. It also can be used to compile apps that can be uses as standalone apps via Electron as desired by the client.

<https://vuejs.org>

- **Bootstrap5:** A UI JavaScript library that can be used as standalone with vanilla JavaScript.

<https://getbootstrap.com>

- **Laravel:** Laravel is a PHP framework with expressive and elegant syntax. It allows you to quickly develop the different functionalities of a project and improves PHP syntax for readability.

<https://laravel.com>

2.3. Use cases

2.3.1. Actors

Administrator: The site administrator has administrative right so he can allow visitors to make accounts that allow to have extensive access to the web site / app functionalities.

Registered visitor: A person with an account that can upload GEDCOM files.

Visitor: A person that visit the site without account.

2.3.2. Scenarios

After identifying and describing the different actors of the system, we can now describe the different possible scenarios.

Log In

The various system actors must log in or have an account before accessing the system's functionalities.

Give access to visitors

The administrator must be able to give access to simple visitors to consult their information even if they have an account to connect, they must wait for the right of access according to the administrator of the application.

Send circular mails

Admin must be able to send circular emails, on another term he can send email to all group members. and he must have feedback if an email address no longer exists.

Change the status of a user

The administrator must be able to change the status of registered users so that he can for example change the access rights of a user from level 3 to a level still high of 4.

Block IP

When a user IP is banned by the admin it will be added to a list of banned IPs.

Remove from IP list

The administrator must be able to delete IPs from a list

Keep IPs

The administrator must be able to keep an IP in the list but set its status to unbanned.

Consult family trees

The administrator and the registered user must be able to consult the geological trees.

Research at tree level

The administrator and registered user must be able to search at tree level.

The administrator and the registered user can also do research by crossing two genealogical trees.

Import GEDCOM files

The administrator and registered user can upload new different GEDCOM files. Either of births, deaths, or marriage.

For the user to upload new GEDCOM files the administrator must give to the registered user special permission, since in a normal case only the administrator can upload those. The registered user also become responsible for this GEDCOM file that he or she uploaded.

Get visualisations and navigations in family trees

The administrator and the registered user must be able to visualize the family trees either in card form, or on traditional tree or on circular shaft

2.3.3 Use case diagrams

The in-depth study of the specifications allowed us to identify several use cases. It allowed us to structure the needs of the users and the corresponding objectives of the system,

We represent, in the figure below, all the basic use cases to have a global view of how our application works, as well as any relationships that can take place.




Figure 4 - Current system (Use Case)

In the use case diagram, we presented a relation between the administrator and the registered user by a generalization relation because we thought that in the case where the administrator is absent the registered user can replace him and make use of some of his exclusive functionalities while waiting for him or her to get back.

2.2.3. Current application architecture




Figure 5 - Current application architecture

The current application architecture is an architecture made up of an application server and a database server. Between its two entities that make up the project, there is the PHP language which allows users to add metadata and query the database.

2.3. Requirement analysis

2.3.1. Functions to be added

2.3.1.1. Cousinhood search

The cousinhood search should follow this scenario.

Find potential cousinship by crossing surnames and cities

Scenario as-is

1. The user seeks to find potentials cousinship by crossing surnames and cities
2. The use selects “cousinhood search”
3. The user selects a city
4. The user selects a name
5. The system search using the city and name as filter
6. The system find a match
7. The system show in the UI the results of the research

Extension 1

- 3.a The user enters an incorrect city name
 - 3.b The systems show an error to the user when the user finish typing
- Follow up on 3

Extension 2

- 4.a The user enters an incorrect name
 - 4.b The systems show an error to the user when the user finish typing
- Follow up on 4

Variant 1

- 6.a The system doesn't find a match
 - 6.b The system displays in the UI that there is no match.
- Follow up on 1

2.3.2. Access levels

The main administrator can manage the access rights of visitors and depositors according to a 9-level hierarchy. If necessary, a points mechanism makes it possible to limit the number of consultations of acts during a given period.

The 9-level hierarchy:

- Access to the list of communes and parishes
- Access to the list of patronymics (by commune/parish and act type)
- Access to the tables (names and dates)
- Access to details of acts
- Authorized to load data with NIMEGUE only
- Authorized to load data of CSV type

- Authorized to manage all data Administrator

The general policy is that any registered visitor has access up to level 4.

Creation and edition of user profiles:

A user profile is composed of:

- name
- surname
- mail address
- password (automatically created if wanted)
- login code
- access level
- status
 - N -> Normal
 - B -> Banned
 - + 2 others used during auto register

2.3.2.1. Import and export of acts by registered users

“expoactes” allows upload and export of acts by user if they are given the “holder” status of an act, otherwise only the administrators in the only one who is authorised to do it.

Other functions

“expoactes” also have function, for the administrator, to send circular emails, and if during the inscription the visitor choose to being send by mail his credentials to login later, he can choose. The use case which is in the annex represents the different interactions possible between the system and the actors as well as between the actors.

It will help us to understand the functions and the roles of each actor of this system

3. Design

3.1. Design rationale

3.1.1. Features that we will be put in place in the new app

3.1.1.1. Website host

The current website uses a MySQL database and is written completely in PHP.

Since the project has as requirements the modernisation of the PHP code and to not change the database a host that allows both must be used. Since our team wants to use VueJS for the front-end since it provides tools for creating a modern interface the host must also be able to that code. OBS was proposed and seems to do both.

3.1.1.2. Creation and integration of an HTML template in a Laravel project

For the creation of our project, we decided to create a Laravel project to properly structure our code files and to integrate an HTML template into this project.

We decided to work on a Laravel project because it is an open-source web framework written in PHP respecting the model-view-controller principle which allows us to properly organize the structure of our project, in addition to that it's fully developed in object-oriented programming.

Laravel contains several object-oriented libraries which will facilitate the management of GEDCOM files, and which contains documentation that is clear and easy to understand.

3.1.1.3. Creating diagrams using ArgoUML

We modelled the diagrams of our project using the ArgoUML tool because it is free, multilingual software that supports code generation and reverse engineering, and especially that the generation of code from class diagrams is supported in PHP languages.

3.1.1.4. Creation of application mock-ups using balsamic software

Balsamic software is a software editor that has helped us to make UI design, that allows us to collaborate, create mock-ups, version control and run user tests.

The creation of the models of the application will serve us to see the real structure of the different pages of our applications and its functionalities and we decided to make these models to concretize the ideas of the project. which can then serve other secondary objectives: to explore an idea, to test it, or to convince stakeholders or its hierarchy of the concept.

3.1.1.5. familytree365/Laravel-GedCom

It is a Laravel compatible project that will permit us to analyse GEDCOM databases and import them as Laravel models. It allows, among other things, to use them and convert them back into other file formats.

3.1.2. Team decisions concerning the problems met

3.1.2.1. Deadline problems

The subject of the project has several aspects to deal with as it is already mentioned in the previous paragraphs of requirement analysis, after having analysed the working time on the project, the time will not be enough for us to deal with all these aspects, we will do the big thing point of the project is to update the expoact system with the management of gedcom files, for the other requests which are desirable to do we will do our best to do it otherwise if we are able to do it that's a question problem of time, the desirable points and which we are not sure that we will do them are:

- Standalone App
- WordPress integration
- Renovate current code in modern PHP

3.1.2.2. Standalone App

We determined that that task would take alone at least 1,5 months to our team and so it's not possible to do it in the time given by the client to the project.

3.1.2.3. WordPress integration

While the team determined that this task would take scientifically less time than the standalone app it still prolongs the project past deadline.

3.1.2.4. Renovate current code in modern PHP

The team decided that it would be faster to rewrite new code than to reuse the old one due to the volume of it and complexity of it (214 hard to understand files). We will make sure that the new application will provide all the same functionalities, however.

3.1.2.5. Database restricted access

The team figured out that the new app require access in writing to the actual used MySQL database, however we only have the reading access. We need the client to give us writing permissions to complete the new application.

3.2. Static view

After studying the concept of the project well and analysing the difficulties that we will find during the realization of this project, we found that the first aspect of the project contains several unclear and ambiguous points which still require clarification according to the client. We decided to start with the second aspect of the project which is the processing of GEDCOM files.

For that, we decided to create an application that allows the management and processing of GEDCOM files, which we must be able to:

- Obtain visualizations and navigations in the family tree: on a map, in a “traditional” tree and in a “circular” tree.
- Allow the search for a common ancestor by crossing 2 genealogies.
- Find potential cousinship by crossing surnames and cities.
- The web app must have a social aspect be informed of certain searches concerning department / city name / by patronymic / name of the researcher (genealogist).

In this part we will define the different tasks to be carried out for the second aspect of the project which are as follows:

- Research the handling of GEDCOM files
- Make app mock-ups
- Make a class diagram for this application.
- Creation of a Laravel project and integration of an HTML template in there.
- Creation of a BD where we will store the GEDCOM files selected by the user
- Learn how to read GEDCOM files and understand how to retrieve information from annotations used like @Fam ...
- To learn how to navigate in the different family trees.
- Make and implement algorithms for the visualization of family trees in the form of a map
- Make and implement algorithms for the visualization of family trees in the form of a circular tree
- Make and implement algorithms for the visualization of family trees in the form of a traditional tree
- Make known and implement how to cross two genealogies
- Research a common ancestor by crossing two genealogies
- Find potential cousinship by crossing surnames and cities
- Be notified of certain searches concerning department / city name / by patronymic / researcher's name.

3.2.1. New website architecture

The new web Laravel based application is composed of a front-end that includes the pages we previously listed build using Laravel tools, a back-end using also Laravel that will include the back-

end functionalities that will permit for the user to accomplish the tasks available in the IHM. While **we won't use the current web page code**, we will keep a MySQL database linked to our Laravel back-end since we must be able to use the old data without problems. Doing so makes things easier for use like the database migration.




Figure 6 - GNLG2 Web App architecture

- **Control System HMI:** This part allows to build the Runtime environment, including the asset model structure and content, mimic definitions, and their associations to assets and It's composed of:
 - **Account creation:** The user has the possibility of creating a new account on *expoact* by entering personal information (name, first name, address, date of birth, address, email, password) in order to see the desired genealogies.
 - **Authentication:** Authentication requires two additional parameters, namely username and password. The username is checked to see if it is present in the database.
 - **User management:** This part concerns everything related to user management such as adding a new user, modifying information, deleting an existing account User management enables admins to control user access and on-board and off-board users to and from IT resources.
 - **Import files:** The user has the possibility of importing *gedcom* files on the platform in order to visualize the genealogy therefore this part is responsible for the users' imports.
 - **Search and cousinhood:** The user have the possibility of importing *gedcom* files on the platform in order to visualize the genealogy therefore this part is responsible for the users' imports.
 - **Family trees visualisations:** Obtain visualizations and navigations in the family tree: on a *map*, in a *traditional* tree, in a *circular* tree (in fact, these are graphs, an ancestor can be an ancestor for several "reasons").
- **Back-end laravel:** In this part we will work with laravel family 365 tree that allow easily create the own family tree by importing existing data or manual data entry. Storage of all data is securely on your own server and does not leave your environment


3.2.2. UI models

We plan to develop the following app pages for the new website:

- Authentication
- Registering

- Main
- Add files to database
- Default viewing
- Viewing page (traditional form)
- Viewing page (circular form)
- Research by crossing 2 genealogies
- Research potential cousinage
- Notification page


Authentication page



The authentication page UI model is a rectangular window with a title bar labeled "authentication page". Inside the window, at the top, is the text "If you don't have an account click here : [Registration](#)". Below this is a "Log In" button. Underneath the button is a message "you must identify yourself". This is followed by two input fields: "User name :" and "Password :". At the bottom of the form are two buttons: "Log In" and "cancel". Below the form is a link: "[consult the conditions of access on the private site](#)".

Figure 7 - Authentication page UI model

Registering page



The registration page UI model is a rectangular window with a title bar labeled "Registration page". Inside the window, at the top, is the text "If you have an account click here : [Log In](#)". Below this is a "Register" button. Underneath the button is a form with five input fields: "First name :", "Last name :", "User name :", "Email :", and "Password :". At the bottom of the form are two buttons: "Register" and "cancel". Below the form is a link: "[consult the conditions of access on the private site](#)".

Figure 8 - Registration page UI model

Main page




Figure 9 - Main page UI model

Add files to database page




Figure 10 - Add page UI model

Default viewing page




Figure 11 - Default viewing page UI model

Viewing page (traditional form)




Figure 12 - Viewing page (traditional form) UI model

Viewing page (circular form)




Figure 13 - Viewing page (circular form) UI model

Research by crossing 2 genealogies




Figure 14 - Research by crossing 2 genealogies UI model

Research potential cousinhood

Figure 15 - Research potential cousinhood UI model

Notification page

Figure 16 - Notification page UI model

3.2.3. Dynamic view

After having decided to implement the new functionalities in an application independent of the expoact system, we must show the different interactions between the components of the system and for that we have produced a sequence diagram that will allow us to know how the different components interact between them.

Here is an example of a sequence diagram that shows some system functionalities such as: registration authentication, adding a GEDCOM file and viewing it on the map:




Figure 17 - System usage sequence diagram

3.3. Development planning

3.3.1. Task IDs

For each task type we assign an ID. They will also correspond to project tracking ones.

- GM: General management
- GM.MET: Team meetings
- WR: Workbook Redaction
- PT: Project tracking
- PC: Project conception
- PC.APP: App conception
- DEV: Development
- DEV.DB: Database tasks
- L: Learning
- L.GF: Learning GEDCOM files
- L.DB: Learning DB structure
- DEV.VIS: Make and implement algorithms for the navigations and visualizations of family trees.
- DEV.RES1: Research a common ancestor by crossing two genealogies.
- DEV.RES2: Find potential cousinship by crossing surnames and cities.

- DEV.NOTIF: Be notified of certain searches.

3.3.2. Team IDs

Each member of the team has an ID made from her or his name initials.

- ICC: Ivo COSTA CUNHA
- CM: Chaymae MAHDI
- PDM: Prince Divin MACKPAYEN
- LB: Lahcene BOUSADIA
- OS: Oussama SAMI

3.3.3. Task assignment and estimated times

Id	Task description	Time Estimate (in m.d)	Task performed (in m.d)	Remains to be done (in m.d)	Actors
WR	Writing the workbook	5	2	2	CM + ICC
PT	Make the follow-up file (Project tracking)	1	1	1	CM + ICC
L.GF	Research the handling of GEDCOM Files and understand how to retrieve information from annotations	5	2	2	PDM
CD	Make a class diagram for this web application	1	0.5	1	ICC
CP	Creation of a Laravel project and integration of an HTML template in there	5	4	4	OS
DEV.DB	Creation of a DB where we will store the GEDCOM files selected by the user	1	2	1	OS
PC.APP	Make app mock-ups	2	1	0	CM

Genealogy Web App – Project Workbook – Team GNLG2

DEV	Development of application functionalities	5	2	7	CM ICC OS PDM LB
GM.MET	Team meetings	3	1	2	CM ICC OS PDM LB

4. Engineering

4.1. Software organization

4.1.1. Classes to be added

Since we aim to use object-oriented programming paradigm a class diagram must be done.




Figure 18 - Non finished class diagram to be implemented

4.1.2. Database tables

After analysing the old expoact system and importing the application database, we found that there is no relation between the tables which will lead us to make our own class diagram with manual relations while keeping the same tables.




Figure 19 - Old system database structure

So, to make the class diagram of our new system we will add to the old system class diagram, and our new class diagram which concerns the management part of the GEDCOM files. which is in the form:

4.2. Build process

4.2.1. Requirements

4.2.1.1. PHP 8+

Not only all is written in PHP in this project but also, we use PHP based packet managers.

1 Windows

To install PHP 8+ on windows just follow the instructions on [this](#) web site and install XAMPP.

2 macOS

If you are on Mac first install Brew with the following command on any terminal.

```
$ /bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/HEAD/install.sh)"
```

Then install PHP via Brew.

```
$ brew install PHP
```

4.2.1.2. Composer

Composer packet manager is mandatory to build the source code.

Install it with the following commands.

```
php -r "copy('https://getcomposer.org/installer', 'composer-setup.php');"

php -r "if (hash_file('sha384', 'composer-setup.php') ===
'906a84df04cea2aa72f40b5f787e49f22d4c2f19492ac310e8cba5b96ac8b
64115ac402c8cd292b8a03482574915d1a8') { echo 'Installer
verified'; } else { echo 'Installer corrupt';
unlink('composer-setup.php'); } echo PHP_EOL;"

php composer-setup.php

php -r "unlink('composer-setup.php');"
```

4.2.1.3. Git

Git is mandatory to clone the project from GitHub, follow the instructions on [this](#) website depending on your environment to install it.

4.2.1.4. MySQL set-up

The application requires a permanent connexion to a MySQL database, the database can either be local or hosted in a distant server. Distant MySQL database doesn't require a local installation, however if you want to use a local database follow the following instructions.

If you are on windows download the latest .msi file on this site and launch it once downloaded.

If you are on macOS just use the following terminal command.

```
$ brew install mysql
```

Once installed the application requires a root user with an empty password.

To achieve that follow the following commands on a MySQL terminal.

```
$ create database laravel;
$
```

... a finir ... (SHOULD USE A SCRIPT AT TERM)

4.2.2. Build process

First clone the GitHub repository with the following command:

```
$ git clone https://github.com/Master1-MIAGE-UCA/GNLG2
```

Once it's done place yourself with your terminal on GNLG2/laravel.

There is a file with the name of **.env.example**, copy it and rename it **.env**.

... a finir ...

4.3. Tests

5. Deployment

5.1. Deliverables

5.2. Installation

5.3. Configuration

5.4. Operations