F-6.5.17 Trip Draft Engine

Version 1.0 | March 2026

User Problem Solved

Travelers planning trips face a blank-slate problem: they have ideas, fragments of routes, tentative dates, but no structured way to incrementally build an itinerary before committing to coverage analysis. Current tools force either:

- Complete itinerary input upfront (overwhelming), or
- Fragmented notes across apps (unstructured)

The Trip Draft Engine solves this by providing a **resumable authoring workspace** where travelers can:

- Capture itinerary ideas incrementally (voice or manual)
- See what's missing before readiness confirmation
- Build routes, activities, and logistics in any order
- Save and return without losing progress
- Receive system-detected blockers and suggestions
- Confirm readiness when they're truly ready (not forced prematurely)

In one sentence: "Let me plan my trip piece by piece, save my progress, and know when I have enough to get real coverage analysis."

In-Scope Behaviors

1. Draft Trip Creation

- User creates a new trip in DRAFT state
- **Required at creation**: Trip name only
- **Optional at creation**: Destination summary, departure date, return date
- System creates:
    - `trips` row with `maturity_state = 'DRAFT'`
    - `trip_draft_versions` row with `version_number = 1`, `draft_status = 'initial_capture'`

- Emit: *trip_draft_created*

Copy:

```
Screen: "Start planning"
Header: "What trip are you building?"
Field: "Trip name" (required)
Fields (optional): "Where?", "When?", "Return?"
Primary CTA: "Create draft"
Secondary: "I have a full itinerary" (skips to structured import)
```

2. Voice-First Itinerary Narration

- User activates voice capture from Draft Home
- Max duration: 5 minutes
- 1-minute warning at 4:00 mark
- On completion:
  - Store verbatim transcript in *draft_narration_versions.transcript_raw*
  - Generate structured parse attempt (proposed route segments, activities, ambiguities, conflicts)
  - Store parse attempt in *draft_narration_versions.parse_attempt* (immutable)
  - Present confirmation screen with structured proposal
- User may:
  - Confirm all (writes to *route_segments*, *activity_candidates*)
  - Edit individual fields before confirming
  - Reject entire proposal

Copy:

```
Screen: "Describe your trip"
Mic button with text: "Go ahead, tell me about your itinerary."
During recording: Timer + waveform visual
At 4:00: "One minute left"
After recording: "Got it. Let me organize that for you..."
Confirmation screen:
  Header: "Here's what I heard"
  Sections: Route segments (editable), Activities (editable), Questions for you (ambiguities)
  Primary CTA: "Looks good"
  Secondary: "Edit details" | "Start over"
```

3. Manual Route Segment Entry

- User adds route segments via structured form

- Fields: Origin, Destination, Travel mode, Carrier (optional), Departure time (optional), Arrival time (optional)
- System assigns `segment_order` automatically (based on existing count + 1)
- All segments start with `segment_status = 'draft'`
- User may:
    - Reorder segments via drag-and-drop (visual) or RPC
    - Edit any field while in DRAFT state
    - Remove segments

Copy:

```
Screen: "Add a leg"
Fields:
  "From" (location autocomplete)
  "To" (location autocomplete)
  "How are you traveling?" (dropdown: Flight, Train, Bus, Car, Ferry, Walk)
  "Airline/Carrier" (optional text)
  "Departure" (datetime picker, optional)
  "Arrival" (datetime picker, optional)
Primary CTA: "Add leg"
Secondary: "Cancel"
```

4. Activity Suggestions & Management

- User views AI-suggested activities for their destination + dates
- Activities displayed with:
    - Activity name
    - Suggested day
    - Estimated duration
    - Confidence score (for AI suggestions; hidden for user-added)
    - Source (AI, creator, user)
- User may:
    - Accept activity (moves to itinerary)
    - Reject activity (hidden from list)
    - Defer activity (stays in suggestions)
    - Add custom activity manually

Copy:

```
Screen: "Activity ideas"
Header: "Here's what travelers enjoy in [destination]"
Activity card:
  Title: "Charles Bridge visit"
  Detail: "2 hours • Suggested for June 15"
```

Source tag: "AI suggestion" or "From [Creator Name]"
Buttons: "Add to trip" | "Not interested"

Empty state (no suggestions):
"No activity suggestions yet. Add route segments to see recommendations, or add activities manually."
CTA: "Add activity"

5. Unresolved Item Tracking

- System automatically flags blockers:
  - Missing departure date
  - Missing return date
  - No route segments
  - Invalid route (schedule conflicts, impossible travel times)
- User may manually flag items:
  - "Need to book hotel"
  - "Check visa requirements"
  - "Budget not finalized"
- Items displayed in **Unresolved Items Panel** (collapsible)
- Each item shows:
  - Type (system-flagged or user-added)
  - Description
  - Blocking status (blocks readiness or just advisory)
  - Resolution action (if available)

Copy:

Panel header: "Before you're ready"
Item (system-flagged):
Icon: ⚠
Text: "Missing return date"
CTA: "Add dates"

Item (user-added):
Icon:
Text: "Need to book hotel in Prague"
CTA: "Mark done" | "Remove"

Empty state:
"Everything looks good. You can confirm readiness when you're ready."

6. Route Normalization & Validation

- System runs route validation automatically when:

    - User adds/edits a route segment
    - User initiates readiness check
- Validation checks:
    - **Schedule conflicts**: Departure before previous arrival
    - **Connection buffers**: Less than 60 minutes between segments (warning)
    - **Travel time feasibility**: Flight duration impossibly short (error)
    - **Geographic logic**: Backtracking routes (warning)
- Results categorized as:
    - **Errors** (block readiness): Schedule conflicts, impossible travel times
    - **Warnings** (advisory, can be acknowledged): Tight connections, inefficient routing

Copy:

```
Validation result (warning):
  Icon: ⚠ yellow
  Text: "Tight connection in London: Only 45 minutes between flights."
  Detail: "Most travelers find this challenging."
  CTA: "I understand" (allows proceeding)

Validation result (error):
  Icon: ⛔ red
  Text: "Schedule conflict: Flight 2 departs before Flight 1 arrives."
  Detail: "Please adjust your times."
  CTA: "Fix segment"

Validation result (success):
  Icon: ✓ green
  Text: "Route looks good"
```

7. Readiness Evaluation

- User clicks "Check Readiness" button
- System runs `evaluate_trip_readiness()` RPC:
    - Check for required dates
    - Check for at least one confirmed route segment
    - Check for unresolved blocking items
    - Run route normalization (check for errors)
- Returns:
    - `ready: true/false`
    - Array of blockers (if any)
    - Route validation results
- If ready:
    - Show "Confirm Trip is Ready" button

        - Explain what happens next (Deep Scan becomes available)
    - If not ready:
        - Show blocker list with resolution actions
        - No confirmation button displayed

Copy:

```
Readiness check (not ready):
  Header: "Not quite ready yet"
  Subheader: "Here's what's missing:"
  Blockers:
    • Missing return date
    • Invalid connection buffer (segment 3 → 4)
  CTA: "Fix blockers"

Readiness check (ready):
  Header: "Your trip is ready!"
  Subheader: "You can now run Deep Scan and attach policies for coverage analysis."
  Detail: "Once confirmed, edits to your itinerary will require re-confirmation."
  Primary CTA: "Confirm trip is ready"
  Secondary: "Keep editing"
```

8. Readiness Confirmation & State Transition

- User clicks "Confirm trip is ready"
- System:
    - Re-runs `evaluate_trip_readiness()` (guard against stale state)
    - If still ready:
        - Update `trips.maturity_state = 'PRE_TRIP_STRUCTURED'`
        - Update `trips.readiness_confirmed_at = now()`
        - Update `trips.readiness_confirmed_by = current_user`
        - Mark all route segments as `segment_status = 'confirmed'`
        - Emit: `trip_readiness_confirmed`
        - Emit: `trip_state_advanced` (DRAFT → PRE_TRIP_STRUCTURED)
    - If no longer ready (edge case):
        - Block transition
        - Show updated blocker list
- User now sees:
    - "Deep Scan" button (enabled)
    - Trip badge: "Ready" (green)
    - Itinerary locked (warning before edits)

Copy:

Confirmation prompt:
Header: "Ready to lock in your itinerary?"
Detail: "This will allow you to run Deep Scan and attach policies. You can still make edits, but you'll need to re-confirm if the itinerary changes."
Primary CTA: "Yes, confirm"
Secondary: "Not yet"

Success message:
"Your trip is ready! You can now run Deep Scan."
CTA: "Run Deep Scan"

9. Material Change Detection & Downgrade

- If trip is in PRE_TRIP_STRUCTURED or later AND user edits:
  - Departure date
  - Return date
  - Route segment (add, remove, or edit)
  - Destination
- System detects "material change" and:
  - Downgrade `maturity_state` back to `DRAFT`
  - Set `readiness_confirmed_at = NULL`
  - Mark route segments as `segment_status = 'draft'`
  - Emit: `trip_maturity_downgraded`
  - Show warning: "Your trip is back in draft mode. Re-confirm readiness to run Deep Scan."

Copy:

Warning before edit:
Header: "This will affect your trip readiness"
Detail: "Changing [field] will move your trip back to draft mode. You'll need to re-confirm before running Deep Scan."
Primary CTA: "Continue"
Secondary: "Cancel"

After downgrade:
Badge: "Draft" (yellow)
Message: "Your trip is back in draft mode because you changed [field]. Check readiness when you're done editing."

10. Draft Resumability

- User can close the app and return later
- Draft state persists:
  - All route segments saved
  - All activity candidates saved
  - All unresolved items saved
  - Latest narration artifacts saved
- On return:
  - User sees Draft Home with current state
  - Can continue editing
  - Can check readiness
  - No data loss

Copy:

```
Dashboard view (draft in progress):
  Card: [Trip Name]
  Status badge: "Draft"
  Progress: "3 route legs • 2 activities • 1 item to resolve"
  CTA: "Continue planning"
```

Out-of-Scope Behaviors

1. Multi-Trip Drafts in Free Tier

Out of scope: Free users may create unlimited draft trips.

In scope (enforced): Free users may have a **maximum of 2 active draft trips** at any time. To create a third draft, they must:

- Archive an existing draft, or
- Confirm an existing draft (transitions to PRE_TRIP_STRUCTURED), or
- Upgrade to paid tier

Copy:

```
Error: "You've reached the limit for active drafts"
Detail: "Free accounts can have 2 active drafts. Archive a draft or confirm it to make room."
Primary CTA: "Manage drafts"
Secondary: "Upgrade"
```

2. Real-Time Collaborative Editing

Out of scope (MVP): Multiple users editing the same draft simultaneously.

In scope (MVP): Group organizer creates draft; participants have **read-only access**.

Phase 2: Full collaboration with:

- Real-time sync
- Conflict resolution
- Edit permissions
- Activity voting

3. Automated Activity Population Without User Confirmation

Out of scope: System adding activities to itinerary without user approval.

In scope: System **suggests** activities; user explicitly accepts or rejects each one.

4. Offline Draft Creation

Out of scope (MVP): Creating new drafts while offline.

In scope (MVP): Viewing existing drafts offline (read-only).

Phase 2: Full offline editing with sync queue.

5. AI-Generated Itineraries from Scratch

Out of scope: "Plan my entire trip to Japan" → System generates full itinerary autonomously.

In scope: User provides initial structure (destination, dates, or route fragments); system **suggests** activities and **warns** about route issues.

Inputs

Input	Source	Format	Required	Validation
Trip name	User (creation form)	Text (max 200 chars)	YES	Non-empty
Destination summary	User (creation form or voice)	Text (max 500 chars)	NO	-

Departure date	User (manual or voice)	Date	NO (initially)	Must be future date; must be before return date
Return date	User (manual or voice)	Date	NO (initially)	Must be after departure date
Route segment origin	User (manual or voice)	Text (location name)	YES (per segment)	Non-empty
Route segment destination	User (manual or voice)	Text (location name)	YES (per segment)	Non-empty
Route segment travel mode	User (manual or voice)	Enum	YES (per segment)	Must be one of: flight, train, bus, car, ferry, walk
Route segment times	User (manual or voice)	Timestamptz	NO	Departure must be before arrival
Activity name	User (manual), AI, Creator	Text (max 200 chars)	YES (per activity)	Non-empty
Activity location	User (manual), AI, Creator	Text (location name)	NO	-
Activity suggested day	AI, Creator	Date	NO	Must be within trip dates
Unresolved item description	User (manual), System	Text (max 500 chars)	YES (per item)	Non-empty
Voice narration transcript	User (voice capture)	Text (unlimited)	YES (per narration)	Non-empty
Account ID	Session	UUID	YES	Valid account

Trip ID	URL param / session	UUID	YES (for existing draft)	Valid trip

---

Outputs

Output	Format	Destination	Conditions
Draft trip created	Event	event_ledger	Always on creation
Route segment added	Event	event_ledger	Always on segment creation
Activity suggested	Event	event_ledger	Always when AI/creator suggests
Unresolved item created	Event	event_ledger	Always when item flagged
Route validation result	JSON	UI + event_ledger	On route normalization
Readiness evaluation result	JSON	UI + event_ledger	On readiness check
Readiness confirmation	State change + Event	trips table + event_ledger	On user confirmation
Maturity downgrade	State change + Event	trips table + event_ledger	On material change detection
Draft Home UI state	React props	Frontend	On page load
Narration parse attempt	JSON	draft_narration_versions	On voice completion

Trip badge	UI component	Frontend	Based on maturity_state

Dependencies

Data Objects (Section 3.2)

- Trip (Object 1) — host object
- TripDraftVersion (Object 15) — versioned draft state
- RouteSegment (Object 16) — itinerary structure
- ActivityCandidate (Object 17) — suggestions/confirmations
- UnresolvedItem (Object 18) — blocker tracking
- DraftNarrationVersion (Object 19) — voice artifacts

Features

- **F-6.5.18** (Route Normalization) — validation logic
- **F-6.5.19** (Activity Auto-Population) — AI suggestions
- **F-6.6.10** (Creator Discovery) — creator-sourced activities (Phase 2)
- **Section 7.4** (Voice-First Interaction Authority) — narration parsing
- **Section 3.5** (Trip Maturity States) — state machine
- **Section 10.2** (Pricing & Entitlements) — draft limit enforcement

External Services

- Speech-to-text API (for voice narration)
- Location autocomplete API (for route segment entry)
- LLM API (for narration parsing and activity suggestions)

Failure Modes & Safe Defaults

1. Voice Narration Parsing Fails

Failure: LLM returns empty or malformed parse attempt.

Safe Default:

- Store transcript anyway (immutable)
- Show error message: **"Didn't quite get that. Want to try again?"**
- Offer: "Try again" or "Enter manually"

- No data loss (transcript preserved)

Event: *trip_draft_narration_parsing_failed*

2. Readiness Check During Network Outage

Failure: *evaluate_trip_readiness()* RPC call fails due to network.

Safe Default:

- Show error message: **"Something's not right on our end. Please try again, or reach out to support if this keeps happening."**
- Do NOT allow readiness confirmation without successful check
- Cached previous readiness result (if exists) shown with warning: "Last checked [timestamp]. May be outdated."

Event: *readiness_check_failed*

3. Material Change Detected While Trip in CLAIM_SUBMITTED State

Failure: User tries to edit itinerary after claim submission.

Safe Default:

- Block edit entirely
- Show error message: "This trip has a submitted claim. Itinerary edits are not allowed."
- Offer: "Create a new trip" or "Cancel"

Event: *edit_blocked_claim_submitted*

4. Concurrent Edits (Same User, Multiple Devices)

Failure: User edits draft on phone and laptop simultaneously.

Safe Default (MVP):

- Last-write-wins
- Show warning on next page load: "This trip was edited on another device. Your changes may have been overwritten."
- No merge logic in MVP

Event: *draft_concurrent_edit_detected*

Future (Phase 2): Operational transform or CRDT for conflict-free merges.

5. Route Normalization API Unavailable

Failure: Mapping API (for travel time calculation) unreachable.

Safe Default:

- Degrade to heuristic validation (simple time checks, no distance calculation)
- Show warning: "Route validation is running in limited mode. Double-check your connection times."
- Allow readiness confirmation (user acknowledges risk)

Event: *route_validation_degraded*

Security & Privacy Requirements

1. Draft Data Visibility

- Drafts are **account-scoped**: Only the creating account may view/edit.
- Exception (Phase 2): Group trip participants may view (read-only) or edit (if co-organizer).
- Support role: Read-only access for troubleshooting.
- Founder role: Full access with audit logging.

2. Voice Narration Retention

- Transcripts may contain PII (names, booking references, personal preferences).
- Retention: Retained while trip is active or archived.
- Deletion: Transcripts deleted on trip hard-delete (30 days post-archive).
- Redaction: On GDPR erasure request, transcripts redacted to "[ERASED]"; parse attempts preserved with PII fields nullified.

3. Activity Suggestions & Personalization

- AI activity suggestions use:
  - Trip destination
  - Trip dates
  - User signal profile (opt-in preferences from onboarding)
- AI suggestions do NOT use:
  - Browsing history outside platform
  - Third-party tracking data
  - Cross-account profiling
- Rejection feedback:

    - Used to suppress re-suggesting same activity on same trip
    - NOT used for cross-trip profiling in MVP (user privacy)
    - Phase 2: Opt-in personalization may use rejection patterns

4. Rate Limiting

- Voice narration parsing: **10 narrations per trip** (free tier), unlimited (paid tier)
- Activity AI suggestions: **20 suggestions per trip** (free tier), unlimited (paid tier)
- Readiness checks: **No limit** (critical workflow)

UX Surfaces

Primary Surfaces (Section 7.3)

1. **Draft Home** (NEW)
    - Purpose: Main authoring workspace for DRAFT trips
    - Components: Trip map, route segments list, activity suggestions panel, unresolved items panel, readiness checklist
    - Entry: Trip in DRAFT state
    - Actions: Add segment, accept activity, resolve item, check readiness
2. **Voice Narration Interface** (EXTENDED from 7.4)
    - Purpose: Voice-first itinerary capture
    - Components: Mic button, timer, waveform, confirmation screen
    - Entry: User clicks "Narrate trip" from Draft Home
    - Actions: Start/stop recording, confirm parse, reject parse
3. **Route Editor** (NEW)
    - Purpose: Manual route segment entry/editing
    - Components: Origin/destination fields, travel mode dropdown, time pickers
    - Entry: User clicks "Add leg" or "Edit leg" from Draft Home
    - Actions: Save segment, cancel, delete segment
4. **Readiness Panel** (NEW)
    - Purpose: Pre-structured checklist and blocker resolution
    - Components: Readiness status, blocker list, validation results
    - Entry: User clicks "Check Readiness" from Draft Home
    - Actions: Confirm readiness, fix blockers, review warnings
5. **Activity Suggestions Panel** (NEW)
    - Purpose: AI/creator-sourced activity discovery
    - Components: Activity cards, filters (by source, category)
    - Entry: Visible by default in Draft Home (collapsible)
    - Actions: Accept, reject, defer activity

Secondary Surfaces

6. **Trip Dashboard** (UPDATED)
    - Shows draft trips with status badge ("Draft", "Ready")
    - CTA: "Continue planning" (for drafts) or "Run Deep Scan" (for ready trips)
7. **Unresolved Items Panel** (NEW)
    - Purpose: Blocker tracking
    - Components: Item list with resolution CTAs
    - Entry: Collapsible panel in Draft Home
    - Actions: Mark item resolved, remove item

Telemetry

Key Metrics

Metric	Type	Purpose
`trip_drafts_created_total`	Counter	Track draft creation volume
`trip_drafts_completed_total`	Counter	Track completion rate (DRAFT → PRE_TRIP_STRUCTURED)
`trip_drafts_abandoned_total`	Counter	Track abandonment (created but never completed)
`avg_draft_duration_seconds`	Histogram	Measure time from creation to readiness confirmation
`narrations_captured_total`	Counter	Voice feature usage
`narrations_confirmed_total`	Counter	Voice feature success rate
`narrations_rejected_total`	Counter	Voice feature rejection rate
`route_segments_added_total`	Counter	Itinerary complexity
`route_normalization_errors_total`	Counter	Validation quality (how often users hit errors)

route_normalization_warnings_total	Counter	Validation sensitivity (how often warnings shown)
activities_suggested_total	Counter	AI suggestion volume
activities_accepted_total	Counter	AI suggestion acceptance rate
activities_rejected_total	Counter	AI suggestion rejection rate
readiness_evaluations_total	Counter	How often users check readiness
readiness_confirmations_total	Counter	Successful readiness transitions
readiness_blockers_total	Counter	How many trips have blockers
avg_blockers_per_draft	Histogram	Blocker distribution
material_changes_post_readiness_total	Counter	How often users downgrade after confirmation

Event Logging

All events from Section 3.2.27 (Event Type Registry) must be emitted and logged to:

- *event_ledger* (persistent audit trail)
- Real-time metrics export (Prometheus/Datadog/equivalent)

Test Scenarios

Happy Path

Scenario 1: Voice-First Draft to Ready

1. User creates trip "Summer in Europe"
2. User narrates: "I'm flying from NYC to Paris on June 10, staying 3 days, then train to Prague, staying 2 days, then flying home on June 16."

3. System parses narration → proposes 3 route segments
4. User confirms all segments
5. System suggests activities (Eiffel Tower, Charles Bridge, etc.)
6. User accepts 2 activities
7. User clicks "Check Readiness" → returns ready
8. User confirms readiness → Trip transitions to PRE_TRIP_STRUCTURED
9. User sees "Run Deep Scan" button enabled

Expected: Smooth flow from voice input to ready state in under 5 minutes.

Scenario 2: Manual Route Building with Warnings

1. User creates trip "Quick London Trip"
2. User manually adds segment: NYC → London (10:00 AM → 10:00 PM)
3. User adds segment: London → Paris (10:30 PM → 11:30 PM same day)
4. System flags warning: "Tight connection: Only 30 minutes between flights."
5. User acknowledges warning: "I understand"
6. User adds return segment: Paris → NYC
7. User clicks "Check Readiness" → returns ready (warning acknowledged)
8. User confirms readiness → Trip transitions to PRE_TRIP_STRUCTURED

Expected: User aware of tight connection; allowed to proceed anyway.

Edge Cases

Scenario 3: Readiness Check with Blocker

1. User creates trip "Mystery Trip"
2. User adds 1 route segment: Paris → London (no dates)
3. User clicks "Check Readiness"
4. System returns: "Not ready. Blockers: Missing departure date, Missing return date."
5. User adds departure date only
6. User clicks "Check Readiness" again
7. System returns: "Not ready. Blockers: Missing return date."
8. User adds return date
9. User clicks "Check Readiness" → returns ready
10. User confirms readiness

Expected: Readiness gate enforces required fields; user cannot bypass.

Scenario 4: Voice Narration Conflict Detection

1. User has draft with confirmed segment: Paris → Prague (June 10)
2. User narrates: "Actually, I want to go to Barcelona instead of Prague."
3. System detects conflict: Existing segment vs. proposed segment

4. Confirmation screen shows: "Existing: Paris → Prague | Proposed: Paris → Barcelona | Action?"
5. User selects "Replace"
6. System marks Prague segment as cancelled, adds Barcelona segment

Expected: Conflict presented clearly; user controls resolution.

Scenario 5: Material Change Downgrade

1. User has trip in PRE_TRIP_STRUCTURED state
2. User clicks "Edit itinerary"
3. System warns: "This will move your trip back to draft mode. Continue?"
4. User confirms
5. User changes departure date
6. System downgrades maturity_state to DRAFT
7. User sees badge change: "Ready" → "Draft"
8. User sees message: "Re-check readiness to run Deep Scan."

Expected: User aware of consequences; cannot run Deep Scan until re-confirmed.

Stress Tests (Section 15.0)

Scenario 6: High-Volume Narration Parsing

- **Trigger**: 100 concurrent users narrating trips simultaneously
- **Expected**: Queue management; no parsing failures; max 30-second delay
- **Degradation**: If LLM API unavailable, transcripts saved; parsing deferred; users notified: "Didn't quite get that. Want to try again?"

Scenario 7: Route Normalization with Missing API

- **Trigger**: Mapping API down; user adds complex 10-segment route
- **Expected**: Heuristic validation only; warnings shown; readiness allowed with acknowledgment
- **Degradation**: Clear messaging: "Route validation in limited mode."

Scenario 8: Draft Limit Enforcement (Free Tier)

- **Trigger**: Free user with 2 active drafts tries to create 3rd
- **Expected**: Blocked with clear message: "Archive or confirm an existing draft first."
- **No degradation**: Hard limit enforced.

Copy Library

Microcopy (Buttons, Labels, CTAs)

Context	Copy
Create draft button	"Start planning"
Add route segment button	"Add leg"
Voice narration button	"Narrate your trip"
Activity accept button	"Add to trip"
Activity reject button	"Not interested"
Readiness check button	"Check readiness"
Readiness confirm button	"Confirm trip is ready"
Blocker resolution CTA	"Fix now"
Warning acknowledgment	"I understand"
Draft resume button	"Continue planning"
Deep Scan gate (draft state)	"Complete your itinerary first"

Error Messages (UPDATED — Human, Conversational)

Error	Message
Draft limit reached	"You've reached the limit for active drafts. Free accounts can have 2 active drafts. Archive a draft or confirm it to make room."
Readiness check failed	**"Something's not right on our end. Please try again, or reach out to support if this keeps happening."**

Voice parsing failed	**"Didn't quite get that. Want to try again?"**
Edit blocked (claimed trip)	"This trip has a submitted claim. Itinerary edits are not allowed."
Concurrent edit detected	"This trip was edited on another device. Your changes may have been overwritten."
Route validation degraded	"Route validation is running in limited mode. Double-check your connection times."

Success Messages

Success	Message
Draft created	"Your draft trip is ready. Start adding details whenever you're ready."
Route segment added	"Leg added."
Activity accepted	"Activity added to your trip."
Unresolved item resolved	"Item resolved."
Readiness confirmed	"Your trip is ready! You can now run Deep Scan."

Informational Messages

Context	Message
Draft Home empty state	"Your trip is just getting started. Add route segments to build your itinerary."

Activity suggestions empty	"No activity suggestions yet. Add route segments to see recommendations, or add activities manually."
Unresolved items empty	"Everything looks good. You can confirm readiness when you're ready."
Voice narration recording	"Go ahead, tell me about your itinerary."
Voice narration processing	"Got it. Let me organize that for you..."
Readiness check (not ready)	"Not quite ready yet. Here's what's missing:"
Readiness check (ready)	"Your trip is ready! You can now run Deep Scan and attach policies for coverage analysis."
Material change warning	"This will affect your trip readiness. Changing [field] will move your trip back to draft mode. You'll need to re-confirm before running Deep Scan."

Feature ID: F-6.5.17 | Trip Draft Engine | Version 1.0 | March 2026

Dependencies: F-6.5.18, F-6.5.19, F-6.6.10, Section 3.2 (Objects 15-19), Section 3.5, Section 7.4

Stress Testing: Section 15.1 (standard scenarios 1-8 applied)

Cross-References: Section 5.0 (Core Product Flows), Section 7.3 (Screen Surface Registry), Section 10.2 (Pricing & Entitlements)