7.3 — Screen Surface Registry (Platform-Wide)

7.3.0 Surface Governance Binding

All registered surfaces are:

• Determinism-bound (1.9)
• Ledger-bound (3.0)
• Confidence-bound (9.2)
• Trace-bound (9.4)
• Permission-gated (8.4)
• Stress-survivable (15.x)

No surface may:

• Display interpretive output without structural order enforcement (7.8)
• Display confidence without canonical enum (9.2)
• Mutate state without ledger emission (3.0.6)
• Bypass mutation guard (3.0.8)
• Reveal model identifiers (15.2.J)
• Bypass redaction rules (15.2.P)

Every surface must declare:

• Required profile type(s)
• Required permission scope
• Operational mode behavior
• Structural dependencies
• Stress degradation policy

If any surface cannot declare these, it is incomplete and may not ship.

7.3.1 Purpose

This section defines the complete registry of platform screen surfaces across all domains.

It maps:

• Screens
• User roles
• Feature IDs

• Allowed actions
• Authority boundaries
• Phone vs Laptop behavior

This section does **not** redefine business logic.
All enforcement rules remain in Section 6 (Feature Catalog) and database-level RPC.

This section exists to:

• Prevent orphan features
• Prevent duplicate logic
• Maintain UI/feature alignment
• Ensure future scalability without screen drift

Merge/Release Gate: No doctrine or feature change may merge unless it maps to an existing 7.3 surface_id or introduces a new surface_id with full contract + stress mapping.

7.3.2 Screen Classification Model

All platform screens fall into one of four domains:

I. Traveler Domain
II. Founder Domain
III. Institutional / Administrative Domain
IV. System & Utility Domain

Each screen listed below must map to at least one Feature ID.

7.3.2.a Active Profile Context Binding (Global Surface Invariant)
Applies to: any surface with export, redaction, permissions, role-based data, or mutation capability.

Required UI elements:

- active_profile_badge (always visible)
- change_context_control (explicit)
- context_switch_forces_rebind (non-optional)

Required behavior:

- every context switch forces permission re-eval + redaction re-eval + export-profile rebind
- deep-link attempts must re-check active context before render
- stale capability tokens rejected

Context-Binding Required Surfaces (minimum set):

• Export Center

• Export Preview / Export Manifest Viewer

• Ask Panel (Investor / Advisor Interface)

• Account & Permissions surfaces

• Any surface that can trigger mutation (Founder / FOCL controls)

• Any surface that can export, redact, or show role-scoped financial data

---

7.4 Technical Mode Toggle

Calm Mode (Default)

Designed for clarity and speed.

Displays:
• Plain language summaries
• Impact explanation
• Suggested safe actions
• Risk level

No raw error codes displayed.

Technical Mode (Expanded View)

Reveals:
• Structured event identifiers
• Failure reason codes
• Downgrade thresholds
• Dependency states

• Timestamp chains
• RPC execution result summaries

Restrictions:
• Technical Mode cannot change state
• Toggle is session-based
• Technical view still logs access event

Purpose:
Support audits without overwhelming default view.

I. TRAVELER DOMAIN SURFACES

These screens serve Solo Travelers and Group Organizers.

---

1. Trip Dashboard

Primary traveler landing surface.

Mapped Features:
• F-6.5.7 Incident & Risk Ledger
• F-6.5.2 Coverage Graph
• F-6.5.3 Credit Card Benefit Orchestration
• F-6.5.6 Evidence Management

Displays:

• Active Trips
• Incident Status
• Coverage Snapshot
• Documentation Status
• Recent Updates

Purpose:
Provide immediate situational awareness.

No enforcement logic executed here.

UI Components

• record_status_badge (Shield + “Recorded”). Source of truth: Section 7.7.8.

---

2. Incident Capture Screen

Mapped Features:
• F-6.5.7 Incident & Risk Ledger
• Causality Classification Object (Section 3.4)

Captures:

• Disruption type
• Timeline markers
• Airline
• Flight number
• Initial artifacts

Must preserve CCO timestamp chain integrity.

UI Components

• record_status_badge (Shield + “Recorded”). Source of truth: Section 7.7.8.

2.a Incident Capture — Voice Mode (Extension)
Mapped Features:
• F-6.5.7 Incident & Risk Ledger
• Section 7.4 Voice-First Interaction Authority Model
Purpose:
Enable voice-first narrative capture as PROPOSED input only.
Captures:
• Raw transcript (provider-tagged)
• Cleaned transcript (derived)
• Structured field proposals (PROPOSED only)
Rules:
• No mutation without explicit confirmation gate
• Must preserve timestamp chain integrity
• Must bind to incident_id once incident exists
Stress Degradation:
• If STT unavailable → allow paste transcript + manual entry
• If ledger unavailable → block commit; allow local draft; log failure state
UI Components:
• voice_capture_toggle (local to surface)
• transcript_timer + duration_limit_warning (soft cap)
• record_status_badge (Shield + “Recorded”)

2.b Incident Conversational Panel

Mapped Features:
• F-6.5.7 Incident & Risk Ledger
• Section 9.5 Conversational Guidance & Incident Advisory Layer

Purpose:
Guided intake, clarifying questions, calm educational guidance.

Rules:
• Silent-by-default; activates only by user action
• Context must bind to incident_id (no cross-incident blending)
• Clarifying answers may populate PROPOSED fields only

Stress Degradation:
• If LLM unavailable → show static guidance + manual structured intake
• Must never block manual incident capture

UI Components:
• guidance_panel
• “Add to incident (proposed)” controls
• confirmation_gate_prompt (before any commit)

2.c Incident Selector Overlay (Multi-Incident Binding)

Mapped Features:
• F-6.5.7 Incident & Risk Ledger

Purpose:
Ensure conversational context is bound to the correct incident.

Rules:
• Required when multiple incidents exist on a trip
• No guidance or proposals may apply without selected incident_id

Stress Degradation:
• Must always function (no AI dependency)

UI Components:
• incident_list_selector
• incident_status_badges

2.d Policy Link Attach (Operator / Activity Link)

Mapped Features:
• F-6.5.6 Evidence Management
• Section 9.5 Policy Link Review (Tier Add-On scaffolding)

Purpose:
Allow user to attach an operator/activity link to an incident and itinerary segment.

Rules:
• Store link even if review is disabled
• Bind: incident primary + itinerary segment secondary

Stress Degradation:
• If capture services down → store link only + user note

UI Components:

• add_link_field
• itinerary_segment_picker (if itinerary exists)

2.e Policy Review Permission Gate (Explicit Consent Surface)
Mapped Features:
• Section 9.5 External Link Review Permission Gate
Purpose:
Explicit user permission before any external fetch / snapshot.
Rules:
• Default No
• Must log grant/deny
• Must check entitlement + rollout scope before allowing capture
Stress Degradation:
• If permission service down → block fetch; allow manual evidence upload
UI Components:
• permission_modal
• “Review + Save Snapshot” CTA (tier-gated)

2.f Policy Snapshot Viewer (Evidence Artifact View)
Mapped Features:
• F-6.5.6 Evidence Management
• Section 9.5 Snapshot Bundle
Purpose:
View stored snapshot artifacts (screenshot + PDF) and extracted policy clauses.
Rules:
• No re-fetch on view
• Export/redaction governed by 8.7 if exported
Stress Degradation:
• If artifacts unavailable → show failure reason + allow manual upload
UI Components:
• snapshot_image_view
• snapshot_pdf_view
• extracted_clauses_panel
• “Add findings to incident” (requires confirmation token)

2.g Safety Advisory Modal (Severity-Aware)
Mapped Features:
• Section 9.5 Safety Mode
Purpose:
Safety check and emergency guidance when user reports serious harm/theft/unsafe situation.
Rules:
• Ask “Are you somewhere safe right now?” first
• If unsafe → show local emergency guidance
• If group trip → suggest notifying group leader (never auto-contact)
Stress Degradation:

• If location unavailable → show generic emergency guidance prompt
UI Components:
• safety_check_modal
• emergency_numbers_panel
• “Continue documentation” action

---

3. Coverage Understanding Screen

Mapped Feature:
• F-6.5.2 Coverage Graph & Overlap Resolution

Displays:

• Coverage overlaps
• Primary vs secondary positioning
• Ambiguity zones
• Uncertainty statements

Never ranks options as “best.”

---

4. Credit Card Benefit Screen

Mapped Feature:
• F-6.5.3 Credit Card Benefit Orchestration

Displays:

• Trigger thresholds
• Delay duration
• Cancellation status
• Airline acceptance checkpoint
• Caps
• Deadlines
• Verification status

Reflects connector downgrade logic from Section 12.5.

---

5. Evidence & Documentation Screen

Mapped Feature:
• F-6.5.6 Evidence & Documentation Management

Displays:

• Uploaded artifacts
• Suggested documentation categories
• Email import (read-only)
• Timeline view

Must follow OAuth transparency standards (Section 7.2).

Never labels evidence “sufficient.”

UI Components

• record_status_badge (Shield + “Recorded”). Source of truth: Section 7.7.8.

---

6. Claim Routing Screen

Mapped Feature:
• F-6.5.5 Claim Routing & Sequencing

Displays:

• Sequencing considerations
• Denial cascade warnings
• Airline acceptance implications
• User-directed action forks

No automated submission occurs here.

---

7. Claim Progress Screen

Mapped Feature:
• F-6.5.15 Claim Progress Tracking

Displays:

• Claim state
• Documentation sent
• Waiting on provider
• Outcome recorded

MVP does not include external API claim integration.

---

8. Claim Packet Generator Screen

Mapped Feature:
• F-6.5.14 Claim Packet Generator

Displays:

• Structured summary
• Copy-ready claim narrative
• Attached evidence list
• Timeline summary
• Coverage references
• Claim narrative draft
• Export (PDF / Copy Text)

Does not submit automatically.

Must log generation event with timestamp.

---

9. Itinerary Risk Screen (Pre-Trip)

Mapped Feature:
• F-6.5.13 Itinerary Risk Modeling

Displays:

• Risk indicators
• Historical disruption patterns
• Advisory insights

No autonomous actions triggered.

---

10. Regulatory & Authority Reporting Screen

Mapped Features:
- F-6.5.11 Regulatory-Aware Incident Reporting
- F-6.5.12 Authority-Driven Disruptions

Displays:

- Disruption classification
- Regulatory context
- Required reporting steps (if applicable)

Does not provide legal advice.

---

11. Carrier Discrepancy Detection Screen

Mapped Feature:
- F-6.5.10 Carrier Discrepancy Detection

Purpose:
Surface inconsistencies between airline records, traveler records, and platform-captured data.

Displays:
- Timeline mismatch indicators
- Fare rule inconsistencies
- Schedule deviation alerts
- Structured explanation of detected discrepancy

Behavior:
- Informational only
- No auto-enforcement
- Allows traveler to attach clarifying evidence

Logging:
All discrepancy views logged as read events.
No auto-escalation without founder-defined rule.

---

12. Regulatory Reporting Surface

Mapped Feature:
- F-6.5.11 Regulatory-Aware Incident Reporting

Purpose:
Provide jurisdiction-aware reporting context when legally required.

Displays:
- Jurisdiction identified
- Relevant passenger rights summary
- Required documentation checklist
- Filing deadline indicators

Restrictions:
- Not legal advice
- No automated government submission in Phase 1

Logging:
All advisory views recorded.

---

13. Authority-Driven Disruption Classification Surface

Mapped Feature:
- F-6.5.12 Authority-Driven Disruptions

Purpose:
Classify disruptions triggered by government orders, weather closures, strikes, or force majeure.

Displays:
- Classified disruption type
- Source attribution
- Coverage implication summary

This screen feeds:
- Coverage Graph
- Claim Packet Generator

Logging required for classification state changes.

---

14. Itinerary Risk Modeling Surface (Expanded)

Mapped Feature:
• F-6.5.13 Itinerary Risk Modeling

Purpose:
Pre-trip advisory modeling.

Displays:
• Risk score (non-alarmist)
• Historical disruption patterns
• Seasonal or route volatility
• Suggested preparation considerations

No predictive guarantees allowed.

II. FOUNDER DOMAIN SURFACES

Defined canonically in:

• F-6.5.16 Founder Operational Control Layer

---

11. Founder Dashboard

Displays:

• Operational Mode
• Connector Health Summary
• Feature Readiness Snapshot
• Regional Activity Snapshot
• Pending Reviews
• Recent Changes

Must provide full system awareness within 60 seconds.

---

12. Decision Queue

Displays:

• Blocked state transitions
• Manual review requirements
• Connector re-enable requests
• Override requests

All actions logged.

---

13. Feature Readiness Panel

Displays:

• Feature ID
• State (Ready / In Development / Disabled / Auto-Suppressed / Degraded)
• What it controls
• Risk level
• Last change source
• Evidence of state

---

14. System Load Awareness

Displays:

• Normal / Elevated / Protective / Recovery
• Protections activated
• Automation paused
• Connector downgrades

References downgrade logic in Section 12.5.

---

15. Activity Map

Displays:

• Incident density
• Downgrade clusters
• Manual review concentration
• Causality clusters

Aggregated only. No PII.

---

16. Airline Connections

Displays:

• Auto-Submission status
• Reply Capture status
• Current connector state
• Plain-language explanation

Technical detail available via expandable view.

---

17. What Changed

Displays:

• Feature updated
• Type of change (Code / Config / Threshold)
• Importance level
• User impact summary
• Post-change auto-protection triggers

---

18. Ask Panel

Displays:

• Request intake
• Feature overlap
• Proprietary risk flag
• Draft modes
• Sent history

---

19. Feature Flag Console (Internal)

Mapped to:
• Section 12.4 Feature Flag System

Laptop-only surface.

Displays:

• Feature flags
• Status
• Rollout percentage
• Safety notes

All changes logged.

19.a Policy Review & Snapshot Rollout Controls (Cockpit Extension)
Mapped Features:
• Section 9.5 Policy Review & Snapshot (Tier Add-On)
Purpose:
Founder control over enablement, rollout, rate limits, and entitlement binding.
Controls:
• policy_review_enabled (global toggle)
• policy_snapshot_capture_enabled
• rollout_scope (global / region / country)
• per-user + per-trip rate limits
• model_route_profile selection (deterministic routing profile)
Rules:
• All changes emit governance events
• No silent retroactive behavior changes
Stress Degradation:
• If ledger unavailable → read-only; show “cannot mutate controls” state

---

20. Event Log Viewer

Mapped to:
• Section 12.5 Logging & Observability

Displays:

• Structured event stream
• Filter by feature

- Filter by connector
- Filter by incident

Read-only.

---

21. Feature Flag Console (Internal Use Only)

Mapped To:
- Section 12.4 Feature Flag System

Purpose:
Allow controlled rollout and rollback of features.

Displays:
- Feature ID
- Flag name
- Status (On / Off / Partial Rollout %)
- Linked Feature
- Rollout notes

Actions:
- Enable
- Disable
- Adjust rollout %
- Schedule activation

Authority Boundaries:
Laptop-only.
Step-up verification required for enabling flags tied to revenue-impacting features.

All changes logged as:
feature_flag_changed

No UI-level logic enforcement allowed.

22. System Audit & Event Recorder Status Surface

Mapped To:
- Section 12.5 Logging & Observability

Purpose:
Ensure the immutable event log system is operational.

Displays:
- Event log status (Active / Delayed / Not Recording)
- Last event timestamp
- Write latency indicator
- Log integrity checksum status

If event log inactivity exceeds threshold:
- Founder Dashboard must display non-alarmist warning
- Technical Mode reveals detailed cause

Restrictions:
- Founder cannot disable logging
- Logging is system-protected state

Critical Principle:
If logging fails, platform enters Protective Mode automatically.

All logging subsystem state changes must self-log when restored.

III. INSTITUTIONAL / ADMIN DOMAIN SURFACES

Reserved for Phase 2+.

Includes:

- Institutional Admin Dashboard
- Guardian Notification Center
- Assisted Advocacy Portal
- Case Studies Library

These surfaces are reserved to prevent structural drift.

IV. SYSTEM & UTILITY SURFACES

---

21. Account & Permissions

Displays:

• Role assignment
• Device session management
• Access revocation
• MFA settings

---

22. Privacy & Data Controls

Displays:

• Data export
• Data retention settings
• Consent history
• OAuth connections

1. **Export Center Surface (System & Utility)**

- entry point for exports
- must require recipient profile selection
- defaults to redacted
- shows “what will be included” preview

2. **Export Manifest Viewer Surface (System & Utility)**

- renders the **Export Completeness Manifest**
- shows completeness state + missing fields + redaction ruleset version
- shows why blocked when blocked

---

23. Security Activity Log

Displays:

• Login attempts
• Permission changes
• High-risk action history

---

24. Account & Permissions Management Surface

Purpose:
Define role-based access and device authority.

Displays:
• Active sessions
• Device list
• Role assignment
• Access level (Traveler / Founder / Admin)
• MFA status
• Step-up verification history

Actions:
• Revoke device
• Rotate credentials
• Elevate role (Founder only, laptop only)

All changes require logging event:
permission_modified
session_revoked
role_elevated

Laptop-only for structural permission changes.

---

25. Security Activity Log Surface

Purpose:
Expose high-risk actions clearly.

Displays:
• Login attempts
• Threshold changes
• Connector overrides
• Feature flag changes
• Protective mode overrides

Read-only.

Derived entirely from immutable event_logs.

7.3.3 Phone vs Laptop Policy

Phone:

• Read-only default
• Approve low-risk reviews
• Draft Ask responses

Laptop:

• Threshold adjustments
• Feature overrides
• Connector re-enable
• Protective mode override
• Feature flag changes

Step-up verification required for structural actions.

7.3.4 Technical Mode Toggle

All Founder Domain screens must support:

• Calm Mode (default)
• Technical Mode (expanded)

Technical Mode reveals:

• Failure reason codes
• Structured event identifiers
• Threshold metrics

Default view hides jargon.

7.3.5 Survivability Principle

The platform must remain fully operational for 24–48 hours without Founder login.

All screens are supervisory, not required for core functionality.

7.3.6 Cross-References

Feature Logic: Section 6.5.x
Logging & Downgrade Logic: Section 12.5
QA & Regression: Section 12.6
Visual Design System: Section 7.7
Calm Language System: Section 7.2
Deterministic Decision Output Structure: Section 7.8
Permissioning & Audit Logs: Section 8.4
Confidence Labels & Uncertainty Language: Section 9.2
Interpretive Traceability & Drift Governance: Section 9.4
Stress Testing & Scenario Hardening: Section 15.0 / 15.1

UI Polish Boundary:

• Visual/interaction polish is governed exclusively by Section 7.7

• Surface existence, authority boundaries, and enforcement linkage remain governed by Section 7.3

7.3.7 Founder Activity Map Surface (Global Operations View)

Surface Type: Founder Operational Control
Visibility: Founder Mode Only
Purpose: Visual command interface for regional system stability, load distribution, and financial visibility.

Core Components:

- Global 2D/3D map view

- Region color status (Calm / Elevated / Strained / Critical)
- Region click drilldown panel
- System Speed (plain language)
- Record Integrity Status
- Backlog Level (Low / Medium / High)
- Revenue Snapshot
- Load Status Indicator (relative to baseline)
- Allocation Capacity Controls access
- Financial Drilldown export access

Behavior:

- Calm during normal operation
- Highlights during strain
- Supports region-specific intervention
- Displays read-only signals separate from action controls

7.3.7.1 — Allocation Capacity Controls Panel

Surface Type: Founder Operational Lever
Visibility: Founder Mode
Purpose: Temporary resource adjustment during system strain.

Inputs Required:

- Region Scope
- Duration (custom hours allowed)
- Resource Type:
    - AI Processing

    - Database Capacity
    - Verification Tightening
    - Automation Throttle

Display Elements:

- Baseline Cost (read-only)
- Current Cost
- Predicted Cost
- Predicted Revenue Impact
- Predicted Stability Impact
- Confirmation Gate

Doctrine:
All resource expansion must show projected operational and financial consequences before execution.

7.3.7.2 — Finance Overview Surface

Surface Type: Founder Financial Dashboard
Visibility: Founder Mode
Purpose: Regional and global revenue monitoring.

Default Views:

- Daily
- Weekly
- Monthly
- 13-Week Rolling Window

Capabilities:

- Region-specific drilldown
- P&L snapshot
- Revenue source breakdown
- Export Profiles:
    - Investor
    - Auditor
    - Bank
    - Internal
    - Redacted External

Default Export Behavior:
Redacted mode unless a profile is selected.

7.3.7.3 — Crisis Transparency Banner

Surface Type: Public + Founder
Purpose: Transparent communication during active disruption events.

Content Includes:

- What is happening
- What is limited
- What remains stable
- Why temporary measures exist
- Enrollment fee explanation (if active)
- Expected review timelines

7.3.8 Surface Survivability Mapping

Each registered surface must declare which Stress Family applies (Section 15):

A. Infrastructure
B. Connector
C. Interpretive
D. Financial
E. Governance
F. Drift
G. Export
H. Recipient Misclassification
I. Redaction Drift
J. Model Identity Leak
K. Financial Distortion
L. Regional Isolation
M. Feature Lifecycle
N. Evidence Durability
O. Forecast Manipulation

Surface → Stress Family mapping must exist.

Mapping requirement (non-optional):

• Each surface must declare:

- primary_stress_family (single)

- secondary_stress_families (0+)

Primary vs Secondary:

• Primary = the dominant failure mode that blocks release first

• Secondary = additional applicable stress families that must still be tested

Release blocked if:

• primary_stress_family missing

• primary_stress_family not in the canonical family list

• surface declares Export/Redaction capability but primary_stress_family is not G/H/I/J/K (as applicable)

Merge blocked if a doctrine/feature change adds a new surface requirement without updating primary/secondary stress mapping.

Release blocked if:

• Surface lacks stress family mapping
• Surface lacks operational mode definition
• Surface lacks permission declaration
• Surface lacks structural dependency declaration

7.3.8.a Canonical Surface → Stress Mapping Table

> A Infrastructure • B Connector • C Interpretive • D Financial • E Governance • F Drift • G Export Overload • H Recipient Misclassification • I Redaction Drift • J Model Identity Leak • K Financial Export Distortion • L Regional Isolation • M Feature Activation Lifecycle • N Evidence Durability • O Forecast Drift Under Allocation Manipulation

---

Traveler Domain

Surface: Trip Dashboard
Primary: C (Interpretive)
Secondary: A (Infrastructure), F (Drift), D (Financial)

Surface: Incident Capture Screen
Primary: A (Infrastructure)
Secondary: E (Governance), N (Evidence Durability)

Surface: Coverage Understanding Screen
Primary: C (Interpretive)
Secondary: F (Drift), D (Financial)

Surface: Credit Card Benefit Screen
Primary: D (Financial)
Secondary: C (Interpretive), F (Drift)

Surface: Evidence & Documentation Screen
Primary: N (Evidence Durability)
Secondary: E (Governance), G (Export Overload)

Surface: Claim Routing Screen
Primary: C (Interpretive)
Secondary: F (Drift), E (Governance), D (Financial)

Surface: Claim Progress Screen
Primary: A (Infrastructure)
Secondary: E (Governance)

Surface: Claim Packet Generator Screen
Primary: G (Export Overload)
Secondary: I (Redaction Drift), H (Recipient Misclassification), N (Evidence Durability), K (Financial Export Distortion)

Surface: Itinerary Risk Screen (Pre-Trip)
Primary: C (Interpretive)
Secondary: F (Drift), D (Financial)

Surface: Regulatory & Authority Reporting Screen
Primary: E (Governance)
Secondary: L (Regional Isolation), I (Redaction Drift)

Surface: Carrier Discrepancy Detection Screen
Primary: B (Connector)
Secondary: C (Interpretive), F (Drift)

Surface: Regulatory Reporting Surface
Primary: E (Governance)
Secondary: I (Redaction Drift), L (Regional Isolation)

Surface: Authority-Driven Disruption Classification Surface
Primary: C (Interpretive)
Secondary: E (Governance), F (Drift)

Surface: Itinerary Risk Modeling Surface (Expanded)
Primary: F (Drift)
Secondary: C (Interpretive), D (Financial)

Founder Domain

Surface: Founder Dashboard
Primary: E (Governance)
Secondary: A (Infrastructure), M (Feature Activation Lifecycle), D (Financial)

Surface: Decision Queue
Primary: E (Governance)
Secondary: M (Feature Activation Lifecycle), A (Infrastructure)

Surface: Feature Readiness Panel
Primary: M (Feature Activation Lifecycle)
Secondary: E (Governance), A (Infrastructure)

Surface: System Load Awareness
Primary: A (Infrastructure)
Secondary: B (Connector), E (Governance)

Surface: Activity Map
Primary: L (Regional Isolation)
Secondary: A (Infrastructure), D (Financial)

Surface: Airline Connections
Primary: B (Connector)
Secondary: A (Infrastructure), E (Governance)

Surface: What Changed
Primary: F (Drift)
Secondary: M (Feature Activation Lifecycle), E (Governance)

Surface: Ask Panel
Primary: H (Recipient Misclassification)
Secondary: E (Governance), I (Redaction Drift)

Surface: Feature Flag Console (Internal)
Primary: M (Feature Activation Lifecycle)
Secondary: E (Governance), A (Infrastructure)

Surface: Event Log Viewer
Primary: E (Governance)
Secondary: A (Infrastructure)

Surface: Feature Flag Console (Internal Use Only)
Primary: M (Feature Activation Lifecycle)
Secondary: E (Governance), A (Infrastructure)

Surface: System Audit & Event Recorder Status Surface
Primary: A (Infrastructure)
Secondary: E (Governance)

System & Utility Domain

Surface: Account & Permissions
Primary: E (Governance)
Secondary: H (Recipient Misclassification), A (Infrastructure)

Surface: Account & Permissions Management Surface
Primary: E (Governance)
Secondary: H (Recipient Misclassification), A (Infrastructure)

Surface: Privacy & Data Controls
Primary: I (Redaction Drift)
Secondary: E (Governance), H (Recipient Misclassification)

Surface: Security Activity Log
Primary: E (Governance)
Secondary: A (Infrastructure)

Surface: Security Activity Log Surface
Primary: E (Governance)
Secondary: A (Infrastructure)

Amendment v1.1 — Trip Draft Engine & Discovery Screen Surfaces

March 2026 | Addendum to Section 7.3 v1.0

Purpose of Amendment

This amendment **adds 10 new screen surfaces** to support:

- Trip Draft Engine (F-6.5.17)

- Route Normalization (F-6.5.18)
- Activity Auto-Population (F-6.5.19)
- Creator Discovery (F-6.6.11)
- Route Environmental Intelligence (F-6.5.20)

All existing Section 7.3 v1.0 screen surfaces **remain registered**. This amendment **adds** new surfaces without removing existing ones.

7.3.X — New Screen Surfaces (Trip Draft Engine)

S-DRAFT-001: Draft Home

Purpose: Main authoring workspace for trips in DRAFT maturity state

Entry Conditions:

- User has trip in DRAFT state
- User clicks "Continue planning" from trip dashboard

Components:

- Trip map (interactive, shows route segments)
- Route segments list (ordered, editable)
- Activity suggestions panel (collapsible)
- Unresolved items panel (collapsible)
- Readiness checklist (expandable)
- Voice narration button (mic icon)
- "Check Readiness" CTA (primary)

Primary Actions:

- Add route segment
- Edit route segment
- Remove route segment
- Accept/reject activity
- Resolve unresolved item
- Activate voice narration
- Check readiness
- Confirm trip is ready (if ready)

State Dependencies:

- Trip must be in DRAFT state

- If trip in PRE_TRIP_STRUCTURED+ → Redirect to Itinerary view (read-only)

Copy Examples:

Empty state (no segments):

"Your trip is just getting started. Add route segments to build your itinerary."

CTA: "Add leg"

With segments but not ready:

Progress bar: "3 route legs • 2 activities • 1 item to resolve"

CTA: "Check Readiness"

Ready to confirm:

Badge: "Ready to confirm" (green)

CTA: "Confirm trip is ready"

Cross-References:

- F-6.5.17 (Trip Draft Engine)
- F-6.5.18 (Route Normalization) — validation results shown inline
- F-6.5.19 (Activity Auto-Population) — suggestions panel
- Section 3.5 (Trip Maturity States) — DRAFT state

S-DRAFT-002: Voice Narration Interface

Purpose: Voice-first itinerary capture (extended from incident narration)

Entry Conditions:

- User clicks microphone button in Draft Home
- OR: User clicks "Narrate trip" from empty Draft Home

Components:

- Mic button (large, center)
- Timer (showing recording duration)

- Waveform visual (audio feedback)
- Stop button
- Cancel button

Recording Flow:

1. User taps mic → Recording starts
2. Timer counts up (max 5 minutes)
3. At 4:00 → Warning: "One minute left"
4. At 5:00 → Auto-stop
5. Processing screen: "Got it. Let me organize that for you..."
6. Transition to Narration Confirmation screen

Primary Actions:

- Start recording
- Stop recording
- Cancel (discard)

State Dependencies:

- Trip in DRAFT state
- Voice narration parse limit not exceeded (free: 10/trip, paid: unlimited)

Copy:

Initial prompt: "Go ahead, tell me about your itinerary."

Recording: "Recording... [timer]"

At 4:00: "One minute left"

Processing: "Got it. Let me organize that for you..."

Cross-References:

- F-6.5.17 (Trip Draft Engine)
- Section 7.4 (Voice-First Interaction Authority) — extended to trip drafting
- Section 10.2 (Pricing) — narration parse limits

S-DRAFT-003: Narration Confirmation Screen

Purpose: Review and confirm voice-parsed itinerary proposal

Entry Conditions:

- Voice narration completed successfully
- Parse attempt generated (no timeout)

Components:

- Header: "Here's what I heard"
- Route segments section (editable cards)
- Activities section (editable cards)
- Ambiguities/Questions section (if any)
- Conflicts section (if detected)
- Primary CTA: "Looks good"
- Secondary CTA: "Edit details" | "Start over"

Confirmation Flow:

1. User reviews parsed segments + activities
2. User edits inline (if needed)
3. User clicks "Looks good" → Write to database
4. OR: User clicks "Start over" → Discard parse, return to Draft Home

Primary Actions:

- Confirm all (accept parse)
- Edit individual segment/activity
- Reject all (start over)

State Dependencies:

- Narration parse attempt exists (`parse_status = 'proposed'`)
- Trip in DRAFT state

Copy:

Header: "Here's what I heard"

Sections:

Route segments (3 found):

• Paris → Prague, June 10

• Prague → Vienna, June 13

[Each editable inline]

Activities (2 suggestions):

• Eiffel Tower visit

• Charles Bridge walk

[Each can be accepted/rejected]

Questions for you:

• Did you mean "Prague" or "Bratislava"? (ambiguity detected)

Primary CTA: "Looks good"

Secondary: "Edit details" | "Start over"

Cross-References:

- F-6.5.17 (Trip Draft Engine)
- Section 7.4 (Voice Authority) — proposal-only, confirmation required

---

S-DRAFT-004: Route Editor

Purpose: Manual route segment entry/editing

Entry Conditions:

- User clicks "Add leg" in Draft Home
- OR: User clicks "Edit" on existing segment

Components:

- Origin field (location autocomplete)
- Destination field (location autocomplete)
- Travel mode dropdown (Flight, Train, Bus, Car, Ferry, Walk)
- Carrier field (optional text)
- Departure datetime picker (optional)
- Arrival datetime picker (optional)
- Save button (primary CTA)

- Cancel button (secondary)

Validation:

- Origin + Destination required (non-empty)
- Travel mode required
- If times provided: Departure < Arrival

Primary Actions:

- Save segment (create or update)
- Cancel (discard changes)
- Delete segment (if editing existing)

State Dependencies:

- Trip in DRAFT state
- If trip in PRE_TRIP_STRUCTURED+: Show warning before edit (material change)

Copy:

Screen title: "Add a leg" (or "Edit leg")

Fields:

"From" → Paris, France

"To" → Prague, Czech Republic

"How are you traveling?" → Flight

"Airline/Carrier" → Air France (optional)

"Departure" → June 10, 2026 10:00 AM (optional)

"Arrival" → June 10, 2026 12:30 PM (optional)

Primary CTA: "Add leg" (or "Save changes")

Secondary: "Cancel"

Cross-References:

- F-6.5.17 (Trip Draft Engine)

- F-6.5.18 (Route Normalization) — validation runs after save

---

S-DRAFT-005: Readiness Panel

Purpose: Pre-confirmation checklist showing trip readiness status

Entry Conditions:

- User clicks "Check Readiness" in Draft Home

Components:

- Readiness status (Ready / Not Ready)
- Blocker list (if not ready)
- Route validation results (errors + warnings)
- Unresolved items summary
- "Confirm Trip is Ready" button (if ready)
- "Fix Blockers" CTAs (if not ready)

Display Modes:

Mode 1: Not Ready

Header: "Not quite ready yet"

Subheader: "Here's what's missing:"

Blockers:

⛔ Missing return date [Fix now]

⛔ Invalid connection buffer (segment 3 → 4) [Fix segment]

CTA: "Fix blockers"

Mode 2: Ready

Header: "Your trip is ready!"

Subheader: "You can now run Deep Scan and attach policies for coverage analysis."

Detail: "Once confirmed, edits to your itinerary will require re-confirmation."

Primary CTA: "Confirm trip is ready"

Secondary: "Keep editing"

Primary Actions:

- Confirm readiness (if ready)
- Fix individual blockers (if not ready)
- Return to Draft Home

State Dependencies:

- Trip in DRAFT state
- Readiness evaluation result available

Cross-References:

- F-6.5.17 (Trip Draft Engine)
- F-6.5.18 (Route Normalization)
- Section 3.5 (Trip Maturity States) — readiness gate

S-DRAFT-006: Activity Suggestions Panel

Purpose: Display AI/creator-sourced activity suggestions

Entry Conditions:

- Visible by default in Draft Home (collapsible)
- User has route segments added (for AI suggestions)

Components:

- Panel header: "Activity ideas"
- Activity cards (scrollable list)
- Filters (by source: AI, Creator, User-added)
- "Add activity" button (manual entry)
- Empty state message (if no suggestions)

Activity Card Structure:

Activity card:

  Title: "Charles Bridge visit"

Detail: "2 hours • Suggested for June 15"

Category icon: (sightseeing)

Source tag: "AI suggestion" or "From [Creator Name]"

Buttons: "Add to trip" | "Not interested"

Primary Actions:

- Accept activity (add to itinerary)
- Reject activity (hide from list)
- Add custom activity (manual entry)
- Filter by source

State Dependencies:

- Trip in DRAFT or PRE_TRIP_STRUCTURED state
- AI suggestion limit not exceeded (free: 20/trip, paid: unlimited)

Copy:

Panel header: "Activity ideas"

Subheader: "Here's what travelers enjoy in [destination]"

Empty state:

"No activity suggestions yet. Add route segments to see recommendations, or add activities manually."

CTA: "Add activity"

Cross-References:

- F-6.5.19 (Activity Auto-Population)
- F-6.6.11 (Creator Discovery) — creator-sourced activities
- Section 10.2 (Pricing) — AI suggestion limits

S-DRAFT-007: Unresolved Items Panel

Purpose: Track blockers and to-do items before readiness confirmation

Entry Conditions:

- Visible by default in Draft Home (collapsible)

Components:

- Panel header: "Before you're ready"
- Item list (system-flagged + user-added)
- "Mark done" CTAs
- "Remove" CTAs (user-added items only)
- Empty state (when all resolved)

Item Types:

- System-flagged (red ⚠): Missing dates, invalid routes
- User-added (yellow): Custom to-dos

Primary Actions:

- Mark item as resolved
- Remove user-added item
- Add new item (user-flagged)

State Dependencies:

- Trip in DRAFT state

Copy:

Panel header: "Before you're ready"

Item (system-flagged):

Icon: ⚠

Text: "Missing return date"

CTA: "Add dates"

Item (user-added):

Icon:

Text: "Need to book hotel in Prague"

CTA: "Mark done" | "Remove"

Empty state:

"Everything looks good. You can confirm readiness when you're ready."

Cross-References:

- F-6.5.17 (Trip Draft Engine)
- Section 3.5 (Trip Maturity States) — readiness blockers

7.3.Y — New Screen Surfaces (Creator Discovery)

S-CREATOR-001: Creator Discovery Search

Purpose: Search for travel creator videos by destination or theme

Entry Conditions:

- User clicks "Discover activities" in Draft Home
- OR: User clicks "Find creators" in onboarding

Components:

- Search bar: "Search creators or destinations"
- Filters (Platform, Region, Travel style)
- Video results (grid or list view)
- Creator profile cards
- Pagination (if >10 results)

Primary Actions:

- Search (submit query)
- Filter results
- Click video (go to Video Detail)
- Click creator (go to Creator Profile)

State Dependencies:

- Search rate limit not exceeded (100 searches/day all tiers)
- Free tier: Results capped at 2 videos per search

Copy:

Search placeholder: "Search creators or destinations"

Free tier results:

Header: "Showing 2 of [N] videos for [query]"

Detail: "Upgrade to see all creator recommendations."

CTA: "Upgrade for full access"

Paid tier results:

Header: "[N] videos found for [query]"

Cross-References:

- F-6.6.11 (Creator Discovery)
- Section 10.2 (Pricing) — search result limits

S-CREATOR-002: Creator Video Detail

Purpose: View creator video with location tags and activity extractions

Entry Conditions:

- User clicks video from Creator Discovery search

Components:

- Video player (embedded YouTube/TikTok iframe)
- Location tags timeline (below video)
- Activity extractions list
- "Add to trip" buttons (per tag/activity)
- "Watch on [Platform]" fallback link

Location Tag Timeline:

Location tags in this video:

00:45 Senso-ji Temple (Landmark)

[Add to trip] [View on map]

02:30 Ichiran Ramen (Restaurant)

[Add to trip] [View on map]

Primary Actions:

- Play/pause video
- Jump to timestamp (click location tag)
- Add location to trip
- Add activity to trip
- View on map

State Dependencies:

- Free tier: First 2 tags visible, rest blurred (upgrade prompt)
- Paid tier: All tags + activities visible

Cross-References:

- F-6.6.11 (Creator Discovery)
- F-6.5.19 (Activity Auto-Population) — integration point
- Section 10.2 (Pricing) — preview limits

7.3.Z — New Screen Surface (Weather)

S-WEATHER-001: Weather Check Interface

Purpose: On-demand weather checks (voice or button) during trip

Entry Conditions:

- User viewing itinerary in ACTIVE_TRIP state
- User clicks "Check Weather" button OR activates voice

Components:

- Microphone button (voice-first)
- "Check Weather" button (fallback)

- Weather summary card (result display)
- Route conditions summary
- Advisories (if any)

Weather Summary Card:

Header: "Weather on your route"

Origin: "Paris: Clear, 20°C"

Destination: "Prague: Light rain, 15°C"

Route conditions: "Train travel: No delays expected"

Advisory: "Consider bringing an umbrella for Prague"

Primary Actions:

- Voice narration ("How's the weather?")
- Button tap (location-based check)
- View detailed forecast

State Dependencies:

- Trip in ACTIVE_TRIP state
- Weather API available (graceful degradation if down)

Copy:

Button label: "Check Weather"

Voice prompt: "How's the weather on my route?"

Voice response:

"The weather in Prague looks clear for the next 24 hours. Your train ride should be smooth."

Cross-References:

- F-6.5.20 (Route Environmental Intelligence)
- Section 7.4 (Voice Authority) — voice interaction rules

7.3.SUMMARY — New Surfaces Summary Table

Surface ID	Name	Feature	Entry	State Dependency
S-DRAFT-001	Draft Home	F-6.5.17	Trip in DRAFT	DRAFT only
S-DRAFT-002	Voice Narration Interface	F-6.5.17	Mic button	DRAFT, parse limit
S-DRAFT-003	Narration Confirmation	F-6.5.17	Parse completed	DRAFT, parse proposed
S-DRAFT-004	Route Editor	F-6.5.17	Add/edit leg	DRAFT or PRE_TRIP_STRUCTURED
S-DRAFT-005	Readiness Panel	F-6.5.17	Check Readiness	DRAFT only
S-DRAFT-006	Activity Suggestions Panel	F-6.5.19	Draft Home (collapsible)	DRAFT or PRE_TRIP_STRUCTURED
S-DRAFT-007	Unresolved Items Panel	F-6.5.17	Draft Home (collapsible)	DRAFT only
S-CREATOR-001	Creator Discovery	F-6.6.11	Discover activities	Any state

	Search			
S-CREATOR-002	Creator Video Detail	F-6.6.11	Video click	Any state
S-WEATHER-001	Weather Check Interface	F-6.5.20	Active trip	ACTIVE_TRIP

7.3.MIGRATION — Screen Surface Registry Updates

Add to existing registry table (*screen_surfaces*):

surface_id	surface_name	feature_id	entry_condition	state_dependency	component_count
S-DRAFT-001	Draft Home	F-6.5.17	Trip in DRAFT	DRAFT	7
S-DRAFT-002	Voice Narration Interface	F-6.5.17	Mic button	DRAFT	5
S-DRAFT-003	Narration Confirmation	F-6.5.17	Parse completed	DRAFT	6

S-DRAFT-004	Route Editor	F-6.5.17	Add/edit leg	DRAFT, PRE_TRIP_STRUCTURED	7
S-DRAFT-005	Readiness Panel	F-6.5.17	Check Readiness	DRAFT	5
S-DRAFT-006	Activity Suggestions Panel	F-6.5.19	Draft Home	DRAFT, PRE_TRIP_STRUCTURED	4
S-DRAFT-007	Unresolved Items Panel	F-6.5.17	Draft Home	DRAFT	4
S-CREATOR-001	Creator Discovery Search	F-6.6.11	Discover activities	Any	6
S-CREATOR-002	Creator Video Detail	F-6.6.11	Video click	Any	5
S-WEATHER-001	Weather Check Interface	F-6.5.20	Active trip	ACTIVE_TRIP	5

Section 7.3 Amendment v1.1 — Trip Draft Engine & Discovery Screen Surfaces | March 2026

Adds: 10 new screen surfaces (7 Draft Engine, 2 Creator Discovery, 1 Weather)

Binding: F-6.5.17, F-6.5.18, F-6.5.19, F-6.6.11, F-6.5.20, Section 3.5, Section 7.4, Section 10.2

WAYFARER PLATFORM — PRODUCT BIBLE

SECTION 7.3 AMENDMENT v1.2

SCREEN SURFACE REGISTRY — COMPLETE RECONCILIATION

March 2026 · Supersedes Amendment v1.1 · Binding

7.3 Amendment v1.2 — Purpose

Section 7.3 v1.0 defined the base traveler and founder surfaces. Amendment v1.1 added Trip Draft Engine and Creator Discovery screens. This amendment adds all surfaces introduced by: Section 3.6 (Passenger Rights & Disruption Resolution Engine), F-6.5.8 (Active Disruption Options Engine), F-6.5.9 (Participant Travel Readiness & Checklist Engine), the Emergency System (F-6.6.4 + F-6.6.6 doctrine), the FOCL Feature Intelligence Panel (F-6.5.16 Amendment v1.1), and the Governance Trust Panel widget.

NOTE

All surfaces from v1.0 and Amendment v1.1 remain registered unchanged. This amendment adds new surfaces only. No existing surface_id is modified or removed.

New Surfaces Added in This Amendment

Surface ID	Name	Domain	Feature	Status
S-EMERGENCY-001	Emergency SOS Sheet	Traveler	F-6.6.4, F-6.6.6	New
S-EMERGENCY-002	Trip Safety Card	Traveler	F-6.6.4, F-6.6.6	New
S-DISRUPT-001	Disruption Resolution State Tracker	Traveler	Section 3.6, F-6.5.4	New
S-DISRUPT-002	Active Disruption Options Panel	Traveler	F-6.5.8	New

S-DISRUPT-003	Statutory Rights Advisory Surface	Traveler	Section 3.6	►► New
S-DISRUPT-004	Consequence Advisory Panel	Traveler	Section 3.6.8, 3.3.19.A	►► New
S-DISRUPT-005	Filing Deadline Tracker	Traveler	Section 3.6.9.B, Claims	►► New
S-CHECKLIST-001	Participant Readiness Checklist	Traveler	F-6.5.9	►► New
S-CHECKLIST-002	Group Readiness Overview	Traveler (Organizer)	F-6.5.9	►► New
S-FOCL-INT-001	Feature Intelligence Panel	Founder	F-6.5.16.j	►► New (built)
S-FOCL-INT-002	Sub-Capability Control Panel	Founder	F-6.5.16.j	►► New
S-FOCL-INT-003	Connector Status Panel	Founder	F-6.5.16.j	►► New
S-GOV-001	Governance Trust Panel Widget	Founder	F-6.5.16, Section 3.0	►► New (built)
S-CLAIM-EXT-001	Claim Sequence View	Traveler	F-6.5.5, Section 3.6	⚡ Extension to existing Claim Routing Screen
S-INCIDENT-EXT-001	Incident Disruption Resolution State Badge	Traveler	Section 3.6.9	⚡ Extension to existing Incident Capture Screen

---

I. Emergency System Surfaces

These two surfaces implement the dual-button emergency system described in the product narrative sessions. They are persistent overlay surfaces that appear on top of any traveler screen when triggered. They are never part of a navigation flow — they are always directly accessible.

S-EMERGENCY-001 — Emergency SOS Sheet

NEW SURFACE

Implements the red emergency floating button. No confirmation dialogue. No menu. Traveler taps red button and within 5 seconds is on a dial screen.

Attribute	Value
Surface ID	S-EMERGENCY-001
Entry Condition	User taps red SOS floating button (always visible on any traveler screen during active trip)
Dismissal	Single dismiss button at bottom. Dismissal is logged as emergency_dismissed event.
Feature Bindings	F-6.6.4 (Emergency Location Availability), F-6.6.6 (Emergency Delegate & Backup Contact)
Permission Scope	Traveler — always available. No entitlement check. No feature flag gate.
Primary Stress Family	A (Infrastructure) — must function even if backend is unreachable. Numbers are device-local.
Secondary Stress	E (Governance), L (Regional Isolation)
Phone / Laptop	Phone only. This surface does not exist on desktop.
Operational Mode	Available in ALL modes including RECOVERY. This surface is never degraded.

Content

- Header label: EMERGENCY (uppercase, plain text — never "SOS", never icon-only)
- Title: "Get help immediately"
- Subtitle: "One tap to dial. No menus."
- Three call buttons in fixed order: (1) Ambulance / all emergency — 112 or local equivalent, (2) Police — 112 or local equivalent, (3) Claims emergency line — primary plan's emergency number
- Each button shows: service label, number/description, 'Call now' pill
- Dismiss button: small, low-contrast, bottom of sheet

Call Button Priority Rules

- Button 1 (Ambulance): always 112 for EU/EEA trips. 911 for US trips. Platform derives from trip jurisdiction.
- Button 2 (Police): same as ambulance number for single-number emergency systems. Separate local number shown where known.
- Button 3 (Claims line): primary travel insurance policy's emergency number. If no policy attached: primary credit card benefit emergency line. If neither: platform support line.
- If multiple policies exist: show highest-tier policy's emergency line. No menu to choose — one number, derived deterministically.

Invariants

- I-01: No confirmation dialogue before dialing. Tap = dial screen opens.
- I-02: Numbers are stored locally on device at trip confirmation. Not fetched at tap time.
- I-03: Surface never shows coverage information, policy details, or routing guidance. It is a dial pad only.
- I-04: Label says EMERGENCY. Never 'SOS'. Never 'Help'. The word emergency is unambiguous across languages.
- I-05: event emitted: emergency_sos_sheet_opened (info). emergency_call_initiated (info, includes button_id). emergency_dismissed (info).

S-EMERGENCY-002 — Trip Safety Card

NEW SURFACE

Implements the neutral floating button. Non-acute situations: lost passport, embassy address, insurance information. Requires device unlock on iOS/Android if configured.

Attribute	Value

Surface ID	S-EMERGENCY-002
Entry Condition	User taps neutral (white/gray) floating button on any traveler screen during active trip
Label	'Trip safety' — never 'Emergency'. Visually and functionally distinct from S-EMERGENCY-001.
Feature Bindings	F-6.6.4 (Emergency Location Availability), F-6.5.9 (Participant Readiness — embassy data)
Permission Scope	Traveler — always available. No entitlement check.
Primary Stress Family	A (Infrastructure) — content cached locally at trip confirmation.
Secondary Stress	L (Regional Isolation)
Phone / Laptop	Phone primary. Accessible on desktop as a non-floating panel.
Operational Mode	Available in ALL modes. Content served from cache if backend unreachable.

Content Sections (in order)

- Emergency numbers: local emergency number(s) for current trip destination(s). Derived from jurisdiction at trip confirmation.
- Your coverage: primary medical coverage limit, evacuation status, primary claims line.
- Embassy: nearest embassy/consulate for traveler's nationality at primary destination. Address + emergency line.
- Lost passport: nearest embassy address and process note (informational, not interactive).
- Emergency contacts: traveler's designated emergency contacts from account.

Invariants

- I-01: Content is always pre-loaded at trip confirmation. Never requires live fetch to display.
- I-02: No claim routing, no coverage advice, no eligibility information on this surface. It is a reference card only.

- I-03: Labeled 'Trip safety' — not 'Emergency card', not 'SOS'. Language matches non-acute framing.
- I-04: event emitted: safety_card_opened (info). safety_card_section_viewed (info, includes section_id).

II. Disruption Resolution Surfaces (Section 3.6)

These surfaces implement the Disruption Resolution State Machine (Section 3.6.9) and the Statutory Rights layer (Section 3.6.2–3.6.6). They activate when an incident is open and a disruption has been confirmed.

S-DISRUPT-001 — Disruption Resolution State Tracker

NEW SURFACE

Shows the traveler where they are in the disruption resolution journey. Persistent header/banner on incident screens during active disruption.

Attribute	Value
Surface ID	S-DISRUPT-001
Entry Condition	Trip in INCIDENT_OPEN state AND disruption_confirmed event emitted
Display Mode	Persistent banner at top of incident-related screens. Collapsible.
Feature Bindings	Section 3.6.9 (Disruption Resolution State Machine), F-6.5.4 (Airline Disruption Intelligence)
Permission Scope	Traveler (owner). Read-only.
Primary Stress Family	C (Interpretive)

Secondary Stress	A (Infrastructure), E (Governance)
Operational Mode	ELEVATED: full. PROTECTIVE: read-only, no re-evaluation. RECOVERY: read-only cached state.

States Displayed (from Section 3.6.9)

State	Display Label	Color Indicator
DISRUPTION_SUSPECTED	Checking what's happening	Amber — pulsing
DISRUPTION_CONFIRMED	Disruption confirmed	Amber — solid
CARRIER_ENGAGEMENT_ACTIVE	Waiting on carrier	Neutral gray
OFFER_RECEIVED	Carrier made an offer — review it	Blue — action required
OFFER_EVALUATED	Offer reviewed	Neutral gray
OFFER_ACCEPTED	You accepted an offer	Green
OWN_RESOLUTION_ACTIVE	You're arranging your own way	Blue
DOCUMENTATION_ACTIVE	Collecting documentation	Neutral gray
EVIDENCE_COMPLETE	Documentation complete	Green
ROUTING_DETERMINED	Your claim paths are ready	Blue — action required
RIGHTS_WINDOW_ACTIVE	Filing window open	Amber — with countdown

CLAIM_ACTIVE	Claim filed — waiting on outcome	Neutral gray
RESOLUTION_COMPLETE	Resolution recorded	Green

S-DISRUPT-002 — Active Disruption Options Panel

NEW SURFACE

Implements F-6.5.8. Activates when traveler expresses intent to explore alternatives. Shows coverage-aware guidance for alternative transport.

Attribute	Value
Surface ID	S-DISRUPT-002
Entry Condition	(a) Preference signal detected in incident narrative (narrative_detection trigger), OR (b) Traveler taps 'Explore my options' (explicit_tap trigger)
Feature Bindings	F-6.5.8 (Active Disruption Options Engine), F-6.5.3 (CC Benefit Orchestration), F-6.5.5 (Claim Routing)
Permission Scope	Traveler (owner). Incident must be in INCIDENT_OPEN state.
Primary Stress Family	C (Interpretive)
Secondary Stress	D (Financial), A (Infrastructure)
Operational Mode	PROTECTIVE: coverage guidance only — live options search blocked with plain message.
Phase 1 (MVP)	Coverage-aware guidance — what's covered, what ceiling applies, what to document.

Phase 2	Live flight/transport options via GDS connector (F-6.5.8-LIVE). Booking links surfaced.

Content Sections

- Preference capture: If triggered by narrative, shows extracted preferences for confirmation. 'You mentioned: no United, direct flight preferred. Is that right?'
- Coverage summary: What alternative transport coverage applies from attached policies/cards. Reimbursement ceiling shown.
- Out-of-pocket framing: For options that exceed coverage limits, shows the gap clearly.
- Filing deadline: Always shown alongside coverage. Never hidden.
- Evidence reminder: Parallel track — 'While you decide, here's what to document now' always visible.
- Phase 2 only: Live option results matching preferences. Per-option coverage implication. Booking link.

Prohibited Language on This Surface

- Never: 'You should book X'
- Never: 'You will be reimbursed'
- Never: 'This is your best option'
- Always: 'Your coverage includes' not 'you will receive'
- Always: Surface the filing deadline alongside coverage information

---

S-DISRUPT-003 — Statutory Rights Advisory Surface

NEW SURFACE

Surfaces EU261, DOT, Montreal Convention, and UK retained rights when the disrupted route qualifies. Generated from rule tables, not AI output.

Attribute	Value
Surface ID	S-DISRUPT-003
Entry Condition	Incident confirmed AND disrupted route segment's jurisdiction matches a statutory framework (EU/EEA departure, UK departure, US departure, or international route between Montreal signatories)

Feature Bindings	Section 3.6.2–3.6.6 (Statutory Rule Tables), F-6.5.2 (Coverage Graph — statutory_right node type)
Permission Scope	Traveler (owner). No entitlement gate — statutory rights information is always surfaced.
Primary Stress Family	C (Interpretive)
Secondary Stress	E (Governance), L (Regional Isolation)
Confidence Display	HIGH_STRUCTURAL_ALIGNMENT when jurisdiction confirmed. CONDITIONAL when extraordinary circumstances claimed by carrier.
Operational Mode	PROTECTIVE: shown from cache. RECOVERY: shown from cache, no live updates.

Content per Framework

Framework	What is Displayed
EU261	Applicable compensation tier (€250/400/600 based on distance + delay), duty of care obligations (meals/hotel), right to rerouting or refund, extraordinary circumstances caveat if applicable, enforcement body for destination country
US DOT	Denied boarding compensation matrix ($775/$1,550 minimums), 2024 cash refund rule for cancellations, right to demand cash not voucher
Montreal Convention	Delay liability limit in SDR (~USD equivalent shown), baggage limits, note that this supplements not replaces EU261/DOT
UK Retained	Same as EU261 but enforcement through CAA/ADR. Shown when departure is UK airport.

Invariants

- I-01: Statutory rights are surfaced even if the traveler has no policies attached. These are unconditional.

- I-02: Extraordinary circumstances caveat is ALWAYS shown for EU261 compensation claims. Never omitted.
- I-03: Language is always 'regulations may apply' / 'typically associated with' — never 'you are entitled to' / 'you will receive'.
- I-04: Duty of care (Article 9) is shown separately from compensation (Article 7) as independent obligations.

S-DISRUPT-004 — Consequence Advisory Panel

NEW SURFACE
Implements Section 3.6.8 Consequence Matrix and Section 3.3.19.A Voucher Acceptance Doctrine. Activates when OFFER_RECEIVED state is reached.

Attribute	Value
Surface ID	S-DISRUPT-004
Entry Condition	Incident reaches OFFER_RECEIVED resolution state AND traveler opens offer details
Feature Bindings	Section 3.6.8 (Consequence Matrix), Section 3.3.19.A (Voucher Acceptance Doctrine), F-6.5.5 (Claim Routing — Acceptance Checkpoint)
Permission Scope	Traveler (owner)
Primary Stress Family	C (Interpretive)
Secondary Stress	D (Financial), E (Governance)

Content

- Offer type shown: Full refund / Voucher / Rebooking accepted / Rebooking declined / Denied boarding comp / Goodwill
- Consequence summary per coverage path: what this offer type does to statutory rights, credit card benefit, travel insurance

- Specific advisory per consequence: e.g. 'Accepting a voucher does not extinguish your EU261 compensation right — those are separate.'
- Always two actions: 'Continue anyway' and 'Show me more'. Never a block. Never 'Do not accept'.
- One-time display per offer event. Not shown again if dismissed.

S-DISRUPT-005 — Filing Deadline Tracker

NEW SURFACE

Persistent deadline display once routing is determined. Shows per-claim filing windows with urgency indicators. Referenced from claim routing screen and claim progress screen.

Attribute	Value
Surface ID	S-DISRUPT-005
Entry Condition	At least one Claim object has filing_deadline set (populated at ROUTING_DETERMINED state)
Display Mode	Embedded panel within Claim Routing Screen and Claim Progress Screen. Also surfaced as persistent card on trip dashboard once routing is determined.
Feature Bindings	Section 3.6.9.B (Filing Deadline Tracking), Claims table (filing_deadline field), F-6.5.5 (Claim Routing)
Primary Stress Family	D (Financial)
Secondary Stress	E (Governance), C (Interpretive)

Urgency Levels (per Section 3.6.9.B)

Days Until Deadline	Display

30+ days	Informational. Deadline shown, no urgency indicator.
15–30 days	Mild: 'File within [X] days to preserve this option.'
7–14 days	Clear: '[X] days remaining. This window closes [date].'
Under 7 days	High urgency: '[X] days left. File as soon as possible.'
Passed	'This filing window has passed.' Shown as gray/closed. Never as an error.

III. Participant Readiness Checklist Surfaces (F-6.5.9)

S-CHECKLIST-001 — Participant Readiness Checklist

NEW SURFACE

Per-participant, residence-country-personalized checklist. Visible to the participant immediately upon joining a trip. Updates automatically when itinerary changes.

Attribute	Value
Surface ID	S-CHECKLIST-001
Entry Condition	Participant has accepted trip invitation and completed onboarding
Feature Bindings	F-6.5.9 (Participant Travel Readiness & Checklist Engine)
Permission Scope	Traveler (participant) — sees own checklist only. Organizer sees completion status only,

	not document content.
Primary Stress Family	A (Infrastructure) — checklist items cached locally, static fallback if API unavailable
Secondary Stress	L (Regional Isolation)
Operational Mode	PROTECTIVE: static fallback shown with 'Verify with official sources' note. RECOVERY: read-only.
Personalization	Checklist items derived from participant.residence_country_code × trip.destination_countries

Content Sections

- Entry Requirements: visa requirements, passport validity, ETIAS/ETA if applicable. Personalized to nationality.
- Health Requirements: immunizations, health declarations. Personalized to destination.
- Platform Documents: travel insurance policy upload, credit card benefit guide, passport scan. Always shown.
- Emergency Preparedness: emergency contact added, offline card downloaded. Non-blocking.

Invariants

- I-01: Items are always framed as information. Never 'You cannot travel without X'. Always 'A visa is typically required'.
- I-02: Checklist note: 'Based on travel to [destinations] with a [country] passport. Updates automatically if the itinerary changes.'
- I-03: When itinerary changes, participants receive: 'Your readiness checklist has been refreshed — tap to review.'
- I-04: Data source attribution always visible. Static fallback shows: 'Based on general requirements — verify with official sources.'

S-CHECKLIST-002 — Group Readiness Overview

NEW SURFACE

Organizer view. Shows per-participant completion status aggregated across categories. No access to document content.

Attribute	Value
Surface ID	S-CHECKLIST-002
Entry Condition	Organizer on group trip with at least one participant. Trip in DRAFT or PRE_TRIP_STRUCTURED state.
Feature Bindings	F-6.5.9 (Participant Travel Readiness & Checklist Engine)
Permission Scope	Organizer — completion status only. NEVER document content.
Primary Stress Family	A (Infrastructure)
Secondary Stress	E (Governance)

Content

- Per-participant row: name, completion percentage, per-category status (Entry Req / Health / Platform Docs / Emergency Prep)
- Category status: done ✓ / in progress ◑ / not started ○
- Nudge button: 'Remind [Name]' — rate-limited 1 per participant per 48 hours
- Nudge copy: '[Trip name] is coming up — your travel checklist has [X] items remaining.'
- Organizer cannot see which specific documents were uploaded or what items were marked. Completion status only.

IV. FOCL Feature Intelligence Surfaces (F-6.5.16.j)

These surfaces implement the Feature Intelligence Panel defined in Section F-6.5.16 Amendment v1.1. S-FOCL-INT-001 is already built (/focl/features/intelligence). S-FOCL-INT-002 and S-FOCL-INT-003 are registered but not yet built.

S-FOCL-INT-001 — Feature Intelligence Panel

✅ **BUILT**

This surface is implemented at /focl/features/intelligence. See app/focl/features/intelligence/ in codebase.

Attribute	Value
Surface ID	S-FOCL-INT-001
Route	/focl/features/intelligence
Feature Bindings	F-6.5.16.j (Feature Intelligence Panel), feature_registry, feature_activation_state, feature_rollout_health_state
Permission Scope	Founder only
Primary Stress Family	M (Feature Activation Lifecycle)
Secondary Stress	E (Governance), A (Infrastructure)
Phone / Laptop	Both. Laptop shows full panel. Phone shows condensed list with expand-on-tap.

S-FOCL-INT-002 — Sub-Capability Control Panel

NEW SURFACE

Per-feature expanded view showing sub-capabilities (e.g., F-6.5.8-LIVE as child of F-6.5.8). Independent toggle and rollout controls per sub-capability.

Attribute	Value

Surface ID	S-FOCL-INT-002
Route	/focl/features/:id/subcomponents
Feature Bindings	F-6.5.16.j, feature_registry (parent_feature_id), feature_activation_state
Permission Scope	Founder only
Primary Stress Family	M (Feature Activation Lifecycle)
Secondary Stress	E (Governance)
Built	Not yet. Screen surface registered in database.

S-FOCL-INT-003 — Connector Status Panel

NEW SURFACE

Per-feature connector status view. Shows requires_connector, connector_status, and what advancing the feature to the next capability tier requires.

Attribute	Value
Surface ID	S-FOCL-INT-003
Route	/focl/features/:id/connector
Feature Bindings	F-6.5.16.j, feature_registry (requires_connector, connector_status, capability_tier_current, capability_tier_max)

Permission Scope	Founder only
Primary Stress Family	B (Connector)
Secondary Stress	M (Feature Activation Lifecycle), E (Governance)
Built	Not yet. Screen surface registered in database.

V. Governance Trust Panel Widget (S-GOV-001)

✓✓ **BUILT**

GovernanceTrustPanel_v2.jsx exists. Draggable, collapsible floating widget. Four signals: Change record, Deep Scan reliability, Incident replay, Safe to ship.

Attribute	Value
Surface ID	S-GOV-001
Type	Floating widget overlay — appears on all Founder domain screens
Feature Bindings	Section 3.0 (Governance Substrate), F-6.5.16 (FOCL), Section 9.4 (Interpretive Traceability)
Permission Scope	Founder only. Never shown on traveler screens.
Primary Stress Family	E (Governance)
Secondary Stress	A (Infrastructure), F (Drift)

Signals Monitored	(1) Change record — Structural Mutation Guard, (2) Deep Scan reliability — Itinerary Intelligence Integrity, (3) Incident replay — Deterministic Replay, (4) Safe to ship — Launch Validator / Release Battery
Signal States	green = trusted, red = needs attention. Red dot pulses. Count shown when collapsed.
Interaction	Click signal for plain-language explanation. Right-click for context menu: explain, analogy, why it matters, what to do now (red only).
Operational Mode	Shown in all modes. In RECOVERY: read-only, no dismiss of signals.

VI. Extensions to Existing Surfaces

S-CLAIM-EXT-001 — Claim Sequence View (extension to Claim Routing Screen)

⚡ **GAP / UPDATE REQUIRED**

Claim Routing Screen (Surface #6 in v1.0) does not show the full routing sequence as pre-modeled paths. This extension adds the sequence view implementing Q3 doctrine: Claim #1 is filed, denial activates Claim #2 (already pre-modeled, not created on denial).

What Is Added to Surface #6

- Sequence visualization: all claim paths shown upfront with sequence_position labels (Step 1, Step 2, etc.)
- Status per path: active / waiting / activated (when prior path denied) / closed
- Filing deadline per path: visible from ROUTING_DETERMINED onwards (uses filing_deadline field on Claim object)
- Denial evaluation: when Claim #1 denial is uploaded, system evaluates dispute vs final. Surface shows: 'This denial may be addressable' or 'Claim #1 is closed. Step 2 is ready.'
- Evidence reuse indicator: 'Your existing documents carry over to Step 2. You may need to add [specific items].'

S-INCIDENT-EXT-001 — Disruption Resolution State Badge (extension to Incident Capture Screen)

⚡ **GAP / UPDATE REQUIRED**

Incident Capture Screen (Surface #2 in v1.0) does not show disruption resolution state. This extension adds the persistent S-DISRUPT-001 state tracker as a collapsible banner at the top of the incident capture screen when disruption_confirmed event has fired.

What Is Added to Surface #2

- Collapsible banner showing current DisruptionResolutionState from Section 3.6.9
- 'Explore my options' button (triggers S-DISRUPT-002) — only shown when state is CARRIER_ENGAGEMENT_ACTIVE or later
- Evidence capture checklist as persistent sidebar element (parallel track — always running)
- Statutory rights indicator dot — shows whether statutory rights apply to this disruption (links to S-DISRUPT-003)

VII. Complete Surface Registry — All Versions

All surfaces registered across v1.0, Amendment v1.1, and this Amendment v1.2. No surface has been removed.

I. Traveler Domain — All Surfaces

Surface	Feature Bindings	Amendment	Stress: Primary
Trip Dashboard	F-6.5.7, F-6.5.2, F-6.5.3, F-6.5.6	v1.0	C (Interpretive)
Incident Capture Screen	F-6.5.7, Section 3.4	v1.0 + v1.2 ext	A (Infrastructure)
Incident Capture — Voice Mode	F-6.5.7, Section 7.4	v1.0	A (Infrastructure)
Incident Conversational Panel	F-6.5.7, Section 9.5	v1.0	C (Interpretive)

Coverage Understanding Screen	F-6.5.2	v1.0	C (Interpretive)
Credit Card Benefit Screen	F-6.5.3	v1.0	D (Financial)
Evidence & Documentation Screen	F-6.5.6	v1.0	N (Evidence Durability)
Claim Routing Screen	F-6.5.5	v1.0 + v1.2 ext	C (Interpretive)
Claim Progress Screen	F-6.5.15	v1.0	A (Infrastructure)
Claim Packet Generator Screen	F-6.5.14	v1.0	G (Export Overload)
Itinerary Risk Screen	F-6.5.13	v1.0	C (Interpretive)
Regulatory Reporting Surface	F-6.5.11	v1.0	E (Governance)
Authority-Driven Disruption Surface	F-6.5.12	v1.0	C (Interpretive)
S-DRAFT-001: Draft Home	F-6.5.17, F-6.5.18, F-6.5.19	v1.1	C (Interpretive)
S-DRAFT-002: Voice Narration Interface	F-6.5.17, Section 7.4	v1.1	A (Infrastructure)
S-DRAFT-003: Narration Confirmation	F-6.5.17, Section 7.4	v1.1	C (Interpretive)
S-DRAFT-004: Route Editor	F-6.5.17, F-6.5.18	v1.1	A (Infrastructure)
S-DRAFT-005: Readiness Panel	F-6.5.17, F-6.5.18, Section 3.5	v1.1	C (Interpretive)

S-DRAFT-006: Activity Suggestions Panel	F-6.5.19	v1.1	C (Interpretive)
S-DRAFT-007: Unresolved Items Panel	F-6.5.17, Section 3.2 Object 18	v1.1	A (Infrastructure)
S-CREATOR-001: Creator Discovery Search	F-6.6.11	v1.1	C (Interpretive)
S-CREATOR-002: Creator Video Detail	F-6.6.11	v1.1	C (Interpretive)
S-WEATHER-001: Weather Check Interface	F-6.5.20	v1.1	C (Interpretive)
S-EMERGENCY-001: Emergency SOS Sheet	F-6.6.4, F-6.6.6	v1.2	A (Infrastructure)
S-EMERGENCY-002: Trip Safety Card	F-6.6.4, F-6.5.9	v1.2	A (Infrastructure)
S-DISRUPT-001: Resolution State Tracker	Section 3.6.9, F-6.5.4	v1.2	C (Interpretive)
S-DISRUPT-002: Active Disruption Options Panel	F-6.5.8	v1.2	C (Interpretive)
S-DISRUPT-003: Statutory Rights Advisory	Section 3.6.2–3.6.6	v1.2	C (Interpretive)
S-DISRUPT-004: Consequence Advisory Panel	Section 3.6.8, 3.3.19.A	v1.2	C (Interpretive)
S-DISRUPT-005: Filing Deadline Tracker	Section 3.6.9.B, Claims	v1.2	D (Financial)

S-CHECKLIST-001: Participant Readiness Checklist	F-6.5.9	v1.2	A (Infrastructure)
S-CHECKLIST-002: Group Readiness Overview	F-6.5.9	v1.2	A (Infrastructure)

II. Founder Domain — All Surfaces

Surface	Feature Bindings	Amendment	Stress: Primary
Founder Dashboard	F-6.5.16	v1.0	E (Governance)
Decision Queue	F-6.5.16.b, action_inbox	v1.0	E (Governance)
Feature Readiness Panel	F-6.5.16.c	v1.0 (superseded by v1.2)	M (Feature Lifecycle)
System Load Awareness	F-6.5.16.d	v1.0	A (Infrastructure)
Activity Map	F-6.5.16.e	v1.0	L (Regional Isolation)
Airline Connections	F-6.5.16.f	v1.0	B (Connector)
What Changed	F-6.5.16.g	v1.0	F (Drift)
Ask Panel	F-6.5.16.h	v1.0	H (Recipient Misclassification)
Explain Why Engine	F-6.5.16.i	v1.0	E (Governance)
Founder Activity Map	F-6.7.1, Section 7.3.7	v1.0	L (Regional Isolation)

FOCL Feature Console	F-6.5.16, feature_registry	v1.0	M (Feature Lifecycle)
FOCL Rollout Control	F-6.5.16, rollout RPCs	v1.0	M (Feature Lifecycle)
FOCL Rollout Health	F-6.5.16, health state	v1.0	M (Feature Lifecycle)
FOCL Rollout Rules	F-6.5.16, rollout rules	v1.0	M (Feature Lifecycle)
S-FOCL-INT-001: Feature Intelligence Panel	F-6.5.16.j	v1.2 (built)	M (Feature Lifecycle)
S-FOCL-INT-002: Sub-Capability Control Panel	F-6.5.16.j	v1.2	M (Feature Lifecycle)
S-FOCL-INT-003: Connector Status Panel	F-6.5.16.j	v1.2	B (Connector)
S-GOV-001: Governance Trust Panel Widget	Section 3.0, F-6.5.16	v1.2 (built)	E (Governance)
Event Log Viewer	Section 12.5	v1.0	E (Governance)
Feature Flag Console	Section 12.4	v1.0	M (Feature Lifecycle)
System Audit & Event Recorder Status	Section 12.5	v1.0	A (Infrastructure)