



Figure 1: Comparative Analysis of Activity Zones Across Geographic Regions for Human and *Tragopan temminckii* in the Daxiangling Nature Reserve



As shown in the geographic coordinate projection, there is *significant overlap* between the geographic distributions of humans and *Tragopan temminckii*. This overlap is especially prominent in the central area (where National Road 108 (G108) crosses Niba Mountain) and in the bottom right section (where a developing tourism zone is located). Thus, human activity may interfere with the natural behaviors of *Tragopan temminckii*, though further temporal evidence is needed to confirm this hypothesis.


Figure 2: Comparative Analysis of Annual Activity Rhythm for Human and *Tragopan temminckii* in the Daxiangling nature reserve



As shown in the kernel density plot of the daily activity rhythm, *Tragopan temminckii* is more active during spring (its breeding season) and autumn (when food resources are abundant and winter approaches), while humans are most active in the Daxiangling Nature Reserve during spring (when *Chimonobambusa opienensis* shoots emerge) and summer (when *Chimonobambusa szechuanensis* shoots emerge).

There is **significant overlap** in the activity periods of the two species in April, May, August, and September.

Figure 3: Comparative Analysis of Daily Activity Rhythm for Human and *Tragopan temminckii* in the Daxiangling nature reserve



As shown in the kernel density plot of the daily activity rhythm, both humans and *Tragopan temminckii* are **diurnal species**. The peak of *Tragopan temminckii*'s daily activity occurs from 10:00 to 14:00, while humans tend to be active from 9:00 to 12:00 and again from 17:00 to 19:00.

There is **significant overlap** between the two species' activity from 8:00 to 14:00. However, the **peaks** of their daily activity are somewhat **staggered**. Considering the geographic overlap and annual activity patterns, **human activity likely interferes with *Tragopan temminckii*'s natural activity rhythm**, potentially triggering **avoidance behaviors**.