9 Claude MODS you need to try

A ROBONUGGETS GUIDE

Nine add-ons that change how Claude Code looks and works. For each one: what it does, why it matters, the catches, the install lines and a link to see it running.

README

What this is. The guide to the "9 Claude Mods you NEED to try out" video. One page per mod: what it does, why it matters, good to know, the caveats, the install lines, and links to its public source and a demo of it running.

How to use it. Read pages 2 and 3 first: what mods are, where they work and how installing one works. Pages 4 to 12 are the nine mods, in the video's order. Page 13 has two copy-paste prompts: one to make your own mod, and one to send this guide to your AI agent and ask which mods suit your setup. Anything in a bordered box is copy-paste ready.

The bonus. Four of these mods, rebuilt by us to be easier to look at and read, and tested in real Claude Code sessions, come as one zip in the RoboNuggets community at **skool.com/robonuggets**.

What a mod is

A mod is a small add-on that changes how Claude Code looks and how it works. It runs inside Claude Code itself, so it can change what you see on screen: a band above your prompt, a side panel, buttons, even a mini game to play while Claude works.

Anthropic launched mods on 1 October 2026, in Claude Code 2.1.287. If you have updated Claude Code, mods are already switched on, so there is nothing to enable.

SKILL
Teaches Claude how to do a job
Works from the outside.

CONNECTOR
Plugs Claude into another app
Works from the outside.

MOD
Runs inside Claude Code
Changes what you see and how it behaves.

Where mods work

WORKS IN
- The Claude Code terminal
- The Code tab of the Claude desktop app

NOT YET
- The regular Claude chat
- The VS Code extension
- Cloud sessions

So make sure you are inside Claude Code. In the VS Code extension, a mod's background parts can still run, but nothing is drawn on screen.

Make your own

The easiest way to make a mod is to just ask Claude. In the video, Jay asks for a mod that shows every file and page Claude makes for him as a little bubble above his chat box, and Claude builds the whole thing. Tell it to install the mod properly at the end, or it disappears next session. The full prompt is on page 13.

Straight from Anthropic

LAUNCH	**https://x.com/ClaudeDevs/status/2105721434807083061** (the launch post and its 72 second video)
DOCS	**https://code.claude.com/docs/en/plugins/mods/overview** (what mods are, where they run, the built-in ones)

How installing works

Every mod on the list installs with one to three lines. They come in two forms, and both do the same job.

STARTS WITH /PLUGIN
Type it **inside Claude Code**, in the chat box.

STARTS WITH CLAUDE PLUGIN
Type it in **your normal terminal** (PowerShell, Terminal or Git Bash), outside Claude Code.

STEP 1
Add the marketplace
The repo that lists the mod.
`/plugin marketplace add owner/repo`

→

STEP 2
Install the mod
Name, then marketplace.
`/plugin install mod@marketplace`

→

STEP 3
Load it
Start a new session. Installed from the terminal while a session was open? Run `/reload-plugins`.

To try a mod folder for one session only: `claude --plugin-dir ./folder`. It is gone next session. Blast Radius and Replay Theater install this way.

> **Before you install.** A mod is not sandboxed. It runs with your permissions, so it can read and write files, start programs, make network requests and see every prompt and tool call. Install mods from people you trust, and check one first with `claude plugin validate ./some-mod`, which lists the events it hooks and the calls it makes.

Some READMEs still tell you to set `CLAUDE_CODE_ENABLE_FUNCTION_HOOKS=1`. That flag was for early access. On Claude Code 2.1.287 and newer you do not need it.

The nine at a glance


#	MOD	WHAT IT DOES	RUNS ON	PAGE
01	**Savvy Progress**	See what every helper Claude is doing, and what it costs, live.	Any system. We ran it on Windows.	**4**
02	**Claude Skins**	Restyle what Claude Code draws, in seven themes, live.	The terminal and the desktop app, Windows included.	**5**
03	**You Should Know**	A second agent on the side that flags what you might miss.	Built into Claude Code, so any system.	**6**
04	**Filetree**	Your project's file tree beside the chat, lit up as Claude works.	The terminal, on Windows, Mac and Linux (tested by its maker).	**7**
05	**Cache Tax**	Stops you once before a message that would cost you to reload a cold cache.	Any system. We ran it on Windows.	**8**
06	**Blast Radius**	Holds risky commands and shows exactly what they would delete.	Any system with bash. On Windows, Git Bash.	**9**
07	**Reflect**	Turns your corrections into saved rules.	Any system.	**10**
08	**Terminal Browser**	A real web browser beside your chat, inside the terminal.	Mac and Linux, in the terminal only.	**11**
09	**Replay Theater**	/replay steps through every edit Claude made, one diff at a time.	Any system.	**12**

Facts checked 5 to 7 October 2026. Mods are new and move fast, so if a line fails, check the mod's README for the latest.

01 Savvy Progress

See what every helper Claude is doing, and what it costs, live.

RUNS ON Any system. We ran it on Windows.



A still from our own test run, drawn by the mod itself. The repo has no screenshot of its own yet.

What it does

It puts a progress bar above your prompt and a live panel of every subagent, which are basically the helper Claudes that each take a piece of the job. For each helper you see its model, how far along it is and roughly what it is costing you, while little pixel crabs walk around doing the work.

Why it matters

Subagents are usually a black box. This shows you exactly where your money and your time are going.

Good to know

- Type `/agents-info` to open or close the panel.
- It was made for the savvy-flow skill in the same repo, and it works with any subagents. A helper that does not report its own steps shows how full its context is, in grey, instead.

Caveats

- ☐ The cost is an estimate from token counts and a built-in price table, not your actual bill.

TRY IT Give Claude a job big enough to split across a few subagents, then type `/agents-info` and watch the panel fill up.

INSTALL · COPY-PASTE

```
/plugin marketplace add johnnyvizz/claude-kit
/plugin install savvy-progress@claude-kit
```

Then restart the session. `/agents-info` opens the panel.

SOURCE **https://github.com/JohnnyVizz/claude-kit/tree/main/plugins/savvy-progress**


DEMO **https://raw.githubusercontent.com/serhandenizhan/serhan-kit/main/docs/panel.png** (the panel, from serhan-kit, an open copy of this mod)

MAKER **https://x.com/JohnnyVizz**

02 Claude Skins

Restyle what Claude Code draws, in seven themes, live.

RUNS ON The terminal and the desktop app, Windows included.



A frame from the repo's demo GIF, where the same turn switches between Noir, Tokyo Night, Dracula and Catppuccin.

What it does

Type `/skin` and a theme name, and it switches live. Your tool calls get icons and timings and your edits show up as clean diff cards, in seven themes like Noir, Tokyo Night and Dracula.

Why it matters

When you look at Claude Code all day, a screen that is easier to read is easier to work in.

Good to know

- A good first mod to try, because it only changes how things look. By its own notes it runs nothing, touches no files and makes no network calls.

Caveats

- It recolours the parts the mod draws: tool rows, diff cards and usage rings. In the desktop app it does not change the app's own background.

> TRY IT Type `/skin dracula`, then `/skin noir`, and watch the same chat change look.

INSTALL · COPY-PASTE

```
/plugin marketplace add hellosverre/claude-skins
/plugin install skins@hellosverre-mods
```

Then try `/skin dracula` or `/skin noir`.


SOURCE **https://github.com/hellosverre/claude-skins**

DEMO **https://raw.githubusercontent.com/hellosverre/claude-skins/main/docs/demo.gif** (GIF)

03 You Should Know

A second agent on the side that flags what you might miss.

RUNS ON Built into Claude Code, so any system.



A frame at 0:24 of Anthropic's demo video.

What it does

This one is built right into Claude Code by Anthropic. It runs a second agent on the side that reads what Claude writes and flags anything you might miss. In Anthropic's demo, Claude adds automatic retries to a payment call, and a note pops up above the prompt saying a retry could charge a customer twice.

Why it matters

On long jobs you skim, and this is exactly the kind of thing that slips past.

Good to know

- It is off by default. The one line below turns it on, and there is nothing to download.
- The note comes with Learn more, Knew this already and Dismiss buttons.

Caveats

- [ ] As a second agent, it uses a bit more of your plan.
- [ ] It only speaks up when it finds something. On a strong model it often stays quiet: in our own four test runs it never posted a note.

TRY IT Turn it on, give Claude a longer job, and keep an eye on the space above your prompt.

INSTALL · COPY-PASTE

```
/plugin enable cc-plugin-you-should-know@builtin
```

Type it inside Claude Code. It shows in `/plugin` under Installed, Built-in.


SOURCE **https://code.claude.com/docs/en/plugins/mods/overview** (built in, listed in the official docs)

DEMO **https://x.com/ClaudeDevs/status/2106118517447876618** (Anthropic's 39 second video)

04 Filetree

Your project's file tree beside the chat, lit up as Claude works.

RUNS ON The terminal, on Windows, Mac and Linux (tested by its maker).



A frame from the repo's shimmer GIF.

What it does

Filetree gives Claude Code the file panel you would get in an editor like VS Code. As Claude reads or edits a file, that file shimmers in the tree, and when it is committed, it turns green.

Why it matters

At a glance you always know exactly which files Claude is touching, instead of scrolling back through the chat to work it out.

Good to know

- It needs the full screen layout, so type `/tui fullscreen` first.

Caveats

- Your terminal needs to be fairly wide: at least 110 columns.
- It shows your real folder and file names, so use a demo project if you share your screen.

> TRY IT Open a demo project, type `/tui fullscreen`, then ask Claude to edit a couple of files and watch them shimmer in the tree.

INSTALL · COPY-PASTE

```
claude plugin marketplace add data-goblin/claude-code-filetree
claude plugin install filetree@claude-code-filetree
```

Then, inside Claude Code: `/tui fullscreen`

SOURCE **https://github.com/data-goblin/claude-code-filetree**


DEMO **https://raw.githubusercontent.com/data-goblin/claude-code-filetree/main/media/filetree-shimmer.gif** (shimmer GIF)

DEMO **https://raw.githubusercontent.com/data-goblin/claude-code-filetree/main/media/filetree-git.gif** (a file turning green on commit)

05 Cache Tax

Stops you once before a message that would cost you to reload a cold cache.

RUNS ON Any system. We ran it on Windows.



A frame from the repo's real recording, where it holds a cold send with a **$6.61** estimate.

What it does

Claude keeps your conversation in a short-term cache, which is basically a discount for not re-reading everything, and on a subscription it goes cold after about an hour. Cache Tax holds your next message once when the cache has gone cold, and shows you what re-sending everything would cost before you decide.

Why it matters

On long sessions, the bigger the chat, the more that one message costs. This is the mod on the list that can save you money directly.

Good to know

- Stepping away? `/keepwarm` keeps the cache warm (6 hours by default), `/keepwarm 90m` sets your own time and `/keepwarm off` stops it.
- The figure depends on how long your chat is. The repo's own demo shows **$6.61**. In our test run, a cold re-send was **$0.52**, against **$0.03** for a warm turn.
- You install it from the maker's mod collection (claude-code-mods). The source lives in the cache-tax repo.

Caveats

- ☐ The keep-warm pings cost a bit themselves, and they only run while Claude Code stays open.
- ☐ Sessions on an API key use a 5 minute cache by default, unless you change `promptCacheTtl`.

TRY IT Before a break in a long session, type `/keepwarm 90m`. When you are back, `/keepwarm off`.

INSTALL · COPY-PASTE

```
claude plugin marketplace add karanb192/claude-code-mods
claude plugin install cache-tax@claude-code-mods
```


SOURCE **https://github.com/karanb192/cache-tax**

DEMO **https://raw.githubusercontent.com/karanb192/cache-tax/main/site/assets/refusal.gif** (the real recording, GIF)

06 Blast Radius

Holds risky commands and shows exactly what they would delete.

RUNS ON Any system with bash. On Windows, Git Bash.



Anthropic's screenshot: rm -rf build held, with the 9 files it would delete.

What it does

Anthropic made this one themselves as a sample mod. When Claude is about to run something risky, like deleting a whole folder or a force push, it stops and lists every file that would go, with a Proceed button and a Cancel button. In Anthropic's demo, `rm -rf build` would have deleted nine files.

Why it matters

One bad delete can wipe out hours of work, and this gives you one last look before it happens.

Good to know

- Cancel has focus, so pressing Enter says no.
- The side pane needs a terminal about 144 columns wide. Narrower, it shows as a band above the prompt.
- The `--plugin-dir` line loads it for this session only. To keep it, go into the claude-code/mods folder of your copy and run `claude plugin marketplace add ./` then `claude plugin install blast-radius@claude-code-playground-mods --scope user`. Moving that folder later breaks it.

Caveats

- ☐ Anthropic's own note: it is a safety net, not a permission system. Keep your normal permissions on.
- ☐ It needs bash, git, find and du. On Windows, run Claude Code from Git Bash.
- ☐ In our Windows tests it could not measure a command that starts with `cd` to a full path, and said "could not measure". A plain `rm -rf build` worked.

> TRY IT Make a throwaway folder called build with a few files in it, ask Claude to clear it, and watch the pane list what would go.

INSTALL · COPY-PASTE

```
git clone https://github.com/anthropics/claude-code-playground.git
claude --plugin-dir ./claude-code-playground/claude-code/mods/blast-radius
```

SOURCE **https://github.com/anthropics/claude-code-playground/tree/main/claude-code/mods/blast-radius**

DEMO **https://x.com/ClaudeDevs/status/2105721434807083061** (Anthropic's launch video, Blast Radius at about 0:24)

07 Reflect

Turns your corrections into saved rules.

RUNS ON Any system.



The repo's screenshot of the band.

What it does

This one is basically Claude learning from your corrections. When you tell it something like "no, in this repo we always use pnpm, not npm", a small band pops up above your prompt and offers to save that as a permanent rule in your CLAUDE md file. Click Save, Global instead if it applies everywhere, Edit to change the wording, or Skip.

Why it matters

Otherwise you end up correcting the same mistake in every new session.

Good to know

- Each check is one tiny Haiku call on your plan, so it costs almost nothing.
- The repo behind it has over 1,700 stars on GitHub.

Caveats

- [ ] Use this mod or the older Python plugin from the same repo, not both.
- [ ] The band shows your prompt text, so use a demo project if you share your screen.

TRY IT Correct Claude once, click Save, then open your CLAUDE md file and find the new line.

INSTALL · COPY-PASTE

```
claude plugin marketplace add bayramannakov/claude-reflect
claude plugin install reflect-mod@claude-reflect-marketplace
```

SOURCE **https://github.com/BayramAnnakov/claude-reflect**


DEMO **https://raw.githubusercontent.com/BayramAnnakov/claude-reflect/main/assets/reflect-mod-band.png** (the band, screenshot)

DEMO **https://raw.githubusercontent.com/BayramAnnakov/claude-reflect/main/assets/reflect-demo.jpg** (demo image)

08 Terminal Browser

A real web browser beside your chat, inside the terminal.

RUNS ON Mac and Linux, in the terminal only.



A frame from the maker's demo video of the Claude Code plugin.

What it does

Terminal Browser opens a real web browser right beside your chat. If Claude builds you a web page, you can look at it and review it without leaving the terminal, and it opens GitHub pull requests the same way. Install it, then type `/browser`.

Why it matters

Jumping between Claude and a browser to check every change breaks your flow, and this keeps it all in one place.

Good to know

- The most-starred mod in this guide, with over 3,500 stars on GitHub.
- No Homebrew? Its README also gives a one-line installer: `curl -fsSL https://terminal-browser.sh/install | bash`
- Your system may ask to allow local network access, because the mod talks to a small server on your own computer.

Caveats

- [ ] Mac and Linux only for now, in a terminal that can show images (kitty-graphics terminals). It does not work in the desktop app or on Windows.
- [ ] Still marked experimental.
- [ ] It is a real browser, so close tabs with logged-in accounts before you share your screen.

> TRY IT Ask Claude to build a simple web page, then type `/browser` and open it beside the chat.

INSTALL · COPY-PASTE

```
brew install terminal-browser
claude plugin marketplace add zenbu-labs/terminal-browser
claude plugin install terminal-browser@terminal-browser
```

Then, inside Claude Code: `/browser`


SOURCE **https://github.com/zenbu-labs/terminal-browser**

DEMO **https://github.com/user-attachments/assets/a79e7667-6fcb-49a4-9967-44d0f942102c** (the plugin demo, MP4)

09 Replay Theater

/replay steps through every edit Claude made, one diff at a time.

RUNS ON Any system.



Anthropic's screenshot of the replay pane.

What it does

Another of Anthropic's own sample mods. After Claude finishes a turn, a Replay hint shows up, and when you press r (or type `/replay`), it steps through every file edit Claude just made, one at a time, with the removed lines in red and the added lines in green.

Why it matters

Instead of trusting a summary, or scrolling back through everything, you can review exactly what changed, edit by edit, before you move on.

Good to know

- Step through with Next and Prev, then Close.
- It lives in the same repo as Blast Radius. If you already cloned it for that one, skip the first line.

Caveats

- It only records Claude's own file edits (the Edit, Write and MultiEdit tools), so anything changed through a terminal command will not show up. In our first test Claude renamed things with a shell command, and the replay showed no edits.

> TRY IT Ask Claude to rename a function across a few files, then type `/replay` and step through the edits.

INSTALL · COPY-PASTE

```
git clone https://github.com/anthropics/claude-code-playground.git
claude --plugin-dir ./claude-code-playground/claude-code/mods/replay-theater
```

Then, after Claude edits some files: `/replay`

SOURCE **https://github.com/anthropics/claude-code-playground/tree/main/claude-code/mods/replay-theater**

DEMO **https://x.com/ClaudeDevs/status/2105721439206994232** (Anthropic's 39 second video)

Make your OWN mod

Open Claude Code in your project, swap the part in square brackets for the mod you want, and paste the whole prompt. The example in the brackets is the one Jay used for his own mod, which shows every artifact as a little bubble above his chat box.

COPY-PASTE · MAKE YOUR OWN MOD

```
build me a Claude Code mod: [describe what you want to see or change. for example: show every file and page you make for me as a small bubble above my chat box, plus a /ring command that lists them all in the chat]
- mods are new (Claude Code 2.1.287, October 2026), so read the official docs before you start: https://code.claude.com/docs/en/plugins/mods/overview
- if you have a skill for making plugins or mods, use it
- keep it small: only draw and do what i asked for. no network calls and no reading files it doesn't need, unless i ask
- load it for this session first so i can see it working, then let me ask for changes
- when i'm happy with it, install it properly so it loads in every new session, not just this one. tell me where it lives and how to turn it off
```

Which of these suit MY setup?

Drop this PDF into your AI agent (Claude Code, the desktop app or any agent that can read a PDF) and paste the prompt with it. It checks your setup, then tells you which mods to install and in what order. Nothing gets installed until you say so.

COPY-PASTE · SEND WITH THIS PDF

```
i've attached a PDF guide to 9 Claude Code mods. read it, then check my setup and tell me which of these mods suit me.
- check what you can see for yourself: my operating system, my Claude Code version (mods need 2.1.287 or newer), whether i'm in the terminal or the desktop app, and how wide my terminal is. ask me about anything you can't check
- also ask me how i work: do i use subagents, do i run long sessions, do i share my screen
- give me a short table: each mod, yes, maybe or skip, and one line on why for my setup. flag any mod that won't run on my system
- put the ones you'd pick in the order you'd install them, with the exact install lines from the guide
- don't install anything yet. a mod runs with my permissions, so wait for my go on each one
```

Where this goes next

The easy part is installing a mod. One or two lines does it. The skill that pays is spotting what in your own workflow is worth changing, then building the mod, or the whole system, that changes it.

That is what we practise every week in the RoboNuggets community: building AI systems you can sell, and mastering Claude Code and Claude Design along the way.

THE BONUS ZIP

One zip of our own rebuilt mods, made easier to look at and read, and tested in real Claude Code sessions. It lives in the paid classroom.

01	**Blast Radius Clear**	Also fixes two Windows bugs in the original.
02	**Cache Tax Clear**	
03	**Reflect Clear**	
04	**Replay Theater Clear**	

join us at

skool.com/robonuggets

Official links and more mods

x.com/ClaudeDevs/status/2105721434807083061 - Anthropic's launch post and video

code.claude.com/docs/en/plugins/mods/overview - the official mods docs

github.com/karanb192/awesome-claude-code-mods - about 1,700 mods catalogued

skool.com/robonuggets - the bonus zip and the community