

VISVESVARAYA TECHNOLOGICAL UNIVERSITY

Jnana Sangama, Belagavi – 590018



A MINI PROJECT REPORT ON “SMART HOME SYSTEM”

Submitted in partial fulfilment of the requirement for the award of Degree of

Bachelor of Engineering In

Computer Science and Engineering

Submitted by

SANGEETHA T R (4CA23CS129)

SANJANA A N (4CA23CS130)

SPOORTHY S (4CA23CS154)

SUPREETH M C (4CA23CS161)

Under the Guidance of

Prof. AMULYA K S

Assistant Professor

Department of Computer Science and Engineering



CAUVERY INSTITUTE OF TECHNOLOGY

*Siddaiahna Koppalu Gate, Sundahalli
Mandya – 571402*

NOVEMBER - 2025

CAUVERY INSTITUTE OF TECHNOLOGY

Siddaiahna Koppalu Gate, Sunda Halli Mandya – 571402

Department of Computer Science and Engineering



CERTIFICATE

This is to certify that **SANGEETHA T R (4CA23CS129)** , **SANJANA A N (4CA23CS130)** , **SPOORTHY S (4CA23CS154)** , **SUPREETH M C (4CA23CS161)** are Bonafide students of “ **Cauvery Institute of Technology** ” has satisfactorily presented a mini project entitled “**SMART HOME SYSTEM**” in partial fulfillment of their requirements for the award of Degree of Bachelor of Engineering in Department of Computer Science and Engineering by the Visvesvaraya Technological University, Belagavi during the academic year 2025-2026

Prof.AMULYA K S


Assistant Professor
Department Of CSE

Prof.RAKSHITHA B H

Assistant Professor & HOD
Department Of CSE

Dr.SRIKANTAPPA A S

principal



ACKNOWLEDGMENT

We are grateful to the management of the “**CAUVERY INSTITUTE OF TECHNOLOGY**”, for providing us with the opportunity to carry out the project. We have great pleasure in expressing deep sense of gratitude to **Dr. Srikantappa A S** our principal for creating an excellent and technically sound environment in our Institution.

We are extremely grateful to **Prof. Rakshitha B H, Asst. Professor & HOD. Department of Computer Science and Engineering** for her valuable suggestions and for helping us in completing our Project.

We would like to express my profound sense of gratitude to our guide **Prof. Amulya K S Asst Professor Department of Computer Science and Engineering** for the Valuable Suggestions and for helping us in completing our Project.

We are extremely grateful to my project co-ordinator **Prof. Amulya K S Asst. Professor Department of Computer Science and Engineering** for his valuable suggestions and for helping us in completing our Project.

We thank all the teaching and non-teaching staff of Computer Science and Engineering department who has helped us on various occasions during the course of this work.

SANJANA A N

SANGEETHA T R

SPOORTHY S

SUPREETH M C

ABSTRACT

A smart home system integrates interconnected devices, sensors, and automation technologies to enhance comfort, security, and energy efficiency within residential environments. This project presents a centralized smart home architecture that enables real-time monitoring and intelligent control of household functions such as lighting, climate, appliances, and security systems. Using Internet of Things (IoT) technology, the system facilitates seamless communication between devices through a secure wireless network and allows users to manage their home remotely via a mobile or web application. Automation features—powered by rule-based logic and optional machine learning algorithms—adapt to user preferences and optimize resource consumption. The proposed smart home system demonstrates improved convenience, enhanced safety, and reduced energy usage, highlighting its potential as an effective solution for modern connected living.

CONTENTS

Acknowledgment	I
Abstract	II
Table Of Contents	page no.
Chapter 1 : Introduction	1-2
1.1 Problem Statement	1
1.2 Objective	1
1.3 Scope	2
Chapter 2 : Literature Survey	3-4
2.1 Introduction To Smart Home System	3
2.2 Methodology For This Survey	3
2.3 Taxonomy & Reference Architectures	3
2.4 Communication Technologies & Interoperability	3
2.5 Energy Management & Demand Response	4
2.6 Security & Privacy	4
Chapter 3 : System Requirements	5-6
3.1 Software Requirments	5
3.2 Software Description	5
3.3 Problem Analysis	6
3.4 Operational Feasibility	6
Chapter 4 : Design And Implementation	7-9
4.1 Design	7
4.2 Er Diagram	8
4.3 Trigger	8
4.4 Procedure	8
4.5 Normalization	9
4.6 Testing	9

Chapter 5 : Snapshots Of Project

10-11

5.1	Home Page	10
5.2	Login Page	10
5.3	Child Dashboard	11
5.4	Parent Dashboard	11

LIST OF FIGURES

Figures No.	Description	Page no.
4.1	Flow steps	7
4.2	ER Diagram	8
5.1	Home Page	10
5.2	Login Page	10
5.3	Child Dashboard	11
5.4	Parent dashboard	11

CHAPTER 1

INTRODUCTION

A Smart Home System (SHS) refers to a modern household environment where appliances, sensors, and devices are interconnected to provide automation, security, monitoring, and remote control. The evolution of smart technologies has transformed daily living, offering convenience and safety for users of all age groups.

The impact of Smart Home Systems extends beyond technology—it also influences social relationships, especially the **relationship between parents and children**. With smart devices monitoring activities, optimizing routines, and reducing workload, families experience improved communication, increased safety, and shared responsibilities. This report focuses on **how smart home systems shape parent–child relationships**, the benefits, challenges, and long-term implications.

1.1 PROBLEM STATEMENT

In traditional households, parents often face challenges such as:

- Limited visibility into children’s daily routines.
- Difficulty balancing work, safety monitoring, and parenting tasks.
- Communication gaps caused by busy work schedules.
- Concerns about home security and children’s independent behavior.

Smart Home Systems aim to address these challenges by offering real-time monitoring, automated reminders, interactive home environments, and communication-enhancing technologies. However, increased automation may also affect emotional bonding and independence if misused.

1.2 OBJECTIVES

The objectives of this report are:

- To study how Smart Home Systems influence communication between parents and children.
- To analyze the role of smart devices in child safety and supervision.
- To understand how automation impacts family bonding and shared responsibilities.

- To identify challenges, psychological effects, and ethical concerns related to smart home monitoring.
- To propose a balanced approach for healthy parent–child relationships in smart households.

1.3 SCOPE

This study focuses on:

- Smart home components: sensors, cameras, voice assistants, automation hubs.
- Behavioral changes in family dynamics due to automation.
- Impact on children's responsibility, independence, and learning.
- Emotional benefits such as enhanced bonding and reduced stress.
- Potential drawbacks like over-monitoring and privacy concerns.

CHAPTER 2

LITERATURE SURVEY

2.1 INTRODUCTION TO SMART HOME SYSTEM

Smart homes are residences instrumented with sensors, actuators, and networked devices that provide automation, remote control, monitoring, and context-aware services. Over the last decade research has expanded from single-device automation to integrated IoT ecosystems addressing energy management, security & privacy, human-centered design, and AI-driven personalization. A number of systematic surveys and review papers synthesize this fast-moving field and identify recurring challenges in interoperability, trust, and scalability.

2.2 METHODOLOGY FOR THIS SURVEY

This survey synthesizes recent systematic reviews, scoping reviews, and topical surveys (2020–2025) across computer science, IoT, human–computer interaction, and energy systems.

I prioritized review articles and papers that,

- present taxonomies/architectures,
- analyze security/privacy threats,
- review energy management, and
- examine user acceptance and human-centered concerns.

2.3 TAXONOMY & REFERENCE ARCHITECTURES

Researchers commonly classify smart-home systems into layered architectures: device (sensors/actuators), network/communication, middleware/platform (hubs, cloud), and application/user interface layers. Works compare edge vs. cloud processing and hybrid architectures that push computation to gateways for latency, privacy, and reliability reasons. Common design goals are modularity, standard interfaces, and support for heterogeneous protocols (Zigbee, Z-Wave, BLE, Wi-Fi, Thread, MQTT/CoAP).

2.4 COMMUNICATION TECHNOLOGIES & INTEROPERABILITY

A persistent research focus is interoperability among devices from multiple vendors. Studies review low-power wireless protocols (Zigbee, Z-Wave, BLE), IP-based approaches (6LoWPAN, Thread), and application protocols (MQTT, CoAP). Middleware frameworks, standardization efforts, and home gateways are frequently proposed to translate protocols and supply a uniform API. Interoperability remains an unsolved practical barrier for large-scale, vendor-agnostic deployments.

2.5 ENERGY MANAGEMENT & DEMAND RESPONSE

Smart Home Energy Management Systems (HEMS) are a major area: forecasting household demand, scheduling appliances, integrating distributed generation (solar), EV charging coordination, and dynamic pricing response. Recent surveys review forecasting models, optimization strategies, and integration with smart grid services. Research trends emphasize forecasting accuracy, user comfort constraints, and economic incentives.

2.6 SECURITY & PRIVACY

Security and privacy are repeatedly highlighted as critical issues: weak device authentication, firmware vulnerabilities, insecure cloud backends, eavesdropping on radio links, and privacy risks from data collection (audio, video, occupancy). Surveys propose layered defenses (secure boot, mutual authentication, encryption), intrusion detection, access control models, and privacy-preserving data aggregation. However, trade-offs between usability and strong privacy/security remain challenging in consumer deployments.

CHAPTER 3

SYSTEM REQUIREMENTS

3.1 SOFTWARE REQUIRMENTS

- **Operating System:** Windows 10 / Linux
- **Frontend:** HTML, CSS, Bootstrap, JavaScript
- **Backend:** PHP
- **Database:** MySQL
- **IDE/Tools:** XAMPP, Notepad++, Arduino IDE (for IoT setup)++

3.2 SOFTWARE DESCRIPTION

3.2.1 XAMPP(PhpMyAdmin)

- Used to manage the MySQL database for user authentication and sensor data
- The **Smart Home System** requires a reliable local server environment for hosting the backend application and managing its database. **XAMPP** provides an ideal solution as it integrates multiple essential server components into one package, making development and testing efficient
- It enables the system to perform data storage, retrieval, and manipulation operations effectively through PhpMyAdmin, which serves as the graphical interface for managing the MySQL database.

3.2.2 PHP

- Handles backend communication and database connectivity.
- The Smart Home System is designed to allow users to control devices, monitor sensor readings, and manage logs through a web-based interface. PHP is used to implement this functionality by acting as a **middleware** that connects the **user interface** (HTML, CSS, JavaScript) to the **MySQL database** (via XAMPP).

3.2.3 BOOTSTRAP

- In the **Smart Home System**, Bootstrap plays a crucial role in creating a clean, responsive, and consistent user interface for controlling devices, viewing sensor data, and managing system activities. It ensures that the web application adapts smoothly to different screen sizes — from desktops to mobile devices — making it accessible anytime, anywhere.
- Provide Responsible Web Interface

3.2.4 ARDUINO IDE

- The **Arduino Integrated Development Environment (IDE)** is a powerful, open-source platform used for writing, compiling, and uploading Code to Arduino microcontrollers.
- In the **Smart Home System**, the Arduino IDE is used to program and control various hardware components such as **sensors, actuators, and IoT modules (ESP8266/ESP32)** that form the core of the system's automation and monitoring functionalities.

3.3 PROBLEM ANALYSIS

- The traditional home systems require manual operation and offer limited monitoring. Users lack real-time updates and remote control. The proposed system automates these processes and integrates IoT for improved efficiency.

3.4 OPERATIONAL FEASIBILITY

- Operational feasibility evaluates how effectively the proposed Smart Home System can function in a real-world environment. It focuses on determining whether the system will operate successfully once developed and deployed, ensuring that it meets the users' needs and integrates smoothly with existing household infrastructure.
- In this project, operational feasibility assesses the practicality of implementing and maintaining the **IoT-based Smart Home System** from a user, technical, and environmental perspective.
- The system is user-friendly and can be operated by anyone with basic smartphone or computer knowledge. Minimal maintenance is required

CHAPTER 4

DESIGN AND IMPLEMENTATION

4.1 DESIGN

A smart home system integrates sensors, actuators, and intelligent software to automate home tasks, improve security, enhance energy efficiency, and provide convenient control via mobile or voice interfaces. The system typically uses IoT (Internet of Things) technologies to enable communication between devices.

The design of a smart home system involves:

- Hardware components (sensors, actuators, controllers)
- Network and communication technologies
- Software interfaces (mobile/web apps, dashboards)
- Data processing and automation mechanisms
- Security and access control
- User experience design

These components work in harmony to create an environment where devices react to user commands or predefined rules and behave autonomously to increase convenience and safety.




Fig 4.1 : Flow steps

4.2 ER DIAGRAM




Fig 4.2 : ER Diagram

4.3 TRIGGER

If any invalid input (e.g., wrong device ID or empty field) is entered, the system displays an alert message such as “Invalid Device ID.”

1. **Condition:** Only at night.
2. **Action:** Turn on the living room light.

```

<script>
function approveTrigger(id) {
  let r = JSON.parse(localStorage.getItem("requests")) || [];
  r = r.map(x => x.id === id ? { ...x, status:"Approved", approvedUntil: Date.now() + x.durationMinutes*60000 } : x);
  localStorage.setItem("requests", JSON.stringify(r));
  return { action:"DEVICE_ON" };
}

function denyTrigger(id) {
  let r = JSON.parse(localStorage.getItem("requests")) || [];
  r = r.map(x => x.id === id ? { ...x, status:"Rejected", approvedUntil:null } : x);
  localStorage.setItem("requests", JSON.stringify(r));
  return { action:"DEVICE_OFF" };
}
</script>
  
```

4.4 PROCEDURE

A stored procedure retrieves and updates device information:

SELECT device_name, status FROM devices WHERE uid = 'user_id';

4.5 NORMALIZATION

All database tables follow **3NF**:

- **1NF**: All attributes contain atomic values.
- **2NF**: No partial dependency.
- **3NF**: No transitive dependency.

4.6 TESTING

The purpose of testing the Smart Home System is to ensure that all functionalities such as user authentication, device control, sensor data monitoring, and log maintenance perform as expected. This report outlines the various testing methods, test cases, and outcomes used to validate the system.

Test ID	Test Case	Expected Result	Actual Result	Status
TC01	Valid Login	User redirected to dashboard	As expected	PASS
TC02	Invalid Login	Error message	As expected	PASS
TC03	Device Control	Device toggled successfully	As expected	PASS

4.6.1 OBJECTIVES

- Verify system functionality and ensure modules interact correctly.
- Validate data accuracy in all database tables (USER, DEVICE, SENSOR_DATA, LOGS).
- Identify and resolve defects or inconsistencies.
- Ensure the system meets performance, security, and usability requirements.

4.6.2 SCOPE

The testing process covers:

- User login and registration modules.
- Device management and control (ON/OFF, status update).
- Sensor data collection and storage.
- Activity log generation and retrieval.

CHAPTER 5

SNAPSHOTS OF PROJECT

5.1 HOME PAGE




Fig 5.1 : Home Page

- This "home page" is the central control hub of the entire application. It needs to be clean, intuitive, and provide instant access to the most important controls and information.

5.2 LOGIN PAGE




Fig5.2 Login Page

- It looks like you have the design for the **Entry Flow** of a **Smart Home application**. These two screens represent the initial welcome and the subsequent login process.
- This is the very first screen a user sees, acting as a splash page or landing page for the application.

5.3 CHILD DASHBOARD




Fig 5.3 : Child Dashboard

- the security and permission management feature within your Smart Home application, specifically around the Parent/Child roles.
- This screen is what the user sees after logging in with the "Child" role. Its entire purpose is to facilitate the structured **request for device access**, which the Parent must approve on their dashboard.

5.4 PARENT DASHBOARD




Fig 5.4 : Parent Dashboard

- the Entry and Initial Dashboard Flow for your Smart Home application, specifically highlighting the Parent/Child access structure introduced in the login screen.
- This screen is what the user sees after successfully logging in with the "Parent" role from the previous Login screen. It is not the main device control panel, but a specialized administrative panel.

CONCLUSION

The Smart Home System successfully automates various household functions through the integration of Internet of Things (IoT) technology. It provides users with seamless control over connected devices, real-time monitoring of sensor data, and automated responses to environmental changes. This system ensures efficiency, convenience, and enhanced safety within the home environment.

By leveraging IoT, the system minimizes manual intervention and contributes to reducing energy consumption through intelligent device management and scheduling. The platform is designed to be user-friendly, allowing individuals to manage lighting, temperature, and other devices remotely via web or mobile interfaces. Moreover, the system's data logging and monitoring features provide transparency, helping users track energy usage patterns and optimize consumption.

In addition to current functionalities, the system offers strong potential for future expansion and scalability. More devices, sensors, and automation rules can be integrated effortlessly. Incorporating AI-driven predictive analytics can further enhance automation — enabling the system to learn user habits, anticipate needs, and make intelligent decisions, such as adjusting lighting or temperature automatically based on time, occupancy, or weather conditions.

FUTURE ENHANCEMENTS

- Integration with voice assistants (Alexa, Google Assistant).
 - To make the system more interactive and hands-free, future versions can integrate with popular voice assistants like Amazon Alexa, Google assistant, or Apple Siri.
- AI-based energy optimization.
 - Incorporating **Artificial Intelligence (AI)** and **Machine Learning (ML)** algorithms will enable the system to learn from user behaviour, device usage patterns, and environmental data.
- Cloud-based analytics and mobile app.
 - By integrating **cloud computing**, all device data and sensor readings can be stored and processed on a secure cloud platform.
- Integration with security cameras and biometric locks.
 - Enhancing the security module is crucial for a complete smart home experience. Future upgrades can include integration with **CCTV cameras**, **smart doorbells**, and **biometric authentication systems** (such as fingerprint or facial recognition locks).
- Solar energy monitoring and smart metering.
 - To promote **eco-friendly and sustainable living**, future enhancements will include integration with **solar panels** and **smart metering systems**.

REFERENCES

- [1] IEEE Paper: “IoT-Based Smart Home Automation System
- [2] Arduino and ESP8266 Documentation.
- [3] Smart Home Applications: A Systematic Review, Elsevier 2023.
- [4] W3Schools PHP and MySQL Tutorials.
- [5] IoT Developer Resources (Google Cloud IoT, AWS IoT Core).