EXPERIMENT IX

Step 1: Set up the HTML Form Start by creating an HTML form with input fields for the email and phone number.

index.html style.css script.js

index.html > html > head

```html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Form Validation</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <div class="container">
    <form id="myForm"
      <label for="email">Email:</label>
      <input type="email" id="email" name="email" required>
      <span id="emailError" class="error" aria-live="polite"></span>

      <label for="phone">Phone Number:</label>
      <input type="tel" id="phone" name="phone" required>
      <span id="phoneError" class="error" aria-live="polite"></span>

      <button type="submit">Submit</button>
    </form>
  </div>

  <!-- Validator.js library -->
  <script src="https://cdnjs.cloudflare.com/ajax/libs/validator/13.6.0/validator.min.js"></scrip
  <!-- Custom validation script -->
  <script src="script.js"></script>
</body>
</html>
```

Step 2: Style the Form with CSS Next. Make sure that you add some basic styling to make the form look nice and presentable.

index.html | style.css | script.js

style.css > .container

```css
body {
  font-family: Arial, sans-serif;
  margin: 0;
  padding: 20px;
}
.container {
  max-width: 500px;
  margin: 0 auto;
}
form {
  display: flex;
  flex-direction: column;
}
label {
  margin-top: 10px;
  font-weight: bold;
}
input {
  padding: 8px;
  margin-top: 5px;
  border: 1px solid #ccc;
  border-radius: 4px;
}
button {
  margin-top: 15px;
  padding: 10px;
  background-color: #007bff;
  color: white;
  border: none;
  border-radius: 4px;
  cursor: pointer;
}
button:hover {
  background-color: #0056b3;
}
.error {
  color: red;
  font-size: 12px;
  margin-top: 5px;
}
```

Step 3: After adding JavaScript for Validation Finally, add JavaScript to validate the input fields using Validator.js and display error messages.

index.html | style.css | script.js

script.js > ...

```javascript
document.getElementById('myForm').addEventListener('submit', function (e) {
  e.preventDefault();

  let email = document.getElementById('email').value;
  let phone = document.getElementById('phone').value;
  let emailError = document.getElementById('emailError');
  let phoneError = document.getElementById('phoneError');

  // Clear previous error messages
  emailError.textContent = '';
  phoneError.textContent = '';

  // Validate email
  if (!validator.isEmail(email)) {
    emailError.textContent = 'Please enter a valid email address.';
  }

  // Validate phone number
  if (!validator.isMobilePhone(phone, 'any')) {
    phoneError.textContent = 'Please enter a valid phone number.';
  }

  // If no errors, submit the form (for demonstration purposes, we'll just log the values)
  if (validator.isEmail(email) && validator.isMobilePhone(phone, 'any')) {
    console.log('Email:', email);
    console.log('Phone:', phone);
    alert('Form submitted successfully!');
    // Optionally: this.submit(); // Uncomment if you want actual submission
  }
});
```

Output:-

Email:

Phone Number:

Submit

Empty fields

Email:

krishna.ar.2024.cse@rajalakshmi.edu.im

Phone Number:

9940434771

Submit

For valid phone no. and valid e-mail

Email:

krishna.ar.2024.cse@rajalakshmi

Please enter a valid email address.

Phone Number:

9940434771

Submit

Error for invalid e-mail

Email:

krishna.ar.2024.cse@rajalakshmi.com

Phone Number:

99404erwq

Please enter a valid phone number.

Submit

Error for invalid phone number