North Pharmacy

Test Case Document — Execution Record

Document ID	**NP-QA-TC-001**
Version	1.5 — execution results re-recorded
Date of Issue	27 October 2026
Application URL	https://202.4.101.118:1165/
Parent Document	NP-QA-TP-001 — Software Test Plan & Test Coverage Report v1.0
Prepared By	Md. Masud Rana
Executed By	Automated run — Playwright suite in this repository
Classification	Internal — Confidential
Status	Executed — Cycle 2 recorded
Revision	v1.5 — Status and Actual Result refreshed from the 27 October 2026 run

1. Execution Summary

434	284	21	27	102	93.1%
Test cases	Pass	Fail	Blocked	Not Executed	Pass rate of executed

This revision carries the same 434 test cases as version 1.4. The **Actual Result** and **Status** columns have been re-recorded from a full run of the automated suite on 27 October 2026.

1.1 Movement since v1.4

Status	v1.4	v1.5	Change
Pass	227	284	+57
Fail	26	21	-5
Blocked	28	27	-1
Not Executed	153	102	-51
Total	**434**	**434**	

1.2 Where each result came from

From this automated run	301 cases — the suite executed the case, or reported exactly why it could not.
No automated steps	37 cases whose test body records only why the case writes to live data. The marker no longer skips, so the run reports them as passing without asserting anything. They are recorded as Not Executed rather than Pass: a pass from a body with no steps is not evidence, and treating it as one would overwrite findings this document already holds.
Carried from v1.4	96 cases the automation still cannot drive, where v1.4 holds a hand-executed observation — order numbers, endpoints and HTTP codes. That evidence is better than "skipped", so it is preserved rather than overwritten.
Command	`npx playwright test --project=chromium`
Browser project	chromium (Desktop Chrome, 1920 × 1080) — the firefox and mobile projects are commented out in the config
Environment	https://202.4.101.118:1165/ · Windows 11 Pro · workers 1 · retries 1
Automated checks	474 checks mapped onto 434 of the 434 documented cases
Reading a Pass	A Pass is a pass of the automated check, not necessarily of the whole written case. Where a case describes more than the automation asserts, the Pass applies to the part that was checked.

2. Status changes in this cycle

58 cases moved. Everything else kept the status it had in v1.4.

Test Case ID	Description	v1.4	v1.5	Actual Result (v1.5)
NP-PDP-TC-008	Verify an out-of-stock product cannot be added to the cart	Not Executed	Pass	Executed automatically in 1.7 s; every assertion in the automated check held.
NP-CRT-TC-003	Verify adding the same product twice increases the quantity instead of creating a duplicate line	Fail	Pass	2 automated checks executed (6.5 s, 10.7 s); every assertion held.
NP-CRT-TC-005	Verify a line can be removed from the cart	Fail	Pass	Executed automatically in 14.1 s; every assertion in the automated check held.
NP-WSH-TC-006	Verify the empty wishlist state and out-of-stock item handling	Not Executed	Pass	Executed automatically in 3.1 s; every assertion in the automated check held.
NP-LOG-TC-012	Verify a customer session cannot access administrative functionality	Not Executed	Pass	Executed automatically in 3.6 s; every assertion in the automated check held.
NP-ACC-TC-007	Verify the district dropdown lists all 64 districts	Fail	Pass	2 automated checks executed (4.5 s, 6.1 s); every assertion held.
NP-CHK-TC-008	Verify the order summary arithmetic is correct in all components	Fail	Pass	Executed automatically in 7.4 s; every assertion in the automated check held.
NP-ORD-TC-006	Verify cancellation is blocked once the order has progressed past the permitted stage	Blocked	Pass	Executed automatically in 2.0 s; every assertion in the automated check held.
NP-SEC-TC-008	Verify admin input fields are protected against script injection	Not Executed	Pass	Executed automatically in 6.2 s; every assertion in the automated check held.
NP-DSH-TC-002	Verify today's orders and today's sales figures are correct	Not Executed	Pass	Executed automatically in 5.5 s; every assertion in the automated check held.
NP-ORM-TC-012	Verify a cancelled order is excluded from sales figures and reports	Not Executed	Pass	Executed automatically in 4.5 s; every assertion in the automated check held.
NP-RXA-TC-006	Verify the linked customer and order are visible from the prescription record	Blocked	Pass	Executed automatically in 3.6 s; every assertion in the automated check held.
NP-PRD-TC-009	Verify the prescription- required flag controls the customer-side gate	Not Executed	Pass	Executed automatically in 4.1 s; every assertion in the automated check held.
NP-PRD-TC-014	Verify a negative stock value is rejected on the product form	Not Executed	Pass	Executed automatically in 3.4 s; every assertion in the automated check held.
NP-PRD-TC-018	Verify a duplicate slug cannot be created	Not Executed	Pass	Executed automatically in 4.2 s; every assertion in the automated check held.
NP-PRD-TC-020	Verify removing a product image restores the category artwork fallback	Not Executed	Pass	Executed automatically in 3.8 s; every assertion in the automated check held.
NP-INV-TC-016	Verify non-numeric stock input is rejected	Not Executed	Pass	Executed automatically in 3.1 s; every assertion in the automated check held.
NP-MFR-TC-003	Verify the manufacturer logo can be uploaded, replaced and removed	Not Executed	Pass	Executed automatically in 3.2 s; every assertion in the automated check held.
NP-MFR-TC-004	Verify the home-page toggle controls the customer brand strip	Not Executed	Pass	Executed automatically in 3.3 s; every assertion in the automated check held.
NP-PRM-TC-001	Verify a promotion can be created with valid values	Not Executed	Pass	Executed automatically in 3.0 s; every assertion in the automated check held.
NP-PRM-TC-007	Verify a discount percentage above 100 is rejected	Not Executed	Pass	Executed automatically in 3.8 s; every assertion in the automated check held.

Test Case ID	Description	v1.4	v1.5	Actual Result (v1.5)
NP-PRM-TC-008	Verify a negative discount value is rejected	Not Executed	Pass	Executed automatically in 3.7 s; every assertion in the automated check held.
NP-PRM-TC-014	Verify a promotion applies only to the products or categories within its configured scope	Not Executed	Pass	Executed automatically in 3.9 s; every assertion in the automated check held.
NP-WCM-TC-001	Verify the home top bar message and tagline can be edited	Not Executed	Pass	Executed automatically in 3.2 s; every assertion in the automated check held.
NP-WCM-TC-002	Verify placeholder tokens resolve to live settings values	Not Executed	Pass	Executed automatically in 4.2 s; every assertion in the automated check held.
NP-WCM-TC-003	Verify hero slides can be added, edited, reordered and removed	Not Executed	Pass	Executed automatically in 4.3 s; every assertion in the automated check held.
NP-WCM-TC-004	Verify static pages can be created and edited with rich text	Not Executed	Pass	Executed automatically in 4.9 s; every assertion in the automated check held.
NP-WCM-TC-005	Verify FAQs can be created, edited, reordered and deleted	Not Executed	Pass	Executed automatically in 4.0 s; every assertion in the automated check held.
NP-WCM-TC-006	Verify the image library supports upload, replacement and deletion	Not Executed	Blocked	No image library exists in this build. The only upload is the per-slide "Own picture" replacement on the Home page tab — there is no library listing to upload into and no delete control, so replacement and deletion cannot be exercised.
NP-WCM-TC-007	Verify unsaved content changes are protected	Not Executed	Pass	Executed automatically in 3.6 s; every assertion in the automated check held.
NP-SET-TC-001	Verify store details save and appear across the customer site	Not Executed	Pass	2 automated checks executed (3.9 s, 3.3 s); every assertion held.
NP-SET-TC-002	Verify the inside-district delivery charge change takes effect at checkout	Not Executed	Pass	Executed automatically in 3.2 s; every assertion in the automated check held.
NP-SET-TC-003	Verify the outside-district delivery charge change takes effect	Not Executed	Pass	Executed automatically in 3.3 s; every assertion in the automated check held.
NP-SET-TC-004	Verify the free delivery threshold change takes effect at the new boundary	Not Executed	Pass	Executed automatically in 3.1 s; every assertion in the automated check held.
NP-SET-TC-006	Verify delivery settings reject invalid values	Not Executed	Pass	Executed automatically in 14.8 s; every assertion in the automated check held.
NP-SET-TC-007	Verify enabling a wallet payment method makes it available at checkout	Not Executed	Pass	Executed automatically in 3.5 s; every assertion in the automated check held.
NP-SET-TC-008	Verify a wallet number is mandatory when its method is enabled	Not Executed	Pass	Executed automatically in 17.0 s; every assertion in the automated check held.
NP-SET-TC-009	Verify social links save, validate and render in the footer	Not Executed	Pass	Executed automatically in 4.1 s; every assertion in the automated check held.
NP-SET-TC-010	Verify concurrent settings edits are detected rather than silently overwritten	Not Executed	Pass	Executed automatically in 3.3 s; every assertion in the automated check held.
NP-SET-TC-011	Verify a store name change appears in the customer site header	Not Executed	Pass	Executed automatically in 4.9 s; every assertion in the automated check held.
NP-SET-TC-012	Verify a hotline change appears in the footer and on the contact page	Not Executed	Pass	Executed automatically in 4.6 s; every assertion in the automated check held.
NP-SET-TC-013	Verify an address change appears on the customer contact page	Not Executed	Pass	Executed automatically in 3.7 s; every assertion in the automated check held.
NP-SET-TC-015	Verify a negative delivery charge is rejected	Not Executed	Pass	Executed automatically in 7.6 s; every assertion in the automated check held. Failed on the first attempt and passed on retry —

Test Case ID	Description	v1.4	v1.5	Actual Result (v1.5)
NP-SET-TC-016	Verify a non-numeric free delivery threshold is rejected	Not Executed	Pass	Executed automatically in 6.6 s; every assertion in the automated check held.
NP-SET-TC-017	Verify a maximum quantity per item of zero is rejected	Not Executed	Pass	Executed automatically in 14.0 s; every assertion in the automated check held.
NP-SET-TC-018	Verify enabling bKash makes it selectable at checkout with its wallet number	Not Executed	Pass	Executed automatically in 15.5 s; every assertion in the automated check held.
NP-SET-TC-019	Verify enabling Nagad makes it selectable at checkout with its wallet number	Not Executed	Pass	Executed automatically in 15.5 s; every assertion in the automated check held.
NP-SET-TC-020	Verify every payment method cannot be disabled at once	Not Executed	Pass	Executed automatically in 4.6 s; every assertion in the automated check held.
NP-SET-TC-021	Verify an invalid social media URL is rejected	Not Executed	Pass	Executed automatically in 6.3 s; every assertion in the automated check held.
NP-SET-TC-022	Verify clearing a social link removes its icon from the footer	Not Executed	Pass	Executed automatically in 10.1 s; every assertion in the automated check held.
NP-SET-TC-023	Verify the settings version, editor and timestamp update on every save	Not Executed	Pass	Executed automatically in 3.0 s; every assertion in the automated check held.
NP-E2E-TC-001	New customer registers and completes a first Cash on Delivery order inside Dhaka	Not Executed	Pass	Executed automatically in 12.6 s; every assertion in the automated check held. Failed on the first attempt and passed on retry —
NP-E2E-TC-004	Order progresses through the full lifecycle to delivery	Not Executed	Pass	Executed automatically in 5.3 s; every assertion in the automated check held.
NP-E2E-TC-005	Order cancellation and its financial effect	Not Executed	Pass	Executed automatically in 5.0 s; every assertion in the automated check held.
NP-E2E-TC-006	Admin catalogue changes propagate correctly to the storefront	Not Executed	Pass	Executed automatically in 3.9 s; every assertion in the automated check held.
NP-E2E-TC-007	Delivery settings change applied end to end	Not Executed	Pass	Executed automatically in 3.3 s; every assertion in the automated check held.
NP-RSP-TC-009	Verify the cart page is fully usable at phone width	Fail	Pass	Executed automatically in 12.5 s; every assertion in the automated check held.
NP-USB-TC-006	Verify entered form data is preserved when validation fails	Not Executed	Pass	Executed automatically in 1.9 s; every assertion in the automated check held.

3. Part A — Customer Website Test Cases

180 cases — Pass 129 · Fail 8 · Blocked 16 · Not Executed 27

A1. HOME PAGE & MERCHANDISING — 9 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Home Page	NP-HOM-TC-001	Verify the home page loads completely with all merchandising sections	Browser open, no session required	1. Navigate to the application root URL 2. Wait for the page to finish loading 3. Scroll from top to bottom	Root URL	Page renders within 3 seconds. Top bar, header with search, hero slider, department tiles, featured products, brand strip and footer are all present. No broken images and no console errors.	2 automated checks executed (1.9 s, 2.2 s); every assertion held.	Pass	High	P2
Home Page	NP-HOM-TC-002	Verify the promotional top bar shows the correct free- delivery message with resolved values	Free delivery threshold is configured as BDT 2,000	1. Open the home page 2. Read the message in the top bar 3. Compare each value against store settings	Threshold BDT 2,000; home district Dhaka	Top bar reads "Free Home Delivery on orders above BDT 2,000". The placeholder token is replaced by the live configured value, not shown as raw text such as {freeDeliveryAbove} .	2 automated checks executed (2.1 s, 1.9 s); every assertion held.	Pass	High	P2
Home Page	NP-HOM-TC-003	Verify the hero slider rotates automatically and supports manual navigation	At least three hero slides are configured in the admin	1. Open the home page 2. Observe the slider without interacting for 30 seconds 3. Click the next and previous controls 4. Click a pagination dot	Configured hero slides	Slides rotate automatically at the configured interval. Next, previous and dot controls change the slide immediately. Rotation does not skip or jump, and each slide shows its eyebrow, title, highlight, body text and buttons.	Executed automatically in 3.0 s; every assertion in the automated check held.	Pass	Medium	P3
Home Page	NP-HOM-TC-004	Verify hero slide call-to-action buttons navigate to the correct destination	Home page loaded	1. On slide 1 click "See Offers" 2. Return to home, click "Delivery details" 3. On slide 2 click "Upload Prescription" 4. Click "How it works"	Links: /shop?offers=true , /delivery , /account/prescriptio ns , /help	Each button navigates to its configured destination. The offers link opens the shop filtered to discounted products only. The prescription link requires login and returns the user to the prescription page after authentication.	Executed automatically in 2.2 s; every assertion in the automated check held.	Pass	High	P2
Home Page	NP-HOM-TC-005	Verify all six product departments are displayed and navigate correctly	Home page loaded	1. Locate the department section 2. Count the departments shown 3. Click each department in turn and note the landing page	Medicines, Health & Wellness, Personal Care, Baby Care, Skin Care, Nutrition	All six departments are displayed with correct names and artwork. Clicking a department opens its listing showing only products belonging to that department's categories, with an accurate result count.	Executed automatically in 2.1 s; every assertion in the automated check held.	Pass	High	P2
Home Page	NP-HOM-TC-006	Verify featured and offer product cards show correct price, discount and stock state	At least one discounted and one out-of-stock product exist	1. Open the home page 2. Inspect each product card in the featured and offers sections 3. Open one card and compare against the product detail page	Discounted product; out-of-stock product	Each card shows name, strength, formation, manufacturer, selling price and, where applicable, the struck- through MRP with a discount badge. Out-of-stock products are visually marked and cannot be added to cart. Card values match the product detail page exactly.	2 automated checks executed (2.0 s, 2.1 s); every assertion held.	Pass	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Home Page	NP-HOM-TC-007	Verify the brand strip shows only manufacturers flagged for the home page	Admin has manufacturers with the home-page flag both on and off	1. In the admin note which manufacturers have the home-page toggle enabled 2. Open the customer home page 3. Compare the brand strip against that list 4. Click one brand logo	Square Pharmaceuticals Ltd., Incepta, Opsonin, Beximco (flag on)	Only manufacturers with the home- page flag enabled appear. Logos render, or a text fallback is shown where no logo is uploaded. Clicking a brand opens that manufacturer's product listing.	Executed automatically in 2.0 s; every assertion in the automated check held.	Pass	Medium	P3
Home Page	NP-HOM-TC-008	Verify footer contact details match the configured store settings	Store details configured in the admin	1. Open the home page and scroll to the footer 2. Compare hotline, email and address against admin settings 3. Click each footer link	Hotline 01330770000 ; address Cemex Iconic Tower, Mohammadpur, Dhaka-1207	Hotline, address and email in the footer match store settings exactly. All footer links resolve to a valid page with no 404 responses.	Executed automatically in 1.9 s; every assertion in the automated check held.	Pass	Medium	P3
Home Page	NP-HOM-TC-009	Verify the hero slider pause and resume control stops and restarts automatic rotation	Home page loaded with more than one hero slide	1. Locate the pause control beside the slider pagination dots 2. Click it and observe the slider for 30 seconds 3. Click it again to resume 4. Observe for a further 30 seconds	Pause and play control; configured hero slides	Automatic rotation stops while paused and the control changes to its play state. Manual next and previous still work while paused. Clicking again resumes rotation at the configured interval.	Requires manual verification: Observing a full 30-second automatic rotation cycle is a timing check better done by hand; the control states are asserted above	Not Executed	Medium	P3

A2. NAVIGATION, BROWSING, SORTING & FILTERING — 16 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Navigation	NP-NAV-TC-001	Verify header navigation and category menu open and route correctly on desktop	Desktop browser at 1366 px width	1. Hover over each top-level navigation item 2. Observe the dropdown or mega- menu 3. Click a category inside the menu	All six departments and their categories	Menus open on hover without flicker, show the correct child categories, and clicking a category opens its listing with an accurate breadcrumb.	Executed automatically in 2.3 s; every assertion in the automated check held.	Pass	High	P2
Navigation	NP-NAV-TC-002	Verify the mobile navigation drawer functions correctly	Browser at 360 px width or a physical Android phone	1. Tap the hamburger icon 2. Expand a department 3. Tap a category 4. Reopen the drawer and tap the close control	Viewport 360 px	Drawer slides open, departments expand and collapse, category selection navigates correctly and closes the drawer. The close control dismisses the drawer and page scrolling is restored.	Executed automatically in 2.1 s; every assertion in the automated check held.	Pass	High	P2
Browsing	NP-NAV-TC-003	Verify category listing shows only products belonging to that category	Categories populated with products	1. Open the category "Injections & Insulin" 2. Review the first two pages of results 3. Open three products and check their category	Category key injections	Every product listed belongs to the selected category. No product from another category appears. The result count matches the number of products actually returned.	Executed automatically in 1.9 s; every assertion in the automated check held.	Pass	High	P2
Browsing	NP-NAV-TC-004	Verify pagination navigates correctly without repeating or skipping products	A category with more products than one page	1. Open a category with many products 2. Note the first and last product on page 1 3. Go to page 2, then page 3 4. Return to page 1	Category "Tablets & Capsules"	Each page shows a distinct set of products. No product repeats across pages and none is skipped. Returning to page 1 shows the same set as initially. The page indicator reflects the current page.	Executed automatically in 3.5 s; every assertion in the automated check held.	Pass	High	P2

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Sorting	NP-NAV-TC-005	Verify sorting by price ascending and descending orders results correctly	Category listing open	1. Apply sort "Price: low to high" 2. Record the first ten prices 3. Apply sort "Price: high to low" 4. Record the first ten prices	Any populated category	Ascending sort returns prices in non- decreasing order; descending returns non-increasing order. The sort is applied to the entire result set, not only the current page. The selected sort remains visible in the control.	Executed automatically in 5.0 s; every assertion in the automated check held.	Pass	Medium	P2
Filtering	NP-NAV-TC-006	Verify filtering by manufacturer returns only that manufacturer's products	Listing page open with filters available	1. Open the shop listing 2. Apply the manufacturer filter "Square Pharmaceuticals Ltd." 3. Review the results and the count 4. Open two products and verify the manufacturer	Square Pharmaceuticals Ltd. — 564 products	Only products manufactured by Square Pharmaceuticals Ltd. are returned. The result count is consistent with the admin product count for that manufacturer, allowing for hidden and out-of-stock exclusions.	Executed automatically in 1.9 s; every assertion in the automated check held.	Pass	High	P2
Filtering	NP-NAV-TC-007	Verify multiple filters applied together narrow results correctly	Listing page open	1. Apply category "Tablets & Capsules" 2. Add manufacturer "Beximco Pharmaceutical Ltd." 3. Add a price range 4. Add the in-stock filter 5. Review results	Category + manufacturer + price range + stock	Results satisfy every applied filter simultaneously. The result count decreases or stays equal as each filter is added, never increases. All active filters are displayed as removable chips.	Executed automatically in 2.6 s; every assertion in the automated check held.	Pass	High	P2
Filtering	NP-NAV-TC-008	Verify filter reset clears all applied filters and restores the full listing	At least three filters applied	1. Apply category, manufacturer and price filters 2. Note the filtered result count 3. Click "Clear all" or the reset control 4. Note the restored count	Any filter combination	All filters are removed in a single action, every filter chip disappears, controls return to their default state and the full unfiltered result count is restored.	Executed automatically in 1.9 s; every assertion in the automated check held.	Pass	Medium	P3
Filtering	NP-NAV-TC-009	Verify the no-results state when a filter combination matches nothing	Listing page open	1. Apply a deliberately contradictory combination, such as a narrow price range on an expensive category 2. Observe the page	Price range BDT 1–2 on "Injections & Insulin"	A clear, friendly empty-state message is shown instead of a blank page or an error. The applied filters remain visible and removable so the user can recover without reloading.	Executed automatically in 1.7 s; every assertion in the automated check held.	Pass	Medium	P3
Browsing	NP-NAV-TC-010	Verify browser back and forward preserve the listing, filters and scroll position	Listing page with filters applied	1. Apply filters and scroll down 2. Open a product 3. Press the browser back button 4. Press forward, then back again	Filtered listing	Returning to the listing restores the same filters, the same page of results and approximately the same scroll position. The user is not reset to an unfiltered page 1.	Executed automatically in 2.1 s; every assertion in the automated check held.	Pass	Low	P3
Navigation	NP-NAV-TC-011	Verify the All Categories panel opens and closes using its own toggle and close control	Home page loaded on desktop	1. Click the All Categories control in the header 2. Observe the panel open 3. Click the X close control inside the panel 4. Reopen it and click elsewhere on the page	All Categories toggle; X close control	The panel opens on click rather than on hover, shows the full category list, and closes both via the X control and by clicking away. The toggle state is reflected in the control and the panel does not obstruct the page when closed.	2 automated checks executed (2.7 s, 2.1 s); every assertion held.	Pass	High	P2

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Navigation	NP-NAV-TC-012	Verify the stock count shown beside each category matches the catalogue	All Categories panel open; admin access available	1. Open the All Categories panel and record the count beside every category 2. For three categories, filter the admin product catalogue by that category and count the in-stock products 3. Compare each pair	Tablets & Capsules 1,636 in stock; Syrups & Liquids 554; Injections & Insulin 451; Food & Nutrition 5	Each displayed count equals the number of in-stock products in that category. The figures are not stale after a stock change in the admin, and the thousands separator is formatted consistently.	2 automated checks executed (2.6 s, 2.9 s); every assertion held.	**Pass**	Critical	P1
Navigation	NP-NAV-TC-013	Verify the wording used when a category has no products in stock	A category exists whose in-stock count is zero	1. Open the All Categories panel 2. Locate the Baby & Mother category and read its label 3. Click into that category and review the listing 4. Attempt to add any product to the cart	Baby & Mother — 251 total products, 0 in stock	The wording follows a single documented rule and does not mislead. If the total product count is shown instead of zero in stock, the customer must still be able to tell before clicking that nothing in the category is purchasable. Entering the category shows every product as out of stock and none can be added to the cart.	Executed automatically in 2.6 s; every assertion in the automated check held.	**Pass**	Critical	P1
Navigation	NP-NAV-TC-014	Verify the Browse all products link opens the full catalogue listing	All Categories panel open	1. Open the All Categories panel 2. Click Browse all products at the foot of the panel 3. Review the resulting listing and result count	Browse all products link	The full product listing opens, unfiltered by category, with a result count consistent with the catalogue total. The panel closes on navigation.	Executed automatically in 2.2 s; every assertion in the automated check held.	**Pass**	Medium	P3
Navigation	NP-NAV-TC-015	Verify the Shop and Offers items in the top navigation bar	Home page loaded on desktop	1. Click Shop in the top navigation and review the listing 2. Return to the home page 3. Click Offers and review the listing 4. Confirm every product shown under Offers carries a discount	Top nav items Shop and Offers	Shop opens the full catalogue listing. Offers opens the catalogue filtered to discounted products only, and every product shown has a discount badge. Both items show an active state while their page is open.	2 automated checks executed (3.3 s, 3.1 s); every assertion held.	**Pass**	High	P2
Navigation	NP-NAV-TC-016	Verify the All Categories panel lists every configured category	All Categories panel open; store configuration known	1. Open the All Categories panel 2. Count the categories listed 3. Compare the list against the configured category set 4. Click three categories and confirm each opens its own listing	11 categories: Tablets & Capsules, Syrups & Liquids, Injections & Insulin, Skin & Topicals, Eye Ear & Nose, Inhalers & Respiratory, Surgical & Devices, Baby & Mother, Personal Care, Food & Nutrition, More Essentials	All 11 configured categories appear with the correct display names and none is missing or duplicated. Each opens a listing containing only its own products.	2 automated checks executed (3.8 s, 2.1 s); every assertion held.	**Pass**	High	P2

A3. SEARCH & AUTOCOMPLETE — 10 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Search	NP-SRC-TC-001	Verify search by brand name returns the matching products	Home page loaded	1. Click the search field 2. Type the brand name 3. Press Enter 4. Review the results heading and list	Search term: napa	The results page is headed "Results for napa" and lists all Napa variants including 500 mg Tablet, 500 mg Suppository and 1 tab Tablet, each with generic name, strength, formation, manufacturer and price.	2 automated checks executed (2.4 s, 2.1 s); every assertion held.	Pass	High	P1
Search	NP-SRC-TC-002	Verify search by generic name returns products of that generic across brands	Home page loaded	1. Enter the generic name in search 2. Press Enter 3. Inspect the manufacturers represented in the results	Search term: Paracetamol	Products from multiple manufacturers sharing the Paracetamol generic are returned, not only one brand. Each result displays its generic name so the match is evident to the user.	Executed automatically in 4.7 s; every assertion in the automated check held.	Pass	High	P1
Search	NP-SRC-TC-003	Verify autocomplete suggestions appear while typing and are relevant	Search field focused	1. Type the first three characters 2. Observe the suggestion dropdown 3. Continue typing to five characters 4. Observe how suggestions narrow	Type nap then napa	Suggestions appear within 500 ms of typing. Each suggestion shows product name, generic, strength, formation, manufacturer, price and stock state. Suggestions narrow as more characters are typed and remain relevant to the query.	2 automated checks executed (3.1 s, 3.0 s); every assertion held.	Pass	High	P1
Search	NP-SRC-TC-004	Verify selecting an autocomplete suggestion opens the correct product	Autocomplete suggestions visible	1. Type a search term 2. Click the second suggestion in the list 3. Compare the opened product against the suggestion	Suggestion: Napa 500 mg Suppository	The product detail page for exactly the selected suggestion opens. Name, generic, strength, formation, manufacturer and price on the detail page match the suggestion row.	Executed automatically in 2.8 s; every assertion in the automated check held.	Pass	High	P1
Search	NP-SRC-TC-005	Verify search is case-insensitive and tolerant of surrounding whitespace	Home page loaded	1. Search napa and record the count 2. Search NAPA 3. Search NaPa 4. Search with leading and trailing spaces	napa , NAPA , NaPa , " napa "	All four searches return an identical result set and count. Surrounding whitespace is trimmed and does not cause a no-result response.	Executed automatically in 8.1 s; every assertion in the automated check held.	Pass	Medium	P2
Search	NP-SRC-TC-006	Verify the no-result state for a term that matches no product	Home page loaded	1. Search a nonsense string 2. Observe the page 3. Confirm recovery options are offered	Search term: zzzqqqxyz	A clear "no results found" message is displayed with the searched term echoed back. Suggested categories, popular products or a browse link are offered. No error page and no empty white screen.	Executed automatically in 2.3 s; every assertion in the automated check held.	Pass	Medium	P2
Search	NP-SRC-TC-007	Verify search handles script and injection patterns safely	Home page loaded	1. Enter a script tag payload in the search box and submit 2. Enter an SQL-style payload and submit 3. Inspect the rendered page and the browser console	<script>alert(1)</script> and ' OR 1=1--	No script executes and no alert dialog appears. The payload is displayed as inert escaped text or returns no results. No database error, stack trace or raw API message is exposed.	2 automated checks executed (2.7 s, 3.4 s); every assertion held.	Pass	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Search	NP-SRC-TC-008	Verify search accepts Bangla input without error	Bangla keyboard or clipboard text available	1. Paste a Bangla product or generic name into search 2. Submit 3. Observe the results and the echoed term	Bangla text such as না পা	The Bangla term is accepted and rendered correctly in the search field and results heading without character corruption. Either matching results or a proper no-result message is returned, never a server error.	Executed automatically in 2.3 s; every assertion in the automated check held.	Pass	Medium	P3
Search	NP-SRC-TC-009	Verify rapid typing does not produce stale or out-of- order suggestions	Search field focused	1. Type a long term quickly, character by character 2. Immediately delete several characters 3. Type a different term quickly 4. Observe the final suggestion list	Type napados then backspace to nap then type seclo	The suggestion list corresponds to the final query only. No results from an earlier in-flight request overwrite the current list, and no duplicate entries appear.	Executed automatically in 2.5 s; every assertion in the automated check held.	Pass	Medium	P2
Search	NP-SRC-TC-010	Verify a very long search string is handled without breaking the layout or the request	Home page loaded	1. Paste a 500-character string into the search field 2. Submit 3. Observe the page layout and response	500-character alphanumeric string	The input is either truncated at a sensible limit or accepted and processed. A graceful no-result message is shown. The page layout does not break and no unhandled server error occurs.	Error: a long query must not break the layout expect(received).toBeLessThanOrEqual(expected) Expected: <= 2 Received: 6966	Fail	Low	P3

A4. PRODUCT DETAIL PAGE — 21 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Product Detail	NP-PDP-TC-001	Verify all product attributes are displayed accurately on the detail page	Product exists in the catalogue	1. Open the product detail page 2. Record every displayed attribute 3. Compare each against the admin product record	Napa 500 mg Tablet — Paracetamol, Beximco, BDT 1.20	Name, generic, strength, formation, pack unit, manufacturer, category, MRP and selling price all match the admin record exactly. Currency is formatted consistently as BDT with two decimal places where applicable.	Error: product detail must render expect(received).toBeFalsy() Received: true	Fail	Critical	P1
Product Detail	NP-PDP-TC-002	Verify discount price and saving are calculated and displayed correctly	A product with a configured discount exists	1. Open a discounted product 2. Record the MRP, selling price and discount percentage 3. Recalculate the discount independently	Product with MRP and discount configured in admin	The MRP is shown struck through, the selling price is shown prominently, and the discount percentage equals (MRP − price) ÷ MRP × 100 rounded per the stated rule. The saving amount equals MRP − price.	Error: expect(received).toBeFalsy() Received: true	Fail	Critical	P1
Product Detail	NP-PDP-TC-003	Verify the prescription-required badge appears on controlled medicines	Prescription-required product exists	1. Open a prescription-required product 2. Look for the prescription indicator 3. Open a non-prescription product and compare	Merobac 1 gm Injection (Rx required); Napa 500 mg Tablet (not required)	The prescription-required product clearly displays a prescription badge or notice explaining that a valid prescription is needed. The non- prescription product shows no such badge.	Error: expect(received).toBeFalsy() Received: true	Fail	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Product Detail	NP-PDP-TC-004	Verify stock state is displayed correctly for in- stock, low-stock and out- of-stock products	Products in all three stock states exist	1. Open an in-stock product 2. Open a low-stock product 3. Open an out-of-stock product 4. Compare the indicators and the add-to-cart control	Maxima 40 mg Injection — stock 1 (low); a zero-stock product	In-stock shows an availability indicator with an enabled add-to-cart control. Low stock shows a scarcity message such as the remaining quantity. Out-of- stock is clearly marked and the add-to-cart control is disabled or replaced.	Executed automatically in 2.9 s; every assertion in the automated check held.	Pass	High	P1
Product Detail	NP-PDP-TC-005	Verify the quantity selector enforces the minimum and maximum limits	Product detail page open for an in-stock product	1. Attempt to decrease quantity below 1 2. Increase quantity to 200 3. Attempt to increase to 201 4. Type 0 and 999 directly into the field	Boundary values 0, 1, 199, 200, 201, 999	Quantity cannot go below 1. It can reach 200. Attempting 201 or typing 999 is prevented or clamped to 200 with a clear message. Typing 0 is rejected. No negative or non-numeric value is accepted.	2 automated checks executed (9.8 s, 9.8 s); every assertion held.	Pass	Critical	P1
Product Detail	NP-PDP-TC-006	Verify quantity cannot exceed available stock when stock is below the per-item cap	Product with stock of 1 available	1. Open Maxima 40 mg Injection, stock 1 2. Attempt to increase quantity to 2 3. Attempt to add 2 units to the cart	Maxima 40 mg Injection — stock 1, maxQty 1	Quantity is capped at the available stock of 1 rather than the global cap of 200. A message explains that only one unit is available. Adding more than the available stock is rejected and enforced on the server, not only in the interface.	Executed automatically in 9.2 s; every assertion in the automated check held.	Pass	Critical	P1
Product Detail	NP-PDP-TC-007	Verify the product image displays, or a fallback is shown where no photo exists	Products with and without a photograph exist	1. Open a product that has an uploaded photograph 2. Open a product that has none 3. Compare the image areas	Vicryl 2/0 r/b Surgical (has photo); Maxima 40 mg Injection (no photo)	The product with a photograph displays it clearly and without distortion. The product without a photograph shows the designed category artwork fallback, not a broken image icon or empty space.	Executed automatically in 1.8 s; every assertion in the automated check held.	Pass	Low	P3
Product Detail	NP-PDP-TC-008	Verify an out-of-stock product cannot be added to the cart	Out-of-stock product exists	1. Open an out-of-stock product 2. Attempt to add it to the cart through the interface 3. Attempt the same action by replaying the add-to-cart request directly	A product with stock set to 0 in the admin	The interface prevents the action. A direct request is also rejected by the server with an appropriate error. The cart count does not change and no line is created.	Executed automatically in 1.7 s; every assertion in the automated check held.	Pass	Critical	P1
Product Detail	NP-PDP-TC-009	Verify an invalid or removed product slug returns a proper not-found page	Browser open	1. Navigate to a product URL with a nonsense slug 2. Hide a product in the admin and open its previous URL 3. Observe both responses	Slug /product/does-not-exist-123	A designed not-found page is shown with navigation back to the catalogue. No raw error, no stack trace and no blank page. The hidden product is no longer reachable by its direct URL.	Error: expect(locator).toBeVisible() failed Locator: getByText(/couldn't find that page|not found/i).first() Expected: visible Timeout: 15000ms	Fail	Medium	P2
Product Detail	NP-PDP-TC-010	Verify related and same-generic product suggestions are relevant	Product detail page open for a product with alternatives	1. Open Napa 500 mg Tablet 2. Review the related and alternative product sections 3. Open one suggestion and verify its generic	Generic: Paracetamol	Suggested products share the same generic or category and exclude the product currently being viewed. Each suggestion card shows correct price and stock state and opens the right product when clicked.	Error: expect(received).toBeFalsy() Received: true	Fail	Low	P3

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Product Detail	NP-PDP-TC-011	Verify the quantity selector cannot be reduced below 1	Product detail page open for an in-stock product	1. Set the quantity to 1 2. Click the decrease control 3. Observe the value	Starting quantity 1	The quantity remains at 1. The decrease control is disabled or the action is ignored. No zero or negative value is displayed or submitted.	Executed automatically in 7.6 s; every assertion in the automated check held.	Pass	Critical	P1
Product Detail	NP-PDP-TC-012	Verify the quantity selector accepts the minimum valid value of 1	Product detail page open for an in-stock product with stock above 1	1. Set the quantity to 1 2. Add the product to the cart 3. Open the cart	Quantity 1	Quantity 1 is accepted, the product is added and the cart line shows quantity 1 with a line total equal to the unit price.	Executed automatically in 9.4 s; every assertion in the automated check held.	Pass	Critical	P1
Product Detail	NP-PDP-TC-013	Verify the quantity selector accepts 199 and the maximum of 200	Product with stock of at least 200 available	1. Set the quantity to 199 and observe 2. Increase to 200 and observe 3. Add 200 units to the cart	Boundary values 199 and 200; cap 200	Both 199 and 200 are accepted without a warning. The cart accepts 200 units and the line total equals unit price multiplied by 200.	Executed automatically in 10.8 s; every assertion in the automated check held.	Pass	Critical	P1
Product Detail	NP-PDP-TC-014	Verify the quantity selector rejects 201, one above the configured maximum	Product with stock above 201; quantity set to 200	1. Set the quantity to 200 2. Click the increase control once 3. Observe the value and any message	Boundary value 201; cap 200	The quantity does not exceed 200. A clear message names the 200-unit limit. No request is sent carrying a quantity of 201.	Executed automatically in 11.8 s; every assertion in the automated check held.	Pass	Critical	P1
Product Detail	NP-PDP-TC-015	Verify a quantity typed directly above the maximum is rejected or clamped	Product detail page open	1. Click into the quantity field 2. Clear it and type 999 3. Move focus away or submit	Typed value 999; cap 200	The value is rejected with a message or clamped to 200. The server also rejects 999 if the restriction is bypassed in the browser.	Executed automatically in 10.4 s; every assertion in the automated check held.	Pass	Critical	P1
Product Detail	NP-PDP-TC-016	Verify the quantity field rejects negative, zero and non-numeric input	Product detail page open	1. Type -5 in the quantity field and move focus away 2. Type 0 and move focus away 3. Type abc and move focus away	Values -5, 0, abc	Each invalid entry is rejected and the field reverts to the last valid value or shows a validation message. No negative, zero or non-numeric quantity reaches the cart.	Executed automatically in 10.9 s; every assertion in the automated check held.	Pass	Critical	P1
Product Detail	NP-PDP-TC-017	Verify the in-stock indicator is shown with an enabled add-to-cart control	A product with ample stock	1. Open an in-stock product 2. Read the availability indicator 3. Check the add-to-cart control state	Napa 500 mg Tablet, in stock	An availability indicator confirms the product is in stock and the add-to-cart control is enabled and functional.	Executed automatically in 2.1 s; every assertion in the automated check held.	Pass	High	P2
Product Detail	NP-PDP-TC-018	Verify the low-stock message displays the remaining quantity	A product flagged low stock	1. Open Maxima 40 mg Injection, stock 1 2. Read the stock message 3. Compare against the admin inventory figure	Maxima 40 mg Injection — stock 1	A scarcity message is shown naming the remaining quantity, and that figure matches the stock recorded in the admin inventory.	Executed automatically in 1.8 s; every assertion in the automated check held.	Pass	High	P2
Product Detail	NP-PDP-TC-019	Verify the out-of-stock indicator disables the add- to-cart control	A product with stock set to zero	1. Set a product stock to 0 in the admin 2. Open the product on the customer site 3. Inspect the indicator and the add- to-cart control	Product with stock 0	The product is clearly marked out of stock and the add-to-cart control is disabled, hidden or replaced by a notify action. It cannot be clicked to add the product.	Executed automatically in 2.1 s; every assertion in the automated check held.	Pass	Critical	P1
Product Detail	NP-PDP-TC-020	Verify the MRP is shown struck through alongside the discounted selling price	A product with a configured discount	1. Open a discounted product 2. Locate the MRP and the selling price 3. Confirm the visual treatment of each	Product with MRP above selling price	The MRP is displayed with strike-through styling and the selling price is displayed prominently beside it. The two values are not transposed.	Executed automatically in 1.8 s; every assertion in the automated check held.	Pass	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Product Detail	NP-PDP-TC-021	Verify no discount badge appears when the selling price equals the MRP	A product with no discount configured	1. Open a product whose price equals its MRP 2. Inspect the price area for a discount badge or struck-through value	Maxima 40 mg Injection — MRP 90, price 90	Only a single price is displayed. No discount badge, no struck-through MRP and no saving amount are shown.	Executed automatically in 1.8 s; every assertion in the automated check held.	Pass	High	P2

A5. SHOPPING CART — 14 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Cart	NP-CRT-TC-001	Verify a product can be added to the cart from the product detail page	In-stock product open; cart empty	1. Open Napa 500 mg Tablet 2. Set quantity to 2 3. Click Add to Cart 4. Open the cart	Napa 500 mg Tablet, BDT 1.20, qty 2	A confirmation is shown and the cart badge updates to 2. The cart contains one line for Napa 500 mg Tablet with quantity 2, unit price BDT 1.20 and line total BDT 2.40.	2 automated checks executed (6.1 s, 10.1 s); every assertion held.	Pass	Critical	P1
Cart	NP-CRT-TC-002	Verify a product can be added directly from a listing or home page card	Listing page open; cart empty	1. Open the shop listing 2. Click the add-to-cart control on a product card 3. Observe the badge and open the cart	Any in-stock product card	The product is added with quantity 1 without navigating away from the listing. The cart badge increments and the cart contains the correct product.	Executed automatically in 7.1 s; every assertion in the automated check held.	Pass	High	P2
Cart	NP-CRT-TC-003	Verify adding the same product twice increases the quantity instead of creating a duplicate line	Cart contains Napa 500 mg Tablet, quantity 2	1. Return to the same product 2. Add 3 more units 3. Open the cart and inspect the lines	Napa 500 mg Tablet — add 2 then 3	The cart holds a single line for the product with quantity 5 and line total BDT 6.00. No duplicate line is created.	2 automated checks executed (6.5 s, 10.7 s); every assertion held.	Pass	Critical	P1
Cart	NP-CRT-TC-004	Verify quantity can be increased and decreased from within the cart	Cart contains at least one line with quantity 3	1. Open the cart 2. Click the increase control twice 3. Click the decrease control once 4. Observe the line total and subtotal after each change	Starting quantity 3	Quantity moves 3 → 4 → 5 → 4. The line total and the cart subtotal recalculate immediately and correctly after every change, with no page reload required.	Executed automatically in 8.0 s; every assertion in the automated check held.	Pass	Critical	P1
Cart	NP-CRT-TC-005	Verify a line can be removed from the cart	Cart contains three distinct products	1. Open the cart and record the subtotal 2. Remove the second line 3. Observe the remaining lines and subtotal	Three product lines	The selected line is removed, the other two remain unchanged, the cart badge decreases accordingly, and the subtotal equals the sum of the remaining line totals.	Executed automatically in 14.1 s; every assertion in the automated check held.	Pass	High	P1
Cart	NP-CRT-TC-006	Verify the entire cart can be cleared	Cart contains multiple products	1. Open the cart 2. Use the clear cart control 3. Confirm the action if prompted 4. Observe the cart	Cart with three or more lines	All lines are removed, the cart badge shows zero and the empty-cart state is displayed with a call to action to continue shopping.	Executed automatically in 15.7 s; every assertion in the automated check held.	Pass	Medium	P2
Cart	NP-CRT-TC-007	Verify the cart subtotal equals the sum of all line totals	Cart contains products at different prices and quantities	1. Add three products with varied prices and quantities 2. Record each unit price and quantity 3. Calculate the expected subtotal manually 4. Compare against the displayed subtotal	Napa BDT 1.20 × 5; Dps BDT 5.03 × 3; a third product	The displayed subtotal matches the manual calculation exactly, with correct rounding to two decimal places. No cumulative rounding drift is present.	2 automated checks executed (12.3 s, 14.3 s); every assertion held.	Pass	Critical	P1
Cart	NP-CRT-TC-008	Verify the per-item maximum of 200 units is enforced in the cart	Cart contains a product with ample stock	1. Set the line quantity to 199 2. Increase to 200 3. Attempt to increase to 201 4. Type 250 directly into the quantity field	Boundary values 199, 200, 201, 250	Quantities of 199 and 200 are accepted. 201 and 250 are rejected or clamped to 200 with a clear message naming the limit. The server rejects an over-limit value even if the interface is bypassed.	Executed automatically in 6.6 s; every assertion in the automated check held.	Pass	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Cart	NP-CRT-TC-009	Verify the guest cart persists across a page reload and a browser restart	No user logged in	1. As a guest add two products 2. Reload the page and check the cart 3. Close the browser and reopen the site 4. Check the cart again	Two products as a guest	The cart contents and quantities survive the reload. After a browser restart the cart is either restored intact or cleared consistently with the documented design; behaviour must be deterministic, not random.	Requires manual verification: Closing and reopening the browser is outside a Playwright context; verify the documented restore-or-clear rule by hand	Not Executed	High	P2
Cart	NP-CRT-TC-010	Verify the guest cart merges correctly into the account cart on login	Guest cart has 3 products; the account cart already holds 2 products, one overlapping	1. As a guest add products A, B and C 2. Log in to an account whose cart holds C and D 3. Open the cart and inspect every line and quantity	Guest: A×1, B×2, C×3. Account: C×1, D×1	The merged cart holds A×1, B×2, C×4 and D×1. No item is lost or duplicated, the overlapping item quantity is combined correctly without exceeding 200, and the subtotal is recalculated.	Executed automatically in 17.9 s; every assertion in the automated check held.	Pass	Critical	P1
Cart	NP-CRT-TC-011	Verify a price change made in the admin is reflected in an existing cart	Customer cart contains a product; admin access available	1. Add a product to the cart and note the price 2. In the admin change that product's selling price 3. Reload the customer cart 4. Compare the line total and subtotal	Change Napa price from BDT 1.20 to BDT 1.50	The cart reflects the new price, the line total and subtotal recalculate, and the customer is informed where the design requires it. The order is subsequently placed at the current price, never a stale one.	Excluded from this run because it writes to live data: Changing a live product price affects every other tester Run with RUN_DESTRUCTIVE=1 to execute.	Not Executed	Critical	P1
Cart	NP-CRT-TC-012	Verify a product hidden or deleted in the admin is handled gracefully in an existing cart	Customer cart contains a product; admin access available	1. Add a product to the cart 2. In the admin hide that product 3. Reload the customer cart 4. Attempt to proceed to checkout	Any product in the cart	The cart shows a clear notice that the item is no longer available and either removes it or blocks checkout with an explanation. The application does not crash and the subtotal does not include an unavailable item.	Excluded from this run because it writes to live data: Hiding a live product affects the shared catalogue Run with RUN_DESTRUCTIVE=1 to execute.	Not Executed	Critical	P1
Cart	NP-CRT-TC-013	Verify the delivery charge preview and free-delivery progress indicator in the cart	Cart open with a subtotal below BDT 2,000	1. Build a cart worth BDT 1,500 2. Observe the delivery message and progress indicator 3. Increase the cart to BDT 2,000 4. Observe the message again	Subtotal BDT 1,500 then BDT 2,000; threshold BDT 2,000	At BDT 1,500 the cart shows the remaining amount needed for free delivery, calculated as BDT 500. At BDT 2,000 the message confirms free delivery has been achieved and no delivery charge is previewed.	2 automated checks executed (6.5 s, 12.2 s); every assertion held.	Pass	High	P2
Cart	NP-CRT-TC-014	Verify the empty-cart state is displayed correctly	Cart is empty	1. Clear the cart or use a fresh session 2. Open the cart page 3. Click the suggested action	Empty cart	A designed empty state is shown with an explanatory message and a link to continue shopping. The checkout control is hidden or disabled. No error and no blank area.	Executed automatically in 2.4 s; every assertion in the automated check held.	Pass	Low	P3

A6. WISHLIST — 7 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Wishlist	NP-WSH-TC-001	Verify a product can be added to the wishlist from the product detail page	Customer logged in; wishlist empty	1. Open a product detail page 2. Click the wishlist or save icon 3. Open the wishlist page	Any in-stock product	The icon changes to its saved state, a confirmation is shown and the product appears in the wishlist with correct name, price and stock state.	Executed automatically in 21.7 s; every assertion in the automated check held.	Pass	Medium	P3

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Wishlist	NP-WSH-TC-002	Verify a product can be removed from the wishlist	Wishlist contains at least two products	1. Open the wishlist 2. Remove the first product 3. Observe the list and the icon state on the product page	Two saved products	The product is removed immediately, the remaining product stays, and the wishlist icon on that product's detail page returns to its unsaved state.	Executed automatically in 13.5 s; every assertion in the automated check held.	Pass	Medium	P3
Wishlist	NP-WSH-TC-003	Verify the wishlist persists across sessions	Customer logged in with saved items	1. Add two products to the wishlist 2. Log out 3. Log in again on the same account 4. Open the wishlist	Two saved products	Both saved products are still present after re-login with the same details. The wishlist is tied to the account, not to the browser session.	Executed automatically in 16.7 s; every assertion in the automated check held.	Pass	Medium	P3
Wishlist	NP-WSH-TC-004	Verify an item can be moved from the wishlist to the cart	Wishlist contains an in-stock product	1. Open the wishlist 2. Use the add-to-cart control on a saved item 3. Open the cart 4. Return to the wishlist	In-stock saved product	The product is added to the cart with quantity 1 and the correct price. Wishlist behaviour after the move follows the documented design, either retaining or removing the item, and is consistent on every attempt.	Executed automatically in 12.6 s; every assertion in the automated check held.	Pass	Medium	P3
Wishlist	NP-WSH-TC-005	Verify wishlist actions require authentication and resume after login	No user logged in	1. As a guest open a product detail page 2. Click the wishlist icon 3. Complete login on the prompt that appears 4. Observe the wishlist	Guest session; valid customer credentials	The guest is prompted to log in rather than silently failing. After successful login the intended product is saved to the wishlist and the user is returned to the product page.	Requires manual verification: Confirming the intended product is saved after completing login needs a disposable account so the shared wishlist is not polluted	Not Executed	High	P2
Wishlist	NP-WSH-TC-006	Verify the empty wishlist state and out-of-stock item handling	Customer logged in	1. Clear the wishlist and view the page 2. Save a product, then set its stock to zero in the admin 3. Reload the wishlist	Empty wishlist; a product set to zero stock	The empty state shows a designed message with a browse link. The out- of-stock saved item remains visible but is clearly marked unavailable and cannot be added to the cart.	Executed automatically in 3.1 s; every assertion in the automated check held.	Pass	Low	P3
Wishlist	NP-WSH-TC-007	Verify all wishlist items can be added to the cart in a single action	Customer logged in with several saved products, including one out of stock	1. Open the wishlist containing three in-stock products 2. Use the add-all-to-cart control and read the message 3. Open the cart and verify every line 4. Repeat on a wishlist where every saved product is out of stock	Three in-stock saved products; one wishlist with all items out of stock	All purchasable items are added at quantity one with a confirmation such as All items added to your cart. Out-of- stock items are skipped and identified. A wishlist with nothing purchasable adds nothing and shows a message such as None of these items are in stock right now.	Could not be executed: No add-all-to-cart control on the wishlist	Blocked	High	P2

A7. CUSTOMER REGISTRATION — 12 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Registration	NP-REG-TC-001	Verify a new customer can register successfully with valid details	Mobile number not already registered	1. Open the registration page 2. Enter full name, mobile, email and password 3. Confirm the password and accept terms 4. Submit	Name: QA Tester; Mobile: unused 11- digit number; Password meeting policy	The account is created, a success message is shown and the user is logged in automatically or redirected to login per design. The new customer appears immediately in the admin customer list with role Customer and active state true.	Executed automatically in 2.8 s; every assertion in the automated check held.	Pass	Critical	P1
Registration	NP-REG-TC-002	Verify all mandatory fields are validated when left blank	Registration page open	1. Leave every field empty 2. Click Submit 3. Observe the messages 4. Fill one field at a time and resubmit	All fields empty	Submission is blocked. A field-level message appears beside every mandatory field. Focus moves to the first invalid field. No request is sent to the server.	2 automated checks executed (4.0 s, 2.4 s); every assertion held.	Pass	High	P2
Registration	NP-REG-TC-003	Verify Bangladeshi mobile number format validation	Registration page open	1. Enter a 10-digit number and submit 2. Enter a 12-digit number 3. Enter a number with letters 4. Enter a valid 11-digit number starting with 01	0170000000 , 017000000000 , 01abc456789 , valid 01XXXXXXXXX	Only a valid 11-digit number beginning with a recognised operator prefix is accepted. All other forms are rejected with a specific message describing the required format.	Executed automatically in 4.1 s; every assertion in the automated check held.	Pass	High	P1
Registration	NP-REG-TC-004	Verify registration with an already-registered mobile number is rejected	Mobile 01332530093 is already registered	1. Open registration 2. Enter the already-registered mobile with new details 3. Submit	Mobile 01332530093 (existing customer Saniul)	Registration is rejected with a clear message that the number is already registered, together with a link to login or password recovery. No duplicate account is created.	Executed automatically in 1.9 s; every assertion in the automated check held.	Pass	Critical	P1
Registration	NP-REG-TC-005	Verify email format validation where an email is supplied	Registration page open	1. Enter an email without the at sign 2. Enter an email without a domain 3. Enter an email with spaces 4. Enter a valid email	abc.com , abc@ , a b@c.com , qa.tester@exampl e.c om	Invalid formats are rejected with a specific message. The valid email is accepted. If email is optional, leaving it blank does not block registration.	Executed automatically in 4.1 s; every assertion in the automated check held.	Pass	Medium	P2
Registration	NP-REG-TC-006	Verify the password policy is enforced	Registration page open	1. Enter a password shorter than the minimum 2. Enter a password with only lowercase letters 3. Enter a password with only digits 4. Enter a compliant password	abc , abcdefgh , 12345678 , compliant value	Each non-compliant password is rejected with a message stating the actual requirement. A strength indicator, if present, reflects the entry accurately. Only the compliant password is accepted.	Executed automatically in 4.0 s; every assertion in the automated check held.	Pass	Critical	P1
Registration	NP-REG-TC-007	Verify a mismatched confirm-password is rejected	Registration page open	1. Enter a valid password 2. Enter a different value in confirm password 3. Submit 4. Correct the confirmation and resubmit	Password and confirmation differing by one character	Submission is blocked with a mismatch message beside the confirmation field. After correction the form submits successfully.	Executed automatically in 1.9 s; every assertion in the automated check held.	Pass	High	P2
Registration	NP-REG-TC-008	Verify the password is masked and never exposed in the response or URL	Registration page open; browser developer tools available	1. Type a password and observe the field 2. Use the show-password toggle if present 3. Submit and inspect the network request and response 4. Inspect the address bar	Any password value	The password is masked by default. It is submitted in the request body, never in the URL. It does not appear in the response payload, in browser storage or in the address bar.	Executed automatically in 2.9 s; every assertion in the automated check held.	Pass	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Registration	NP-REG-TC-009	Verify rapid double submission does not create two accounts	Registration form filled with valid data	1. Fill the form completely 2. Double-click the submit button rapidly 3. Check the admin customer list for the mobile number used	Unused mobile number	Exactly one account is created. The submit control is disabled after the first click or the duplicate request is rejected. The admin list shows a single record for that mobile number.	Executed automatically in 3.5 s; every assertion in the automated check held.	Pass	Critical	P1
Registration	NP-REG-TC-010	Verify name field accepts Bangla characters and rejects unsafe input	Registration page open	1. Enter a Bangla name and submit 2. Register another account with a script payload as the name 3. View both names in the admin customer list	Bangla name; <script>alert(1) </script>	The Bangla name is stored and rendered correctly in the account area and the admin list without character corruption. The script payload is escaped and displayed as inert text; no script executes in either the customer or admin interface.	Executed automatically in 2.6 s; every assertion in the automated check held.	Pass	Critical	P1
Registration	NP-REG-TC-011	Verify very long input values are handled without breaking the form or the record	Registration page open	1. Enter a 300-character name 2. Enter a very long email 3. Submit and observe 4. Check the stored record in the admin	300-character name string	The input is either limited at a stated maximum length with a clear message, or accepted and stored intact. The layout does not break in either the customer or admin interface and no server error occurs.	Executed automatically in 3.2 s; every assertion in the automated check held.	Pass	Medium	P3
Registration	NP-REG-TC-012	Verify terms acceptance is required before registration completes	Registration page includes a terms checkbox	1. Fill all fields with valid data 2. Leave the terms checkbox unticked and submit 3. Tick the checkbox and resubmit 4. Click the terms link	Valid registration data	Submission is blocked while the checkbox is unticked, with a clear message. After ticking, registration succeeds. The terms link opens the terms page in a readable form without losing the entered data.	Requires manual verification: This build has no terms checkbox on the registration form; confirm with the business whether NP-REG- TC-012 still applies	Not Executed	High	P2

A8. LOGIN, LOGOUT & SESSION — 12 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Login	NP-LOG-TC-001	Verify a registered customer can log in with valid credentials	A registered active customer account exists	1. Open the login page 2. Enter the registered mobile and correct password 3. Submit 4. Observe the landing page and header	Registered customer mobile and password	Login succeeds and the user is taken to the account area or the previously requested page. The header shows the logged-in state with the customer name. The account's last login timestamp updates in the admin.	2 automated checks executed (2.9 s, 3.8 s); every assertion held.	Pass	Critical	P1
Login	NP-LOG-TC-002	Verify login with an incorrect password is rejected without revealing account existence	Registered customer account exists	1. Enter a valid registered mobile 2. Enter an incorrect password 3. Submit 4. Read the error message carefully	Valid mobile with wrong password	Login fails with a generic message such as "Mobile number or password is incorrect". The message does not confirm that the mobile number exists. No session is created.	2 automated checks executed (2.2 s, 2.4 s); every assertion held.	Pass	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Login	NP-LOG-TC-003	Verify login with an unregistered mobile number produces the same generic error	Login page open	1. Enter a mobile number that is not registered 2. Enter any password 3. Submit 4. Compare the message with the previous case	Unregistered 11-digit mobile number	The error message is identical to the wrong-password case, preventing account enumeration. Response timing does not noticeably differ between the two cases.	Executed automatically in 2.8 s; every assertion in the automated check held.	**Pass**	Critical	P1
Login	NP-LOG-TC-004	Verify empty-field validation on the login form	Login page open	1. Submit with both fields empty 2. Enter only the mobile and submit 3. Enter only the password and submit	Empty values	Each submission is blocked with a field- level message. No request reaches the server with incomplete credentials.	Executed automatically in 3.4 s; every assertion in the automated check held.	**Pass**	Medium	P3
Login	NP-LOG-TC-005	Verify the remember-me option keeps the session across a browser restart	Valid customer credentials available	1. Log in with remember-me enabled 2. Close the browser completely 3. Reopen the browser and visit the site 4. Check the header state	Valid credentials; remember-me ticked	The user remains logged in after the browser restart and can open account pages without re-authenticating.	Executed automatically in 2.2 s; every assertion in the automated check held.	**Pass**	High	P2
Login	NP-LOG-TC-006	Verify that without remember-me the session ends as designed	Valid customer credentials available	1. Log in with remember-me unticked 2. Close the browser completely 3. Reopen and visit the site 4. Attempt to open the account page	Valid credentials; remember-me unticked	The session has ended. Opening a protected page redirects to login rather than showing stale account data. Behaviour is consistent on repeat attempts.	Executed automatically in 5.9 s; every assertion in the automated check held.	**Pass**	High	P2
Login	NP-LOG-TC-007	Verify redirect back to the originally requested page after login	No user logged in	1. As a guest open a protected URL such as the checkout page 2. Observe the redirect to login 3. Complete login with valid credentials	Target URL /checkout	After successful authentication the user lands on the originally requested page, not on a generic home or account page, and the earlier context such as the cart is preserved.	Executed automatically in 3.2 s; every assertion in the automated check held. Failed on the first attempt and passed on retry —	**Pass**	High	P2
Login	NP-LOG-TC-008	Verify logout ends the session and protects account pages	Customer logged in	1. Click logout 2. Observe the header and landing page 3. Attempt to open the account orders page directly	Logged-in customer session	The header returns to the logged-out state. Opening a protected page redirects to login. No account data is displayed anywhere on the page.	2 automated checks executed (13.3 s, 5.4 s); every assertion held.	**Pass**	Critical	P1
Login	NP-LOG-TC-009	Verify the browser back button after logout does not expose account data	Customer has just logged out from the account page	1. While logged in open the account orders page 2. Log out 3. Press the browser back button 4. Observe the page content	Logged-out session	The previously viewed account page is not served from cache with live data. The user is redirected to login or shown an empty protected state. No order numbers, addresses or personal data remain visible.	Executed automatically in 2.8 s; every assertion in the automated check held.	**Pass**	Critical	P1
Login	NP-LOG-TC-010	Verify repeated failed login attempts are throttled or locked out	Registered customer account exists	1. Attempt login with a wrong password six consecutive times 2. Observe the response after each attempt 3. Attempt with the correct password immediately afterwards	Valid mobile; wrong password repeated	After the configured number of failures the account or source is throttled, delayed or temporarily locked with an informative message. Brute-force attempts are not permitted without limit.	Could not be executed: Locks the shared QA account; run alone with RUN_THROTTLE=1	**Blocked**	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Session	NP-LOG-TC-011	Verify session expiry is handled with a clean redirect rather than an error	Customer logged in; ability to wait for or force session expiry	1. Log in and open the account page 2. Allow the session to expire or invalidate it 3. Perform an action such as opening order history	Expired session	The application detects the expired session and redirects to login with a clear message. No raw API error text, no blank page and no partially rendered account data.	Executed automatically in 3.0 s; every assertion in the automated check held.	Pass	High	P2
Session	NP-LOG-TC-012	Verify a customer session cannot access administrative functionality	Logged in as a customer-role account	1. Log in as a customer 2. Navigate directly to /admin/dashboard 3. Navigate to /admin/orders 4. Call an admin API endpoint directly in the same session	Customer-role session; admin URLs	Every attempt is denied. The customer is redirected or shown an authorisation error. No admin page renders and no admin data is returned by any endpoint.	Executed automatically in 3.6 s; every assertion in the automated check held.	Pass	Critical	P1

A9. PASSWORD RECOVERY — 8 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Password Recovery	NP-FGT-TC-001	Verify available recovery channels are listed correctly	Registered account with a mobile and an email on record	1. Open the forgot-password page 2. Enter the registered mobile 3. Continue and observe the offered channels	Registered mobile with email on record	The available channels are listed accurately for that account, with any contact detail partially masked. A channel the account does not have on record is not offered.	Blocked: Online password reset is switched off on this build — the page offers the hotline (+880 1330-770000) instead and Send code is disabled	Blocked	High	P2
Password Recovery	NP-FGT-TC-002	Verify a reset code is sent to the selected channel	Forgot-password flow started	1. Select a recovery channel 2. Submit the request 3. Check the channel for the code 4. Note the time of arrival	Registered mobile number	A confirmation message is shown and a reset code arrives at the selected channel within the expected time. The code format matches the design and the message identifies North Pharmacy.	Blocked: Online password reset is switched off, so no code is dispatched	Blocked	High	P2
Password Recovery	NP-FGT-TC-003	Verify an unregistered number produces a non- enumerating response	Forgot-password page open	1. Enter a mobile number that is not registered 2. Submit 3. Read the response carefully	Unregistered 11-digit mobile number	The response does not confirm or deny that the account exists. A neutral message is shown such as confirming that a code has been sent if the number is registered. No code is actually dispatched.	Blocked: Online password reset is switched off, so no code can be requested	Blocked	Critical	P1
Password Recovery	NP-FGT-TC-004	Verify an incorrect reset code is rejected	A valid reset code has been issued	1. Enter a deliberately wrong code 2. Submit 3. Repeat with another wrong code 4. Observe the messages and any attempt limit	Incorrect code values	Each incorrect code is rejected with a clear message. The password is not changed. Repeated incorrect attempts are limited rather than allowed indefinitely.	Blocked: Online password reset is switched off, so no code can be entered	Blocked	Critical	P1
Password Recovery	NP-FGT-TC-005	Verify the reset code expires and cannot be reused after a successful reset	A valid reset code has been issued and used once	1. Complete a password reset with the code 2. Return to the reset page and submit the same code again 3. Observe the response	A previously used reset code	The used code is rejected as invalid or expired. A second password change cannot be performed with the same code. Expired codes are likewise rejected after the configured validity period.	Blocked: Online password reset is switched off, so no code can be reused	Blocked	Critical	P1
Password Recovery	NP-FGT-TC-006	Verify the new password honours the password policy	Valid reset code entered	1. Enter a password shorter than the minimum 2. Enter a password failing the complexity rule 3. Enter a compliant password 4. Submit each in turn	Non-compliant and compliant password values	Non-compliant passwords are rejected with the specific policy requirement stated. The compliant password is accepted and a success confirmation is shown.	Blocked: Online password reset is switched off, so the reset step is unreachable	Blocked	High	P2

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Password Recovery	NP-FGT-TC-007	Verify login succeeds with the new password and fails with the old one	Password has been reset successfully	1. Log out completely 2. Attempt login with the old password 3. Attempt login with the new password	Old and new password values	The old password is rejected with the standard generic error. The new password authenticates successfully. Any existing sessions created with the old password are invalidated.	Blocked: Online password reset is switched off, so no password can be reset	Blocked	Critical	P1
Password Recovery	NP-FGT-TC-008	Verify resend requests are throttled	Forgot-password flow started	1. Request a reset code 2. Immediately click resend repeatedly, five times 3. Observe the control state and messages	Registered mobile number	The resend control is disabled for a cooldown period or requests are rate limited with an informative message. The channel is not flooded with messages.	Blocked: Online password reset is switched off, so there is nothing to resend	Blocked	High	P2

A10. ACCOUNT, PROFILE & ADDRESS BOOK — 15 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Account	NP-ACC-TC-001	Verify the account summary shows accurate order count and spend	Customer with a known order history logged in	1. Log in as a customer with existing orders 2. Open the account summary 3. Compare the figures against the order list and the admin customer record	Customer Saniul — 1 order, BDT 6,022.65 spent	Order count and lifetime spend match the customer's actual orders and the admin customer record. Cancelled orders are treated consistently with the documented rule.	Executed automatically in 3.6 s; every assertion in the automated check held.	Pass	High	P2
Profile	NP-ACC-TC-002	Verify profile details can be viewed and updated	Customer logged in	1. Open the profile page 2. Verify the displayed name, mobile and email 3. Change the full name and save 4. Reload and check the admin customer record	New name value	Current details display correctly. The updated name is saved, a success message is shown, and the change is reflected after reload, in the site header and in the admin customer list.	Requires manual verification: Renaming the shared QA account would change what every other case sees; perform the save-and- reload check on a disposable account	Not Executed	High	P2
Profile	NP-ACC-TC-003	Verify profile field validation rejects invalid values	Profile page open	1. Clear the name field and save 2. Enter an invalid email and save 3. Enter a 300-character name and save	Empty name; bad@email ; long string	Each invalid value is rejected with a specific field-level message and the previous value is retained. No partial or corrupted update is written.	Executed automatically in 4.1 s; every assertion in the automated check held.	Pass	Medium	P2
Profile	NP-ACC-TC-004	Verify password change requires the current password	Customer logged in	1. Open the change-password form 2. Enter an incorrect current password with a valid new password 3. Submit 4. Retry with the correct current password	Wrong then correct current password	The change is rejected while the current password is wrong, with a clear message. With the correct current password the change succeeds and a confirmation is shown.	Executed automatically in 3.4 s; every assertion in the automated check held.	Pass	Critical	P1
Profile	NP-ACC-TC-005	Verify login works with the changed password and fails with the old one	Password has just been changed from the profile	1. Log out 2. Attempt login with the old password 3. Attempt login with the new password	Old and new password values	The old password is rejected. The new password authenticates successfully. The change is effective immediately with no caching of the old credential.	Requires manual verification: Changing the shared QA password would lock every other suite out; run on a disposable account	Not Executed	Critical	P1
Address Book	NP-ACC-TC-006	Verify a new delivery address can be added	Customer logged in	1. Open the address book 2. Click add address 3. Fill recipient name, phone, address line, area and district 4. Save and review the list	Recipient: QA Tester; Phone: valid 11- digit; District: Dhaka	The address is saved and appears in the list with all entered values displayed correctly. It becomes selectable at checkout.	Executed automatically in 15.5 s; every assertion in the automated check held.	Pass	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Address Book	NP-ACC-TC-007	Verify the district dropdown lists all 64 districts	Address form open	1. Open the district dropdown 2. Count the entries 3. Verify first and last alphabetically 4. Select a district outside Dhaka	Expected 64 districts, Bagerhat first, Thakurgaon last	Exactly 64 districts are listed in alphabetical order with no duplicates and no missing entry. The selected district is retained on save.	2 automated checks executed (4.5 s, 6.1 s); every assertion held.	Pass	High	P2
Address Book	NP-ACC-TC-008	Verify address field validation	Address form open	1. Submit with all fields blank 2. Enter an invalid phone number 3. Leave the district unselected 4. Enter a very long address line	Blank fields; invalid phone; 500- character address	Mandatory fields are enforced with field-level messages. The phone must satisfy the Bangladeshi format. District selection is required. Long input is limited or stored without breaking the layout.	Executed automatically in 3.8 s; every assertion in the automated check held.	Pass	High	P2
Address Book	NP-ACC-TC-009	Verify an existing address can be edited	At least one saved address exists	1. Open the address book 2. Edit a saved address, changing the address line and district 3. Save 4. Reload and open checkout	Change district from Dhaka to Sylhet	The updated values are saved and displayed in the list. Checkout shows the amended address and, with the district changed to Sylhet, applies the outside-district delivery charge of BDT 120.	Could not be executed: This build offers no edit control on a saved address	Blocked	Critical	P1
Address Book	NP-ACC-TC-010	Verify an address can be set as default and is preselected at checkout	At least two saved addresses exist	1. Mark the second address as default 2. Observe the default indicator in the list 3. Open checkout and inspect the selected address	Two saved addresses	Only one address is marked default at a time. The newly marked address shows the default indicator and is preselected when checkout opens.	Executed automatically in 12.2 s; every assertion in the automated check held.	Pass	High	P2
Address Book	NP-ACC-TC-011	Verify an address can be deleted and the rule for the last remaining address	Customer has two saved addresses	1. Delete the non-default address and confirm 2. Attempt to delete the last remaining address 3. Observe the behaviour	Two addresses, then one	The first deletion succeeds after confirmation and the address disappears from the list and from checkout. Deleting the last address either is prevented with an explanation or is permitted with checkout correctly prompting for a new address.	Executed automatically in 9.5 s; every assertion in the automated check held.	Pass	High	P2
Account	NP-ACC-TC-012	Verify a customer cannot view or modify another customer's address	Two customer accounts with saved addresses; identifiers known	1. Log in as customer A and note an address identifier 2. Log in as customer B 3. Attempt to open or edit customer A's address by altering the identifier in the request	Address identifier belonging to customer A	The request is denied with an authorisation or not-found response. No address data belonging to another customer is returned and no modification is written.	Executed automatically in 4.8 s; every assertion in the automated check held.	Pass	Critical	P1
Account	NP-ACC-TC-013	Verify the account summary displays the member since date and every activity counter	Customer logged in with a known history	1. Open the account summary page 2. Record the member since date, total spent, order count, active order count, prescription count and wishlist count 3. Compare each against the order list, prescription list and wishlist 4. Repeat on a newly registered account	Counters: member since, total spent, orders, active orders, prescriptions, wishlist	Every counter matches the underlying records. The active order count excludes delivered and cancelled orders and therefore differs from the total order count. The member since date matches the registration date. A new account shows zero for every counter rather than a blank or an error.	Executed automatically in 5.7 s; every assertion in the automated check held.	Pass	High	P2

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Account	NP-ACC-TC-014	Verify the account area navigation reaches every section	Customer logged in	1. Open the account area 2. Click each navigation entry in turn — My account, Orders, Prescriptions, Addresses, Wishlist and Profile 3. Observe the active state on each 4. Use browser back after visiting three sections	Account sidebar navigation entries	Every section opens its own page with the correct heading and the navigation highlights the active entry. Browser back returns through the visited sections without losing the logged-in state.	2 automated checks executed (8.6 s, 5.5 s); every assertion held.	Pass	Medium	P3
Address Book	NP-ACC-TC-015	Verify the address Label field is saved and used to identify the address	Customer logged in; address form open	1. Add an address with the Label set to Home 2. Add a second address with the Label set to Office 3. Review the address list 4. Open checkout and inspect the address selector 5. Save an address leaving the Label blank	Labels Home and Office; one address with a blank label	Each label is stored and displayed against its address in both the address book and the checkout selector, so the customer can tell the two apart. A blank label is either rejected with a message or handled with a sensible default, consistently on every attempt.	Executed automatically in 5.9 s; every assertion in the automated check held.	Pass	High	P2

A11. PRESCRIPTION UPLOAD — 15 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Prescription	NP-RXU-TC-001	Verify a prescription image can be uploaded from the account area	Customer logged in; a valid prescription image file available	1. Open the account prescriptions page 2. Click upload 3. Select a valid image file 4. Submit and observe the list	JPG image, approximately 1 MB, legible prescription	The file uploads with progress feedback and a success message. The prescription appears in the list with status "Pending review", the upload date and a thumbnail. It appears immediately in the admin prescription review queue.	The upload itself works: POST /api/prescriptions returned HTTP 200 and the record appeared in the admin review queue immediately, with a thumbnail, the customer name and the upload time. The customer-side list does not meet the expected result: it renders no thumbnail at all (zero images in the list) and labels the state "Pending" rather than "Pending review". File name, upload date and size are shown. — NOTE (v1.5): the automated check for this case now passes, but it is narrower than the case as written. The failure above was observed by hand and needs a hand re-test before it is cleared.	Fail	Critical	P1
Prescription	NP-RXU-TC-002	Verify accepted file formats and rejection of invalid types	Prescription upload form open	1. Upload a JPG file 2. Upload a PNG file 3. Upload a PDF file 4. Attempt to upload an EXE file 5. Attempt to upload a TXT file	Files: .jpg, .png, .pdf, .exe, .txt	Formats within the documented allow- list are accepted. The executable and any disallowed type are rejected with a message naming the permitted formats. Rejection is enforced on the server, not only by the file picker filter.	The picker is limited to accept=".jpg,.jpeg,.png,.webp,.pdf" and a .txt or .exe selection leaves the Upload button disabled. Server enforcement was proven separately: renamed-exe.jpg (an executable with a .jpg extension) passed the picker, was submitted, and the server answered HTTP 400 with "Upload a JPG, PNG, WEBP or PDF up to 8 MB". Rejection is therefore not only a file-picker filter.	Pass	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Prescription	NP-RXU-TC-003	Verify the maximum file size is enforced with a clear message	Prescription upload form open; large file available	1. Upload a file just under the stated limit 2. Upload a file just over the limit 3. Upload a very large file of 50 MB 4. Observe each response	Files sized below, just above and far above the limit	The under-limit file uploads successfully. Over-limit files are rejected with a message stating the maximum size. The browser does not hang and no partial or corrupt record is created.	oversized-9mb.jpg was rejected before any request was sent, with the on-screen message "Upload a JPG, PNG, WEBP or PDF up to 8 MB" naming the limit. The page stayed responsive and no record was created. Files under the limit uploaded normally.	Pass	High	P2
Prescription	NP-RXU-TC-004	Verify the uploaded prescription image is legible at full size	A prescription has been uploaded	1. Open the prescriptions list 2. Click the thumbnail to open the full image 3. Zoom to maximum 4. Repeat in the admin review screen	Previously uploaded prescription image	The full-size image opens in a viewer and is legible enough for a pharmacist to read the medicine names and dosages. Compression does not render the text unreadable in either the customer or admin view.	Requires manual verification: Judging whether a pharmacist can read the medicine names is a human assessment; automation cannot score legibility	Not Executed	Critical	P1
Prescription	NP-RXU-TC-005	Verify the prescription status progresses correctly through review	A prescription is pending review; admin access available	1. Note the status on the customer side 2. As administrator approve the prescription 3. Refresh the customer prescriptions page 4. Repeat with a second prescription and reject it	Two uploaded prescriptions	The approved prescription shows status Approved on the customer side. The rejected one shows Rejected together with the rejection reason entered by the administrator. Status changes appear without requiring the customer to log out and back in.	After the administrator decided two records, the customer's prescription list showed one as Approved and the other as Rejected with the pharmacist's reason printed in full, prefixed "Pharmacist:". The change was visible on a normal page load with no sign-out and sign-in.	Pass	Critical	P1
Prescription	NP-RXU-TC-006	Verify a prescription can be uploaded during the checkout flow	Cart contains a prescription-required product; customer logged in	1. Add Merobac 1 gm Injection to the cart 2. Proceed to checkout 3. Use the inline prescription upload 4. Observe the checkout state after upload	Merobac 1 gm Injection; valid prescription image	The upload control is available within checkout, the file uploads without losing the cart or the entered address, and the uploaded prescription becomes selectable for attachment to the order.	Executed automatically in 7.5 s; every assertion in the automated check held.	Pass	Critical	P1
Prescription	NP-RXU-TC-007	Verify a pending prescription does not release a controlled medicine	Cart contains a prescription-required product; an uploaded prescription is still pending review	1. Add a prescription-required product to the cart 2. Upload a prescription but do not have it approved 3. Attempt to complete checkout 4. Observe the message	Merobac 1 gm Injection; prescription in Pending review	Checkout is blocked with a clear message explaining that the prescription is awaiting pharmacist review. No order is created. The block is enforced on the server and cannot be bypassed from the interface.	Excluded from this run because it writes to live data: Requires uploading a prescription and attempting a real order placement Run with RUN_DESTRUCTIVE=1 to execute.	Not Executed	Critical	P1
Prescription	NP-RXU-TC-008	Verify a rejected prescription cannot be used to complete an order	A prescription has been rejected by the administrator	1. Note the rejected prescription and its reason 2. Add a prescription-required product to the cart 3. Attempt to attach the rejected prescription at checkout 4. Attempt to place the order	Rejected prescription record	The rejected prescription is either not offered for attachment or is clearly marked as rejected and cannot be used. Order placement is blocked and the rejection reason is visible to the customer.	Excluded from this run because it writes to live data: Requires an administrator to reject a prescription first Run with RUN_DESTRUCTIVE=1 to execute.	Not Executed	Critical	P1
Prescription	NP-RXU-TC-009	Verify an approved prescription can be attached and is recorded on the order	An approved prescription exists; cart contains a prescription-required product	1. Proceed to checkout 2. Attach the approved prescription 3. Place the order 4. Open the order detail on both the customer and admin sides	Approved prescription; Merobac 1 gm Injection	The order is created successfully. Both the customer order detail and the admin order detail show the linked prescription, and the admin order list marks the order as having a prescription.	Excluded from this run because it writes to live data: Requires an approved prescription and a real order placement Run with RUN_DESTRUCTIVE=1 to execute.	Not Executed	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Prescription	NP-RXU-TC-010	Verify prescription files are not accessible without authorisation	A prescription has been uploaded and its file URL noted	1. While logged in, open the prescription image and copy its URL 2. Log out and open the URL in a clean browser session 3. Log in as a different customer and open the same URL 4. Attempt to guess an adjacent file path	Prescription file URL	The file is not served to an unauthenticated session or to a different customer. Access is denied with an authorisation or not-found response. Adjacent paths cannot be enumerated to reach other patients' prescriptions.	Could not be executed: This account has no uploaded prescription to probe	Blocked	Critical	P1
Prescription	NP-RXU-TC-011	Verify the Patient name field is captured and carried through to the pharmacist	Customer logged in; prescription upload form open	1. Open the prescription upload form 2. Attempt to submit with the Patient name left blank 3. Enter a patient name and upload a valid file 4. Open the prescription in the admin review queue	Patient name: Rahima Begum; blank submission attempt	If the field is mandatory the blank submission is blocked with a clear message. The entered patient name is stored and displayed to the reviewing pharmacist in the admin, since the patient may differ from the account holder.	The field is labelled "Patient name (optional)", so the mandatory-field branch does not apply and a blank submission is accepted. The value entered, "Rahim Uddin (QA)", was stored on the record and is displayed to the reviewing pharmacist in the admin queue as "Patient: Rahim Uddin (QA)", distinct from the account holder Masud Rana.	Pass	Critical	P1
Prescription	NP-RXU-TC-012	Verify the prescription note field is captured and shown to the pharmacist	Prescription upload form open	1. Enter a note in the Anything we should know field 2. Upload a valid prescription and submit 3. Open the record in the admin review queue 4. Repeat leaving the note blank	Note: need 1 month supply; also a blank note	The note is stored and displayed to the pharmacist alongside the image. A blank note is permitted and does not block submission. Long text and special characters are stored safely and rendered as inert text.	The note was stored and is shown to the pharmacist in quotation marks beside the thumbnail. A 60-character note containing bold, double quotes and Bangla text was rendered as inert escaped text in both the customer list and the admin queue; no markup was interpreted. A blank note did not block submission.	Pass	High	P2
Prescription	NP-RXU-TC-013	Verify every documented file format is accepted and all others rejected	Prescription upload form open; files of each type available	1. Upload a JPG, then a PNG, then a WEBP, then a PDF 2. Attempt a GIF, a BMP and an executable 3. Attempt an executable renamed with an accepted extension	Accepted: JPG, PNG, WEBP, PDF. Rejected: GIF, BMP, EXE, renamed EXE	All four documented formats upload successfully and display correctly in the admin. Every other type is rejected with a message naming the permitted formats. The renamed executable is also rejected, proving the server validates content and not only the extension.	All four documented formats uploaded with HTTP 200 — prescription.jpg (image/jpeg), prescription.png (image/png), prescription.webp (image/webp) and prescription.pdf (application/pdf) — and all display in the admin queue, images as thumbnails and the PDF as a labelled "PDF · 1 KB" tile. renamed-exe.jpg was rejected by the server with HTTP 400, proving content is validated and not only the extension. .txt and .exe are blocked before submission.	Pass	Critical	P1
Prescription	NP-RXU-TC-014	Verify the 8 MB file size limit is enforced at the boundary	Files sized either side of 8 MB available	1. Upload a file of approximately 7.9 MB 2. Upload a file of exactly 8 MB 3. Upload a file of approximately 8.1 MB 4. Upload a 50 MB file	Files at 7.9 MB, 8 MB, 8.1 MB and 50 MB; stated limit Max 8MB	Files at and below 8 MB upload successfully. Files above it are rejected with a message naming the 8 MB limit. The browser does not hang on the oversized file and no partial record is created.	A 9 MB file was refused with the message "Upload a JPG, PNG, WEBP or PDF up to 8 MB", which names the 8 MB limit; no request was sent and no partial record was created. Files well under the limit uploaded successfully. The exact 8 MB boundary file was not available in the fixtures, so the limit was verified above it rather than at it.	Pass	High	P2

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Prescription	NP-RXU-TC-015	Verify the drag and drop upload area works and matches the click-to-choose path	Prescription upload form open; a valid file on the desktop	1. Drag a valid prescription file onto the drop area and release 2. Observe the drop-area feedback during the drag 3. Confirm the upload completes 4. Repeat using the click-to-choose path and compare the result	Valid JPG dragged onto the drop zone	The drop area gives visual feedback while a file is dragged over it and the dropped file uploads identically to one chosen by clicking. Dropping a disallowed type is rejected with the same message as the click path.	A file dropped onto the drop area through a real DragEvent with a populated DataTransfer was accepted: the form showed "dropped.png", the Upload button enabled and submission returned HTTP 200 (record 1013), identical to the click-to-choose path. The hover styling during dragover could not be confirmed from the captured class list, so the visual-feedback half of this case is unverified.	**Pass**	Medium	P3

A12. CHECKOUT & ORDER PLACEMENT — 18 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Checkout	NP-CHK-TC-001	Verify checkout requires an authenticated session	Cart contains products; no user logged in	1. As a guest add products to the cart 2. Click proceed to checkout 3. Observe the response 4. Complete login and observe where you land	Guest session with a populated cart	The guest is redirected to login rather than reaching the checkout form. After login the user is returned to checkout with the cart contents intact.	2 automated checks executed (6.3 s, 2.6 s); every assertion held.	**Pass**	Critical	P1
Checkout	NP-CHK-TC-002	Verify saved addresses load and the default is preselected	Customer with at least two saved addresses, one marked default	1. Open checkout with a populated cart 2. Inspect the address section 3. Compare against the account address book	Saved addresses including a default	All saved addresses are listed with recipient name, phone, address line and district. The default address is preselected. Selecting a different address updates the delivery charge accordingly.	Executed automatically in 6.9 s; every assertion in the automated check held.	**Pass**	High	P2
Checkout	NP-CHK-TC-003	Verify a new address can be added inline during checkout	Checkout page open	1. Choose to add a new address 2. Fill all fields and select a district 3. Save 4. Observe the address list and the account address book	New address in Chittagong	The new address is saved, becomes selected for this order, and is persisted to the account address book for reuse. The cart and other checkout selections are not lost during the process.	Executed automatically in 7.4 s; every assertion in the automated check held.	**Pass**	High	P2
Checkout	NP-CHK-TC-004	Verify the inside-district delivery charge of BDT 60 is applied for Dhaka	Cart subtotal below BDT 2,000; Dhaka address available	1. Build a cart worth BDT 500 2. Open checkout and select the Dhaka address 3. Read the delivery charge and the total 4. Calculate the expected total manually	Subtotal BDT 500; district Dhaka	The delivery charge shows BDT 60. The grand total equals BDT 560, matching subtotal minus discount plus delivery charge.	2 automated checks executed (6.2 s, 7.7 s); every assertion held.	**Pass**	Critical	P1
Checkout	NP-CHK-TC-005	Verify the outside-district delivery charge of BDT 120 is applied	Cart subtotal below BDT 2,000; non-Dhaka address available	1. Build a cart worth BDT 500 2. Open checkout and select the Chittagong address 3. Read the delivery charge and the total 4. Switch to a Sylhet address and recheck	Subtotal BDT 500; districts Chittagong and Sylhet	The delivery charge shows BDT 120 for both non-Dhaka districts. The grand total equals BDT 620. Switching districts updates the charge immediately without reloading the page.	Executed automatically in 6.8 s; every assertion in the automated check held.	**Pass**	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Checkout	NP-CHK-TC-006	Verify the free-delivery threshold boundary at BDT 1,999, 2,000 and 2,001	Products available to construct precise cart values; Dhaka address	1. Build a cart totalling exactly BDT 1,999 and read the delivery charge 2. Adjust to exactly BDT 2,000 and read again 3. Adjust to BDT 2,001 and read again	Subtotals BDT 1,999 / 2,000 / 2,001; threshold BDT 2,000	At BDT 1,999 the charge is BDT 60 and the total is BDT 2,059. At BDT 2,000 and BDT 2,001 delivery is free and the total equals the subtotal. The threshold is inclusive at exactly BDT 2,000.	Could not be executed: Reaching BDT 2,000 needs 250 units, capped at 200	Blocked	Critical	P1
Checkout	NP-CHK-TC-007	Verify the free-delivery threshold also applies to outside districts	Non-Dhaka address available	1. Build a cart worth BDT 2,500 2. Select the Rangpur address 3. Read the delivery charge and total	Subtotal BDT 2,500; district Rangpur	Delivery is free despite the outside- district location, since the subtotal exceeds the threshold. The grand total equals BDT 2,500 with no delivery charge added.	Could not be executed: Reaching BDT 2,500 needs 312 units, capped at 200	Blocked	Critical	P1
Checkout	NP-CHK-TC-008	Verify the order summary arithmetic is correct in all components	Cart contains discounted and non-discounted products	1. Record every line: unit price, quantity and line total 2. Record subtotal, discount and delivery charge 3. Compute the expected grand total manually 4. Compare with the displayed value	Mixed cart including a discounted product	Every line total equals unit price times quantity. The subtotal equals the sum of line totals. The grand total equals subtotal minus discount plus delivery charge, rounded to two decimal places with no drift.	Executed automatically in 7.4 s; every assertion in the automated check held.	Pass	Critical	P1
Checkout	NP-CHK-TC-009	Verify only enabled payment methods are offered	Only Cash on Delivery is enabled in store settings	1. Open checkout 2. Inspect the payment method section 3. Attempt to select any method other than COD	COD enabled; bKash and Nagad disabled	Cash on Delivery is listed and selectable. bKash and Nagad are not shown or are clearly disabled and cannot be chosen. Submitting a disabled method directly is rejected by the server.	Executed automatically in 7.9 s; every assertion in the automated check held.	Pass	Critical	P1
Checkout	NP-CHK-TC-010	Verify prescription attachment is mandatory for controlled items	Cart contains a prescription-required product; no prescription attached	1. Add Merobac 1 gm Injection to the cart 2. Proceed to checkout without attaching a prescription 3. Attempt to place the order 4. Repeat by replaying the request directly without the prescription reference	Merobac 1 gm Injection; no prescription	Order placement is blocked in the interface with a clear message. The direct request is also rejected by the server. No order is created and no stock is decremented.	Requires manual verification: This build presents the prescription as OPTIONAL at checkout and offers "Place the order without one". NP-CHK-TC-010 specifies it is mandatory for controlled items — raise with the business before passing this case.	Not Executed	Critical	P1
Checkout	NP-CHK-TC-011	Verify the customer note is captured and visible to the administrator	Checkout page open	1. Enter a delivery instruction in the note field 2. Place the order 3. Open the order in the admin and locate the note	Note: "Please call before delivery, 3rd floor"	The note is saved with the order and displayed verbatim on the admin order detail screen and on the customer order detail, with no truncation or character corruption.	Excluded from this run because it writes to live data: Confirming the note on the admin order detail needs a real order Run with RUN_DESTRUCTIVE=1 to execute.	Not Executed	Medium	P3
Checkout	NP-CHK-TC-012	Verify a non-prescription order is placed successfully end to end	Cart contains only non-prescription products; valid address selected	1. Build a cart with Napa and Dps 2. Select a Dhaka address and Cash on Delivery 3. Place the order 4. Record the order number shown	Napa BDT 1.20 × 5; Dps BDT 5.03 × 1	The order is created and the confirmation page displays the order number in the format NP-xxxxxx, the ordered items, the delivery address, the payment method and the correct grand total. The cart is emptied.	Excluded from this run because it writes to live data: Places a real order and decrements live stock Run with RUN_DESTRUCTIVE=1 to execute.	Not Executed	Critical	P1
Checkout	NP-CHK-TC-013	Verify stock is decremented correctly after order placement	Product with a known stock figure; admin access available	1. Note the product's stock in the admin inventory 2. Place a customer order for 3 units of that product 3. Return to the admin inventory and read the stock again	Product with starting stock recorded before the order	Stock is reduced by exactly the ordered quantity of 3. No over-deduction or double deduction occurs, and the product's availability state updates if it reaches zero.	Excluded from this run because it writes to live data: Requires placing a real order and comparing admin inventory Run with RUN_DESTRUCTIVE=1 to execute.	Not Executed	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Checkout	NP-CHK-TC-014	Verify the placed order appears immediately in the admin order list	An order has just been placed	1. Place a customer order and note its number 2. Log in to the admin in a separate browser 3. Open the order list and locate the order 4. Compare every value	Newly placed order number	The order appears in the admin list without delay, in Pending status, with correct customer name, phone, district, item count, piece count, total, payment method Cash on Delivery and payment status Unpaid.	Excluded from this run because it writes to live data: Requires placing a real order Run with RUN_DESTRUCTIVE=1 to execute.	Not Executed	Critical	P1
Checkout	NP-CHK-TC-015	Verify an item that goes out of stock mid-checkout is handled gracefully	Cart contains a product with stock of 1; admin access available	1. Add Maxima, stock 1, to the cart 2. Open checkout but do not submit 3. In the admin set that product's stock to 0 4. Submit the order	Maxima 40 mg Injection — stock reduced to 0 during checkout	Order placement is rejected with a clear message identifying the unavailable item. No partial order is created, no payment obligation is recorded, and the customer is returned to a recoverable state.	Excluded from this run because it writes to live data: Requires an admin stock change while a checkout is open Run with RUN_DESTRUCTIVE=1 to execute.	Not Executed	Critical	P1
Checkout	NP-CHK-TC-016	Verify double submission does not create two orders	Checkout ready to submit	1. Complete all checkout selections 2. Double-click the place-order button rapidly 3. Check the admin order list and the customer order history	Any valid checkout	Exactly one order is created. The button is disabled after the first click or the duplicate request is rejected. Stock is decremented once only.	Excluded from this run because it writes to live data: Requires submitting a real order twice Run with RUN_DESTRUCTIVE=1 to execute.	Not Executed	Critical	P1
Checkout	NP-CHK-TC-017	Verify a network interruption during submission does not corrupt the order	Checkout ready to submit; ability to disable the network	1. Complete checkout selections 2. Disable the network connection 3. Click place order and observe 4. Restore the network and check the order history and admin list	Simulated connection loss at submission	A clear connectivity error is shown rather than a silent failure. Either no order is created or exactly one complete order exists. No duplicate, partial or orphaned order appears, and stock is consistent with the outcome.	Excluded from this run because it writes to live data: Clicking Place order can create a real order even when offline Run with RUN_DESTRUCTIVE=1 to execute.	Not Executed	Critical	P1
Checkout	NP-CHK-TC-018	Verify checkout cannot proceed with an empty cart	Cart is empty	1. Empty the cart 2. Navigate directly to the checkout URL 3. Attempt to place an order by replaying a checkout request	Empty cart; direct URL /checkout	The user is redirected to the cart or shown an empty-cart message. No checkout form is presented and no order with zero items can be created by a direct request.	Executed automatically in 2.8 s; every assertion in the automated check held.	Pass	High	P2

A13. ORDER HISTORY & TRACKING — 14 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Order History	NP-ORD-TC-001	Verify the order list shows all the customer's orders in correct order	Customer with multiple orders logged in	1. Open the account orders page 2. Count the listed orders 3. Compare against the admin order list filtered by that customer 4. Check the sort order	Customer with several historical orders	Every order belonging to the customer is listed, newest first, with order number, date, item count, total and current status. No order belonging to another customer appears.	2 automated checks executed (2.6 s, 3.0 s); every assertion held.	Pass	Critical	P1
Order History	NP-ORD-TC-002	Verify the order detail shows the complete and accurate breakdown	An existing order is available	1. Open an order from the list 2. Record items, quantities, unit prices and line totals 3. Record subtotal, discount, delivery charge and grand total 4. Compare against the admin order detail	Order NP-103015 — subtotal 5.03, delivery 60.00, total 65.03	All values match the admin record exactly. The delivery address, payment method Cash on Delivery and payment status Unpaid are displayed. The arithmetic of the totals is correct.	Executed automatically in 6.4 s; every assertion in the automated check held.	Pass	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Order History	NP-ORD-TC-003	Verify the status timeline reflects the current status and history	An order with multiple status changes exists	1. Open an order that has progressed beyond Pending 2. Inspect the status timeline 3. Compare against the admin order history	Order NP-103014 — status Packed	The timeline shows each status reached with its date and time, the current status is highlighted, and future stages are shown as pending. The sequence matches the admin history exactly.	Executed automatically in 4.3 s; every assertion in the automated check held.	Pass	High	P2
Order History	NP-ORD-TC-004	Verify an admin status change appears on the customer side	A customer order in Pending status; admin access available	1. Open the order on the customer side and note the status 2. As administrator change the status to Confirmed 3. Refresh the customer order page 4. Repeat for Packed	Any Pending order	The customer view reflects each new status after refresh, with the timeline extended and the timestamp recorded. There is no stale cached status.	Excluded from this run because it writes to live data: Requires an administrator to change a real order status Run with RUN_DESTRUCTIVE=1 to execute.	Not Executed	Critical	P1
Order History	NP-ORD-TC-005	Verify a customer can cancel an order while cancellation is permitted	An order in a cancellable status exists	1. Open an order in Pending status 2. Observe that the cancel control is available 3. Cancel the order and confirm 4. Check the status on both customer and admin sides	Order in Pending status with cancellation allowed	Cancellation succeeds, the status changes to Cancelled on both sides, the history records the cancellation with timestamp, and the cancel control is no longer offered.	Excluded from this run because it writes to live data: Cancelling a real order changes reporting and stock Run with RUN_DESTRUCTIVE=1 to execute.	Not Executed	Critical	P1
Order History	NP-ORD-TC-006	Verify cancellation is blocked once the order has progressed past the permitted stage	Orders exist in Shipped and Delivered status	1. Open an order in Shipped status 2. Confirm the cancel control is absent or disabled 3. Attempt to cancel by replaying the cancel request directly 4. Repeat for a Delivered order	Orders NP-103014 and a Delivered order	The cancel control is not offered. A direct cancellation request is rejected by the server with an appropriate error. The order status remains unchanged.	Executed automatically in 2.0 s; every assertion in the automated check held.	Pass	Critical	P1
Order History	NP-ORD-TC-007	Verify a customer cannot access another customer's order by altering the identifier	Two customer accounts with orders; order numbers known	1. Log in as customer A and note an order identifier 2. Log in as customer B 3. Open the order URL using customer A's identifier 4. Attempt the same against the order API directly	Order NP-103014 belonging to customer Saniul	Access is denied with an authorisation or not-found response. No order details, customer name, phone, address or prescription are disclosed through either the page or the API.	Executed automatically in 3.7 s; every assertion in the automated check held.	Pass	Critical	P1
Order History	NP-ORD-TC-008	Verify the prescription linked to an order is visible on the order detail	An order placed with an attached prescription exists	1. Open an order that has a prescription attached 2. Locate the prescription reference 3. Open the prescription image	Order NP-103014 — has prescription	The order detail indicates that a prescription is attached, shows its review status, and allows the owning customer to view the image. The link is not accessible to other customers.	Could not be executed: No order with a prescription on this account	Blocked	High	P2
Order History	NP-ORD-TC-009	Verify the invoice or receipt view renders correctly	A completed order exists	1. Open an order detail 2. Open the invoice or print view 3. Review the layout and values 4. Print to PDF	Order NP-103015	The invoice shows store details, order number, date, customer and delivery address, itemised lines, delivery charge and grand total. The print layout fits the page without clipping and all currency values are correct.	Could not be executed: No invoice or print view on this build	Blocked	Medium	P3
Order History	NP-ORD-TC-010	Verify the empty order history state for a customer with no orders	A newly registered customer with no orders	1. Register or log in as a customer with no orders 2. Open the account orders page 3. Click the suggested action	New customer account	A designed empty state is shown explaining that no orders have been placed, with a link to start shopping. No error and no empty table header.	Requires manual verification: This account already has orders; verify the empty state on a new account	Not Executed	Low	P3

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Reorder	NP-ORD-TC-011	Verify reordering a past order adds all of its items to the cart	Customer with a delivered or completed order whose products are in stock	1. Open a past order in the account area 2. Use the reorder control 3. Read the confirmation message 4. Open the cart and compare every line against the original order	Past order with two or more in-stock products	A confirmation such as All items added to your cart is shown. The cart contains every product from the original order with the correct quantities, priced at the current price rather than the historical price. The original order is unchanged.	Requires manual verification: No reorder control is exposed on the order list for this account; confirm whether the feature is per- order on the detail page	Not Executed	Critical	P1
Reorder	NP-ORD-TC-012	Verify reordering behaves correctly when some or all items are no longer available	A past order containing products now out of stock or hidden	1. Set one product from a past order to zero stock in the admin 2. Reorder that order and read the message 3. Set every product in another past order to zero stock 4. Reorder that order and read the message	One partially unavailable order; one wholly unavailable order	The partially available order adds only the purchasable items and states clearly which were skipped and why. The wholly unavailable order adds nothing and shows a message such as None of these items are in stock right now. No out-of-stock item is silently added to the cart.	Excluded from this run because it writes to live data: Requires setting products from a past order to zero stock Run with RUN_DESTRUCTIVE=1 to execute.	Not Executed	Critical	P1
Order Cancellation	NP-ORD-TC-013	Verify the customer cancellation reason is optional and is recorded when given	An order in a cancellable status	1. Cancel an order leaving the reason box empty and confirm 2. Place another order and cancel it entering a reason 3. Open both orders in the admin and inspect the history	Blank reason; reason text Ordered by mistake	Both cancellations succeed, confirming the reason is optional on the customer side even though it is mandatory for an administrator. Where a reason was given it appears verbatim in the admin order history against the cancelling customer.	Excluded from this run because it writes to live data: Requires cancelling two real orders, with and without a reason Run with RUN_DESTRUCTIVE=1 to execute.	Not Executed	High	P2
Order History	NP-ORD-TC-014	Verify the transaction reference and any pharmacist note are displayed on the order detail	An order with a payment reference and a pharmacist note exists	1. Open an order that carries a transaction reference 2. Confirm the reference is displayed and matches the admin record 3. Open an order whose prescription carries a pharmacist note 4. Confirm the note text is shown to the customer	Order with a transaction reference; order with a pharmacist note	The transaction reference is displayed and matches the admin value exactly. The pharmacist note is shown in full to the customer. An order with neither shows no empty label or stray punctuation where they would appear.	Executed automatically in 5.3 s; every assertion in the automated check held.	Pass	High	P2

A14. CONTENT PAGES, FAQ & NEWSLETTER — 9 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Content Pages	NP-CNT-TC-001	Verify static content pages render from admin- managed content	Content pages configured in the admin	1. Open the terms page 2. Open the privacy page 3. Open the delivery information page 4. Compare each against the admin content record	Pages /terms , /page/:slug	Each page renders the content configured in the admin with correct headings, paragraphs, lists and formatting. No raw markup or unresolved placeholder is visible.	Executed automatically in 5.0 s; every assertion in the automated check held.	Pass	Medium	P3
Content Pages	NP-CNT-TC-002	Verify an admin content edit is reflected on the customer page	Admin access available	1. Note the current text on a content page 2. In the admin edit that page and save 3. Reload the customer page	Edit to a static page body	The updated content appears on the customer page after reload, with no stale cached version and no formatting loss.	Excluded from this run because it writes to live data: Editing live site content changes what every visitor sees Run with RUN_DESTRUCTIVE=1 to execute.	Not Executed	High	P2

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
FAQ	NP-CNT-TC-003	Verify FAQ entries display and expand correctly	FAQs configured in the admin	1. Open the FAQ page 2. Count the questions 3. Expand and collapse several entries 4. Compare order against the admin	Configured FAQ list	All configured FAQs appear in the admin-defined order. Expanding reveals the answer and collapsing hides it. Multiple entries can be opened per the design without layout breakage.	Executed automatically in 2.4 s; every assertion in the automated check held.	Pass	Medium	P3
Manufacturer s	NP-CNT-TC-004	Verify the manufacturer listing page shows all manufacturers	Manufacturers configured with products	1. Open the manufacturers page 2. Review the list and logos 3. Click one manufacturer 4. Review the resulting product listing	Square Pharmaceuticals Ltd., Incepta, Opsonin, Beximco, Renata	Manufacturers are listed with names and logos, or a text fallback where no logo exists. Selecting one opens a listing containing only that manufacturer's products with an accurate count.	Executed automatically in 3.4 s; every assertion in the automated check held.	Pass	Medium	P3
Newsletter	NP-CNT-TC-005	Verify newsletter subscription with a valid email	Home page or footer newsletter form visible	1. Enter a valid email in the newsletter field 2. Submit 3. Observe the confirmation message	qa.newsletter@exam ple.com	The subscription is accepted and a clear confirmation message is shown. The field is cleared or disabled to prevent accidental resubmission.	Executed automatically in 3.5 s; every assertion in the automated check held.	Pass	Medium	P3
Newsletter	NP-CNT-TC-006	Verify newsletter email validation and duplicate handling	Newsletter form visible	1. Submit with an empty field 2. Submit an invalid email format 3. Submit an email already subscribed 4. Observe each message	Empty; abc.com ; previously subscribed address	Empty and invalid entries are rejected with specific messages. A duplicate subscription is handled gracefully with an informative message rather than an error or a duplicate record.	Executed automatically in 2.2 s; every assertion in the automated check held.	Pass	Medium	P3
Content Pages	NP-CNT-TC-007	Verify hotline and contact details match store settings across the site	Store details configured in the admin	1. Note the hotline and address in admin settings 2. Check the header, footer and contact page 3. Click the hotline link on a mobile device	Hotline 01330770000	The hotline and address are identical in every location and match the admin settings. On mobile the hotline is a tap- to-call link that dials the correct number.	Executed automatically in 3.0 s; every assertion in the automated check held.	Pass	High	P3
Site-wide	NP-CNT-TC-008	Verify there are no broken links across the customer site	Site accessible	1. Systematically click every header, footer and menu link 2. Click links within content pages 3. Record the response for each 4. Check social links if configured	All site navigation links	Every link resolves to a valid page. No 404 response, no link to a placeholder or development URL, and no link that leaves the user on a blank page.	Error: broken links found: /p/b5f53e16-856c-4978-b4a0-2d932257748a/windel-plus-3-ml-solution -> 502, /p/223b5009-ba80-474c-a64e-5568343b35b6/gluco-needle-lancer-others -> 502, /p/3d553e18-7f3c-4810-82c8-216dd61408d1/budicort-0-5-ml-solution -> 502, /p/3ad6b0bc-f988-4677-b6ba-e3a3f54d38d1/voltalin-50	Fail	High	P2
Responsive	NP-CNT-TC-009	Verify the customer site renders correctly at all supported breakpoints	Browser with device emulation, or physical devices	1. Load the home page at 360, 414, 768, 1024, 1366 and 1920 px 2. Repeat for listing, product detail, cart and checkout 3. Check for horizontal scrolling and overlap	Six breakpoint widths	Layouts adapt at each breakpoint with no horizontal scrolling, no overlapping elements and no clipped text. Touch targets are adequately sized on mobile widths and all primary actions remain reachable.	Executed automatically in 8.9 s; every assertion in the automated check held.	Pass	High	P2

4. Part B — Admin Dashboard Test Cases

196 cases — Pass 117 · Fail 9 · Blocked 7 · Not Executed 63

B1. ADMIN ACCESS & ROLE GATE — 8 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Admin Access	NP-SEC-TC-001	Verify the administrator can log in and reach the dashboard	Admin account active	1. Open the login page 2. Enter the admin mobile and password 3. Submit 4. Navigate to the admin area	Mobile 01700000000 , role Admin, name Store Admin	Login succeeds and the administrator reaches the dashboard. The admin navigation is available with all modules listed. The account name Store Admin is displayed.	2 automated checks executed (5.3 s, 31.2 s); every assertion held.	Pass	Critical	P1
Admin Access	NP-SEC-TC-002	Verify a customer-role account is denied access to the admin area	A customer-role account is available	1. Log in as a customer 2. Navigate to /admin 3. Navigate to /admin/orders and /admin/settings 4. Observe each response	Customer-role session	Every admin route is denied. The user is redirected or shown an authorisation error. No admin navigation, data or module renders at any point.	Executed automatically in 8.2 s; every assertion in the automated check held.	Pass	Critical	P1
Admin Access	NP-SEC-TC-003	Verify admin API endpoints reject a customer-role session	Logged in as a customer; browser developer tools available	1. Log in as a customer 2. Call the admin dashboard endpoint in the same session 3. Call the admin orders endpoint 4. Call the admin settings endpoint	Endpoints /api/admin/dashboa rd , /orders , /settings	Each call returns an authorisation failure. No order, customer, settings or analytics data is returned in any response body.	Executed automatically in 0.1 s; every assertion in the automated check held.	Pass	Critical	P1
Admin Access	NP-SEC-TC-004	Verify an unauthenticated visitor cannot reach admin routes or data	No session; cookies cleared	1. Clear all cookies 2. Navigate directly to /admin/dashboard 3. Navigate to /admin/customers 4. Call an admin API endpoint with no session	No session; admin URLs and endpoints	All attempts redirect to login or return an authorisation failure. No admin content is rendered and no data is returned, including in the initial page payload.	2 automated checks executed (5.4 s, 4.2 s); every assertion held.	Pass	Critical	P1
Admin Access	NP-SEC-TC-005	Verify admin logout ends the session completely	Logged in as administrator	1. Log out from the admin area 2. Attempt to open /admin/dashboard 3. Press the browser back button 4. Attempt an admin API call	Logged-out admin session	The session is invalidated. The admin area is inaccessible, the back button does not reveal cached admin data, and API calls are rejected.	Executed automatically in 5.7 s; every assertion in the automated check held.	Pass	Critical	P1
Admin Access	NP-SEC-TC-006	Verify the admin session expires and requires re-authentication	Logged in as administrator; ability to expire the session	1. Log in and open a module 2. Allow the session to expire or invalidate it 3. Perform an action such as changing an order status	Expired admin session	The action is refused and the administrator is redirected to login with a clear message. No write operation is performed with an expired session.	Executed automatically in 4.1 s; every assertion in the automated check held.	Pass	Critical	P1
Admin Access	NP-SEC-TC-007	Verify the last login timestamp is recorded and displayed	Admin account available	1. Note the current last-login value on the dashboard 2. Log out and log in again 3. Re-check the value	Admin account last login	The last login timestamp updates to the most recent successful authentication and is displayed in the correct local date and time format.	Requires manual verification: This build does not print a last-login value on the dashboard; confirm with the business whether NP-SEC-TC-007 still applies	Not Executed	Low	P3
Admin Access	NP-SEC-TC-008	Verify admin input fields are protected against script injection	Logged in as administrator	1. Enter a script payload into a product name and save 2. Enter one into a settings field and save 3. Enter one into an order status note 4. View each value in the admin and on the customer site	<script>alert(1) </script> and <img src=x onerror=alert(1)>	No script executes in the admin interface or on the customer site. The payload is stored and rendered as inert escaped text in both applications.	Executed automatically in 6.2 s; every assertion in the automated check held.	Pass	Critical	P1

B2. DASHBOARD & ANALYTICS — 8 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Dashboard	NP-DSH-TC-001	Verify the attention counters are accurate against the underlying data	Logged in as administrator	1. Open the dashboard and record the four attention counters 2. Open the order list filtered to Pending and count 3. Open the prescription queue and count 4. Open inventory filtered to low stock and count	Counters: orders to confirm, in progress, prescriptions to review, low stock	Each counter equals the number of records returned by the corresponding filtered list. Clicking a counter navigates to that filtered list.	2 automated checks executed (7.8 s, 5.0 s); every assertion held.	Pass	High	P1
Dashboard	NP-DSH-TC-002	Verify today's orders and today's sales figures are correct	Admin logged in; ability to place a test order	1. Record today's orders and sales on the dashboard 2. Place a customer order of a known value 3. Refresh the dashboard 4. Compare the new figures	Test order of a known total	Today's order count increases by exactly one and today's sales increase by exactly the order total. Cancelled orders are not counted.	Executed automatically in 5.5 s; every assertion in the automated check held.	Pass	Critical	P1
Dashboard	NP-DSH-TC-003	Verify the period comparison against the previous period calculates correctly	Dashboard open with historical data	1. Record current period sales, orders, average order and new customers 2. Record the previous period values 3. Verify the average order equals sales divided by orders 4. Verify the percentage change calculation	Current and previous period figures	The average order value equals sales divided by order count for each period. The comparison percentage equals the change between periods and the direction indicator matches the sign of the change.	Requires manual verification: The dashboard does not label sales / orders / average order value in a machine-readable way on this build; reconcile the three by hand	Not Executed	Critical	P1
Dashboard	NP-DSH-TC-004	Verify the daily trend chart plots all series accurately	Dashboard open with a seven-day range	1. Read each day's plotted values for sales, orders, customers, prescriptions and products added 2. Cross-check two days against the sales report for the same dates 3. Hover each point to read the tooltip	Seven-day range with mixed zero and non-zero days	Each plotted value matches the report figure for that date. Zero-value days render correctly on the axis rather than being omitted. Tooltips show the correct date and values.	Requires manual verification: The dashboard shows no plotted trend chart, only icons	Not Executed	High	P2
Dashboard	NP-DSH-TC-005	Verify the order status breakdown reconciles with the order list	Dashboard open	1. Record the count for each status in the breakdown 2. Filter the order list by each status in turn and count 3. Compare each pair 4. Sum the breakdown and compare with the total order count	Statuses Pending, Confirmed, Packed, Shipped, Delivered, Cancelled	Each status count matches the filtered order list exactly. The sum of all statuses equals the total number of orders in the selected period.	Executed automatically in 3.1 s; every assertion in the automated check held.	Pass	High	P1
Dashboard	NP-DSH-TC-006	Verify the top-selling products list shows correct quantity and revenue	Dashboard open with order data in the period	1. Record the top products with their quantities and revenue 2. Open the orders containing those products 3. Sum the quantities and line totals manually 4. Compare	Top product Merobac — quantity 5, revenue BDT 6,022.65	The quantity equals the total units sold across orders in the period, and the revenue equals the sum of those line totals. Cancelled orders are excluded. Products are ranked correctly.	Requires manual verification: Summing the underlying order lines by hand is needed to confirm ranking	Not Executed	High	P2
Dashboard	NP-DSH-TC-007	Verify changing the date range refreshes every tile consistently	Dashboard open	1. Note all figures for the default range 2. Change the range to the last 30 days 3. Observe every tile, chart and list 4. Change back to seven days	Seven-day and thirty-day ranges	All tiles, the chart, the status breakdown and the top products list refresh together for the selected range. No tile retains stale data from the previous range.	Requires manual verification: Selecting "Last 30 Days" left every tile unchanged. That is only correct if both ranges genuinely hold the same figures; confirm by eye against the sales report before passing this case.	Not Executed	Medium	P2

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Dashboard	NP-DSH-TC-008	Verify the dashboard renders correctly when a period contains no data	Admin logged in	1. Select a date range with no orders, such as a future-free past window 2. Observe every tile and the chart 3. Observe the top products and status sections	Date range with zero activity	All figures show zero rather than blank or an error. The chart renders an empty axis correctly. Empty-state messages appear in the list sections. No division- by-zero error appears in the average order value.	Executed automatically in 3.2 s; every assertion in the automated check held.	Pass	Medium	P2

B3. ORDER MANAGEMENT — 32 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Orders	NP-ORM-TC-001	Verify the order list displays all required columns accurately	Logged in as administrator; orders exist	1. Open the order list 2. Inspect every column for the first ten rows 3. Open one order and compare against its row	Order NP-103015 — Store Admin, Dhaka, 1 product, 1 piece, BDT 65.03, COD, Unpaid, Pending	Order number, date, customer name, phone, district, product count, piece count, total, payment method, payment status, order status and the prescription flag all display correctly and match the order detail.	2 automated checks executed (3.4 s, 11.1 s); every assertion held.	Pass	High	P1
Orders	NP-ORM-TC-002	Verify search by order number, customer name and phone	Order list open	1. Search the full order number 2. Search a partial order number 3. Search a customer name 4. Search a customer phone number	NP-103014 , 103014 , Saniul , 01332530093	Each search returns the matching orders and excludes non-matching ones. Partial matches behave per the documented rule. The result count is accurate.	Executed automatically in 5.0 s; every assertion in the automated check held.	Pass	High	P2
Orders	NP-ORM-TC-003	Verify filtering the order list by status	Orders exist in several statuses	1. Filter by Pending and review the results 2. Filter by Packed 3. Filter by Cancelled 4. Clear the filter	Statuses Pending, Packed, Cancelled	Each filter returns only orders in the selected status. Counts match the dashboard status breakdown. Clearing the filter restores the full list.	Executed automatically in 11.9 s; every assertion in the automated check held.	Pass	High	P2
Orders	NP-ORM-TC-004	Verify filtering by date range and by district	Orders exist across dates and districts	1. Apply a date range covering only part of the order history 2. Verify every returned order falls within the range 3. Apply a district filter 4. Combine both filters	Date range; district Dhaka	Only orders within the date range and matching district are returned. Boundary dates are included per the documented rule. Combined filters apply together correctly.	Requires manual verification: No date-range or district filter is exposed on the order list in this build	Not Executed	High	P2
Orders	NP-ORM-TC-005	Verify the order detail shows the complete item and pricing breakdown	An order exists	1. Open order NP-103015 2. Record every item line with product name, generic, strength, manufacturer, unit price, quantity and line total 3. Record subtotal, discount, delivery charge and total 4. Verify the arithmetic	Order NP-103015 — Dps 5 cc/ml, BDT 5.03 × 1, delivery 60.00, total 65.03	Every item attribute is displayed. Subtotal equals the sum of line totals. The grand total equals subtotal minus discount plus delivery charge, which for this order is 5.03 − 0.00 + 60.00 = 65.03.	Executed automatically in 6.6 s; every assertion in the automated check held. Failed on the first attempt and passed on retry —	Pass	Critical	P1
Orders	NP-ORM-TC-006	Verify the delivery address and customer contact are shown on the order detail	An order exists	1. Open an order detail 2. Record the recipient name, phone, address line, area and district 3. Compare against the customer's address book entry	Order NP-103015 — Nilkhet, Dhaka	The delivery address captured at the time of ordering is displayed in full, together with the customer's contact details and account order count. The address reflects what was selected at checkout, not a later edit to the address book.	Executed automatically in 5.9 s; every assertion in the automated check held.	Pass	High	P2

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Orders	NP-ORM-TC-007	Verify the order status can be advanced through the full lifecycle	An order in Pending status exists	1. Open a Pending order 2. Change the status to Confirmed 3. Then to Packed, Shipped and Delivered in turn 4. Observe the status and history after each change	Statuses Pending → Confirmed → Packed → Shipped → Delivered	Each forward transition is accepted and saved. The current status updates immediately in the detail and in the list. The order progresses through every stage without error.	Executed on UAT against order NP-104023. The order walked Pending -> Confirmed -> Packed -> Shipped -> Delivered, each step returning HTTP 200 from POST /api/admin/orders/104023/status, and the badge and timeline updated after every step.	Pass	Critical	P1
Orders	NP-ORM-TC-008	Verify invalid or backward status transitions are prevented	An order in Delivered status exists	1. Open a Delivered order 2. Attempt to change the status back to Pending 3. Attempt to jump a Pending order directly to Delivered 4. Attempt a status change on a Cancelled order	Delivered, Pending and Cancelled orders	Invalid transitions are not offered in the interface and are rejected by the server if submitted directly. A clear message explains why. The order status remains unchanged.	A skipped transition is NOT prevented. On order NP-104024 in Confirmed, the Correct status control offered Delivered and applying it returned HTTP 200 (POST /api/admin/orders/104024/status {"status":"Delivered"}); the order jumped from Confirmed straight to Delivered, skipping Packed and Shipped. Backward transitions are handled correctly: Pending, Confirmed, Packed and Shipped stay selectable on a Delivered order but Apply remains disabled, so no request is sent.	Fail	Critical	P1
Orders	NP-ORM-TC-009	Verify every status change is written to the order history with operator and timestamp	An order with at least one status change	1. Change an order status 2. Open the order history section 3. Verify the entry for the change 4. Make a second change and re-check	Status changes by Store Admin	Each change creates a history entry recording the new status, the operator name, the timestamp and any note entered. Entries are listed in chronological order and no change is missing.	Executed automatically in 5.4 s; every assertion in the automated check held.	Pass	Critical	P1
Orders	NP-ORM-TC-010	Verify an order can be cancelled with a reason	An order in a cancellable status exists	1. Open a Pending order 2. Cancel it and enter a reason 3. Confirm 4. Check the status, history and the customer view	Cancellation reason text	The order status becomes Cancelled, the reason is stored and visible in the history, and the customer sees the cancelled status. The order is excluded from sales figures thereafter.	The red "Cancel order" button is inert. Pressed on NP-104026, NP-104025, NP- 104024, NP-104022, NP-104019, NP-104017 and NP-103016 — all Pending, API reporting canCancel=true — it issued no network request at all, showed no dialog, no toast and no error, and the status stayed Pending. The order can still be cancelled through Correct status -> Cancelled -> Apply, which returns HTTP 200, so the function exists but its primary control is broken. No cancellation reason is requested or stored on either path, so the "with a reason" half of this case is also unmet.	Fail	Critical	P1
Orders	NP-ORM-TC-011	Verify stock is restored when an order is cancelled	An order exists for a product with known stock	1. Note the product stock after an order was placed 2. Cancel that order in the admin 3. Re-check the product stock in inventory	Product stock before and after cancellation	Stock is restored by exactly the cancelled quantity, in line with the documented rule. If the business rule is not to restore stock, the behaviour is consistent and documented rather than arbitrary.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires cancelling a real order and re-reading inventory), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Orders	NP-ORM-TC-012	Verify a cancelled order is excluded from sales figures and reports	A cancelled order exists with a known value	1. Record dashboard sales for the period 2. Cancel an order of a known value 3. Refresh the dashboard and the sales report 4. Compare the figures	Order NP-103013 — Cancelled, BDT 63.50	Sales figures decrease by exactly the cancelled order value, or exclude it from the outset. The dashboard and the sales report agree, consistent with the stated rule that cancelled orders are left out.	Executed automatically in 4.5 s; every assertion in the automated check held.	Pass	Critical	P1
Orders	NP-ORM-TC-013	Verify an order with an unapproved prescription cannot be advanced	An order containing a prescription item whose prescription is pending	1. Open an order with a pending prescription 2. Attempt to change the status to Packed 3. Observe the response 4. Approve the prescription and retry	Order with prescription in Pending review	The status change is blocked while the prescription is unapproved, with a clear explanation. After approval the status change succeeds. This enforces the pharmacist check before dispatch.	Order NP-104023 carried the banner "1 prescription medicine in this order and no prescription attached" and was nonetheless advanced Pending -> Confirmed -> Packed - > Shipped -> Delivered without a single refusal or warning. The same held for NP-104024. Prescription medicine therefore reaches delivery with no pharmacist approval.	Fail	Critical	P1
Orders	NP-ORM-TC-014	Verify the payment status can be updated and is reflected to the customer	An order with payment status Unpaid exists	1. Open an Unpaid Cash on Delivery order 2. Change the payment status to Paid 3. Save and check the order list 4. Check the customer order detail	Order NP-103015 — Unpaid to Paid	The payment status updates in the detail and the list, the change is recorded in the history with the operator, and the customer sees the updated payment status on their order.	Executed automatically in 3.5 s; every assertion in the automated check held.	Pass	High	P2
Orders	NP-ORM-TC-015	Verify an order can be found by its full order number	Order list open	1. Enter the full order number in the search field 2. Submit 3. Review the result	Order number NP-103014	Exactly the matching order is returned. No unrelated order appears and the result count is one.	Executed automatically in 5.2 s; every assertion in the automated check held.	Pass	High	P2
Orders	NP-ORM-TC-016	Verify an order can be found by a partial order number	Order list open	1. Enter only the numeric part of an order number 2. Submit 3. Review the results	Partial value 103014	The matching order is returned. Partial matching behaves consistently with the documented rule and does not return unrelated records.	Executed automatically in 4.3 s; every assertion in the automated check held.	Pass	High	P2
Orders	NP-ORM-TC-017	Verify orders can be found by customer name	Orders exist for a known customer	1. Search the customer name in the order list 2. Review the returned orders 3. Confirm each belongs to that customer	Customer name Saniul	All orders belonging to that customer are returned and no order from another customer appears. Partial name matching behaves consistently.	Could not be executed: Could not read a customer name from the first row	Blocked	High	P2
Orders	NP-ORM-TC-018	Verify orders can be found by customer phone number	Orders exist for a known phone number	1. Search the phone number in the order list 2. Review the returned orders 3. Compare against that customer record	Phone 01332530093	All orders placed against that phone number are returned, and the count matches the customer record order count.	Executed automatically in 4.1 s; every assertion in the automated check held.	Pass	High	P2
Orders	NP-ORM-TC-019	Verify filtering the order list by Pending status	Orders exist in Pending status	1. Apply the Pending status filter 2. Confirm every returned order shows Pending 3. Compare the count with the dashboard	Status Pending	Only Pending orders are returned and the count matches the dashboard status breakdown and the to-confirm attention counter.	Executed automatically in 4.6 s; every assertion in the automated check held.	Pass	High	P2

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Orders	NP-ORM-TC-020	Verify filtering the order list by Confirmed status	Orders exist in Confirmed status	1. Apply the Confirmed status filter 2. Confirm every returned order shows Confirmed 3. Compare the count with the dashboard	Status Confirmed	Only Confirmed orders are returned and the count agrees with the dashboard status breakdown.	Executed automatically in 4.9 s; every assertion in the automated check held.	Pass	High	P2
Orders	NP-ORM-TC-021	Verify filtering the order list by Packed status	Orders exist in Packed status	1. Apply the Packed status filter 2. Confirm every returned order shows Packed 3. Compare the count with the dashboard	Status Packed; order NP-103014	Only Packed orders are returned, including NP-103014, and the count agrees with the dashboard.	Executed automatically in 4.7 s; every assertion in the automated check held.	Pass	High	P2
Orders	NP-ORM-TC-022	Verify filtering the order list by Shipped status	Orders exist in Shipped status	1. Apply the Shipped status filter 2. Confirm every returned order shows Shipped 3. Compare the count with the dashboard	Status Shipped	Only Shipped orders are returned and the count agrees with the dashboard and the in-progress counter.	Executed automatically in 4.7 s; every assertion in the automated check held.	Pass	High	P2
Orders	NP-ORM-TC-023	Verify filtering the order list by Delivered status	Orders exist in Delivered status	1. Apply the Delivered status filter 2. Confirm every returned order shows Delivered 3. Compare with the delivered report	Status Delivered	Only Delivered orders are returned and the count agrees with the delivered orders report for the same period.	Executed automatically in 4.7 s; every assertion in the automated check held.	Pass	High	P2
Orders	NP-ORM-TC-024	Verify filtering the order list by Cancelled status	Orders exist in Cancelled status	1. Apply the Cancelled status filter 2. Confirm every returned order shows Cancelled 3. Confirm these orders are excluded from sales figures	Status Cancelled; order NP-103013	Only Cancelled orders are returned, and the same orders are absent from the sales summary revenue for that period.	Executed automatically in 5.1 s; every assertion in the automated check held.	Pass	Critical	P1
Orders	NP-ORM-TC-025	Verify the order date range filter is inclusive at both boundaries	Orders exist on two known dates	1. Set the range start to the date of a known order 2. Set the range end to the date of another known order 3. Confirm both appear	Range matching two known order dates	Orders falling exactly on the start and end dates are both included. No boundary order is dropped and no order outside the range appears.	Requires manual verification: No date-range filter is exposed on the order list in this build	Not Executed	Critical	P1
Orders	NP-ORM-TC-026	Verify the order list can be filtered by delivery district	Orders exist across several districts	1. Apply the district filter for Dhaka 2. Confirm every returned order shows Dhaka 3. Apply a different district and repeat	Districts Dhaka and one outside district	Only orders for the selected district are returned. The counts across all districts sum to the unfiltered total.	Requires manual verification: No district filter is exposed on the order list in this build	Not Executed	High	P2
Orders	NP-ORM-TC-027	Verify an order transitions from Pending to Confirmed	An order in Pending status	1. Open a Pending order 2. Change the status to Confirmed 3. Save and reload the order	Order in Pending status	The status becomes Confirmed in the detail and the list, a history entry records the change with operator and timestamp, and the customer sees Confirmed.	"Confirm order" on Pending NP-104024 sent POST /api/admin/orders/104024/status {"status":"Confirmed","note":"..."} and returned HTTP 200. The badge changed to Confirmed and the typed note was written to the timeline against the Confirmed entry.	Pass	Critical	P1
Orders	NP-ORM-TC-028	Verify an order transitions from Confirmed to Packed	An order in Confirmed status with no unapproved prescription	1. Open a Confirmed order 2. Change the status to Packed 3. Save and reload	Order in Confirmed status	The status becomes Packed, the history records the change, and the dashboard in-progress counter updates accordingly.	On Confirmed NP-104023, Correct status -> Packed -> Apply sent POST .../status {"status":"Packed"} and returned HTTP 200; the badge became Packed and a Packed entry was added to the timeline.	Pass	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Orders	NP-ORM-TC-029	Verify an order transitions from Packed to Shipped	An order in Packed status	1. Open a Packed order 2. Change the status to Shipped 3. Save and check the customer timeline	Order NP-103014 — Packed	The status becomes Shipped, the history records the change, and the customer order timeline shows Shipped with the correct timestamp.	On Packed NP-104023, Correct status -> Shipped -> Apply returned HTTP 200 and the badge became Shipped. An outlet selector appears at this stage and the subsequent delivery request carried outletId 99c43752-19d9-45cc-b774-626d263bd701 (Central Outlet).	Pass	Critical	P1
Orders	NP-ORM-TC-030	Verify an order transitions from Shipped to Delivered	An order in Shipped status	1. Open a Shipped order 2. Change the status to Delivered 3. Save and check the reports	Order in Shipped status	The status becomes Delivered, the history records the change, and the order appears in the delivered orders report for the period.	On Shipped NP-104023, Correct status -> Delivered -> Apply returned HTTP 200, the badge became Delivered and the timeline recorded "Sent from Central Outlet". Cash on Delivery moved from Unpaid to Paid automatically at this step and the change survived a reload.	Pass	Critical	P1
Orders	NP-ORM-TC-031	Verify a backward status transition from Delivered to Pending is rejected	An order in Delivered status	1. Open a Delivered order 2. Check whether earlier statuses are offered 3. Submit a status change to Pending directly	Delivered order	The earlier status is not offered in the interface and a directly submitted change is refused by the server with a clear message. The order remains Delivered.	Executed automatically in 4.3 s; every assertion in the automated check held.	Pass	Critical	P1
Orders	NP-ORM-TC-032	Verify a skipped status transition from Pending straight to Delivered is rejected	An order in Pending status	1. Open a Pending order 2. Check whether Delivered is offered as the next status 3. Submit a change to Delivered directly	Pending order	The skipped transition is not offered and a directly submitted change is refused. The order remains Pending and no history entry is written.	A skip from Confirmed to Delivered was accepted on NP-104024: the option was offered, Apply was enabled, the request returned HTTP 200 and the order reached Delivered without ever being Packed or Shipped. Only the backward direction is guarded. — NOTE (v1.5): the automated check for this case now passes, but it is narrower than the case as written. The failure above was observed by hand and needs a hand re-test before it is cleared.	Fail	Critical	P1

B4. PRESCRIPTION REVIEW — 17 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Prescription Review	NP-RXA-TC-001	Verify a customer-uploaded prescription appears in the review queue immediately	Admin logged in; a customer able to upload	1. Note the current prescription queue count 2. Have a customer upload a prescription 3. Refresh the admin prescription queue 4. Open the new record	Newly uploaded prescription	The prescription appears in the queue without delay, with status Pending review, the customer name, the upload timestamp and a viewable image. The dashboard prescriptions-to-review counter increases by one.	2 automated checks executed (4.3 s, 4.1 s); every assertion held.	Pass	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Prescription Review	NP-RXA-TC-002	Verify the prescription image opens and zooms for pharmacist review	A pending prescription exists	1. Open the prescription record 2. Open the image in the viewer 3. Zoom to maximum and pan 4. Rotate if the control exists	Uploaded prescription image	The image opens at sufficient resolution for the medicine names and dosages to be read. Zoom and pan work smoothly. The image is not degraded by compression to the point of illegibility.	There is no in-app viewer. The only control is an "Open" link pointing at /api/prescriptions/<id>/file, which navigates away from the admin and hands the raw file to the browser (content type image/png); that page carries no controls at all. No zoom, pan or fit control exists anywhere on the review screen, so the pharmacist is left with whatever the browser's default file display offers. Image resolution could not be judged because the fixtures are 1 KB placeholders rather than real prescription photographs.	Fail	Critical	P1
Prescription Review	NP-RXA-TC-003	Verify a prescription can be approved	A pending prescription exists	1. Open a pending prescription 2. Click approve 3. Confirm if prompted 4. Check the status, the counters and the customer view	Pending prescription record	The status changes to Approved, the Approved counter increases, the record leaves the pending queue, and the customer sees the approved status and can use it at checkout.	Approve on record 1008 sent POST /api/admin/prescriptions/1008/review {"status":"Approved"} and returned HTTP 200. The record left the To review tab, the counters moved from To review 5 / Approved 6 to To review 4 / Approved 7, the card showed "Approved by Store Admin · just now", and the customer's own list showed Approved.	Pass	Critical	P1
Prescription Review	NP-RXA-TC-004	Verify rejection requires a reason and the reason reaches the customer	A pending prescription exists	1. Open a pending prescription 2. Click reject without entering a reason 3. Enter a reason and reject 4. Check the customer prescriptions page	Rejection reason: "Prescription image is not legible"	Rejection without a reason is blocked with a validation message. With a reason, the status changes to Rejected, the Rejected counter increases, and the customer sees both the status and the exact reason text.	Rejecting record 1007 with a reason sent POST /api/admin/prescriptions/1007/review {"status":"Rejected","note":"..."} and returned HTTP 200. Counters moved To review 6 to 5 and Rejected 1 to 2, the card showed "Rejected by Store Admin · just now" followed by the reason, and the customer's prescription list showed the same reason in full, prefixed "Pharmacist:".	Pass	Critical	P1
Prescription Review	NP-RXA-TC-005	Verify the status counters are accurate	Prescriptions exist in several states	1. Record the Approved and Rejected counters 2. Filter the list by each status and count the records 3. Approve one more prescription 4. Re-check the counters	Current counts: Approved 2, Rejected 2	Each counter equals the number of records in that state. After a new approval the Approved counter increases by exactly one and the pending count decreases by one.	Executed automatically in 3.7 s; every assertion in the automated check held.	Pass	High	P2
Prescription Review	NP-RXA-TC-006	Verify the linked customer and order are visible from the prescription record	A prescription attached to an order exists	1. Open a prescription that is linked to an order 2. Locate the customer and order references 3. Click through to the order	Prescription linked to order NP-103014	The customer name, phone and the linked order number are displayed. The link opens the correct order detail, giving the pharmacist full context for the review decision.	Executed automatically in 3.6 s; every assertion in the automated check held.	Pass	High	P2

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Prescription Review	NP-RXA-TC-007	Verify the audit record captures the reviewer and the review time	A prescription has been reviewed	1. Approve or reject a prescription 2. Reopen the record 3. Locate the review audit details	Review performed by Store Admin	The record shows who performed the review and when, in the correct date and time format. The audit entry cannot be edited or removed from the interface.	Executed automatically in 5.5 s; every assertion in the automated check held.	Pass	High	P2
Prescription Review	NP-RXA-TC-008	Verify the prescription queue can be filtered and searched	Prescriptions exist in several states	1. Filter by Pending review 2. Filter by Approved, then Rejected 3. Search by customer name 4. Clear the filters	Status filters; customer name search	Each filter returns only records in that state and the counts are accurate. Search returns the matching customer's prescriptions. Clearing restores the full list. The empty state is shown where a filter matches nothing.	Executed automatically in 6.6 s; every assertion in the automated check held.	Pass	Medium	P3
Prescription Review	NP-RXA-TC-009	Verify the prescription queue is ordered so the longest-waiting item is reviewed first	Several pending prescriptions with different upload times	1. Open the prescription review queue 2. Record the upload timestamp of each pending item 3. Check the display order	Three prescriptions uploaded at different times	Pending prescriptions are presented in the documented order, normally oldest first, so no prescription waits indefinitely behind newer uploads.	Executed automatically in 4.9 s; every assertion in the automated check held.	Pass	High	P2
Prescription Review	NP-RXA-TC-010	Verify approving a prescription releases the linked order for progression	An order held because its prescription is pending	1. Confirm the order cannot be advanced 2. Approve the linked prescription 3. Return to the order and change its status to Packed	Order with a pending prescription	After approval the order status change is accepted. The block is lifted immediately without requiring the administrator to sign out and back in.	No prescription in this environment is linked to an order, so "the block is lifted on approval" could not be observed directly. Note that NP-ORM-TC-013 showed order progression is accepted regardless of prescription state, so there is no block for an approval to lift.	Blocked	Critical	P1
Prescription Review	NP-RXA-TC-011	Verify rejecting a prescription keeps the linked order blocked	An order whose prescription is pending review	1. Reject the linked prescription with a reason 2. Open the linked order 3. Attempt to change its status to Packed	Rejected prescription; linked order	The order remains blocked and the status change is refused. A message identifies the rejected prescription as the reason.	No prescription in this environment is linked to an order, so a rejected prescription could not be tested against its order directly. The related evidence is adverse: NP-ORM-TC-013 advanced an order carrying an unapproved prescription medicine from Pending to Delivered without any refusal, so no such block appears to exist.	Blocked	Critical	P1
Prescription Review	NP-RXA-TC-012	Verify a rejection cannot be saved without a reason	A pending prescription is open	1. Click reject 2. Leave the reason field blank 3. Confirm the rejection	Blank rejection reason	The rejection is blocked with a validation message requiring a reason. The prescription remains in Pending review and no status change is written.	Executed automatically in 5.0 s; every assertion in the automated check held.	Pass	Critical	P1
Prescription Review	NP-RXA-TC-013	Verify a long rejection reason with special characters is stored and displayed safely	A pending prescription is open	1. Reject with a 500-character reason containing special characters and a script payload 2. View the record in the admin 3. View the reason on the customer side	500-character reason; <script>alert(1)</script>	The reason is stored without truncation that loses meaning and is rendered as inert escaped text in both applications. No script executes and no layout breaks.	A 480-character rejection reason containing <script>alert(1)</script>, double quotes, an em dash and Bangla text was accepted, stored without truncation and rendered as inert escaped text in both the admin card and the customer's prescription list. No script executed and neither layout broke.	Pass	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Prescription Review	NP-RXA-TC-014	Verify a prescription already reviewed cannot be reviewed a second time	An approved prescription and a rejected prescription exist	1. Open an approved prescription and look for approve and reject controls 2. Attempt to submit a review decision directly 3. Repeat for a rejected prescription	Approved and rejected prescriptions	Review controls are absent or disabled on an already-reviewed record, and a directly submitted decision is refused by the server. The original decision and its audit entry are preserved.	Error: an already-reviewed prescription must not offer any active review control, but these are still enabled: Reject, Reject, Reject, Reject, Reject, Reject, Reject, Reject, Reject, Reject expect(received).toHaveLength(expected) Expected length: 0 Received length: 10	Fail	Critical	P1
Prescription Review	NP-RXA-TC-015	Verify the prescription image remains legible at maximum zoom	A prescription with small handwriting is uploaded	1. Open the prescription image viewer 2. Zoom to the maximum level 3. Read the medicine names, strengths and dosage instructions	Uploaded prescription image	Medicine names, strengths and dosage instructions are readable at maximum zoom. Compression artefacts do not make the text ambiguous for the reviewing pharmacist.	Requires manual verification: Whether a pharmacist can read the dosage at maximum zoom is a human judgement; automation cannot score legibility	Not Executed	Critical	P1
Prescription Review	NP-RXA-TC-016	Verify the prescription viewer supports rotation where the image is uploaded sideways	A prescription uploaded in landscape or rotated orientation	1. Open a rotated prescription image 2. Use the rotate control 3. Confirm the image can be read upright	Rotated prescription image	The image can be rotated to an upright, readable orientation. If no rotate control exists, the image is auto- oriented correctly from its metadata.	No rotate control exists: the review screen offers no image controls at all and "Open" serves the raw file. Whether a sideways photograph would be auto-oriented from its EXIF metadata could not be tested, because the fixtures contain no image with an orientation tag. A real sideways photograph is needed to settle this case.	Not Executed	Medium	P3
Prescription Review	NP-RXA-TC-017	Verify two administrators cannot review the same prescription concurrently with conflicting outcomes	Two admin sessions open on the same pending prescription	1. Open the same prescription in sessions A and B 2. Approve it in session A 3. Reject it in session B 4. Reload both sessions	Same prescription in two sessions	The second decision is refused with a conflict message prompting a reload, rather than silently overwriting the first. The stored outcome is deterministic and the audit records a single reviewer.	Two administrator sessions were opened on the same queue. Session A approved record 1009 (HTTP 200). Session B, whose page had not been reloaded and still showed the record as pending, then rejected the same record: the request also returned HTTP 200 and the stored outcome became Rejected. No conflict message, no reload prompt and no refusal — the stale decision silently overwrote the fresh one.	Fail	Critical	P1

B5. PRODUCT CATALOGUE MANAGEMENT — 25 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Products	NP-PRD-TC-001	Verify a new product can be created with all attributes	Logged in as administrator	1. Open the product module and click add 2. Enter name, generic, strength, formation, pack unit, manufacturer, category, MRP, price, stock 3. Set the prescription and featured flags 4. Save and open the record	Name: QA Test Medicine; Generic: Paracetamol; 500 mg; Tablet; MRP 20; Price 18; Stock 50	The product is created and every entered attribute is stored and displayed correctly. The product becomes visible on the customer site with the same values and a correctly generated slug.	No automated steps are implemented for this case. The test records only why it writes to live data (Creating a product adds a permanent row to the live catalogue), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Products	NP-PRD-TC-002	Verify mandatory field validation on the product form	Product form open	1. Submit with all fields blank 2. Fill only the name and submit 3. Omit the manufacturer and submit 4. Omit the price and submit	Incomplete product records	Each submission is blocked with field- level messages naming the missing mandatory fields. No partial product record is created in any case.	Requires manual verification: No add-product entry point is exposed in this build of Inventory	Not Executed	High	P2
Products	NP-PRD-TC-003	Verify the selling price cannot exceed the MRP	Product form open	1. Enter MRP 100 and selling price 120 2. Attempt to save 3. Change the selling price to 100 and save 4. Change to 80 and save	MRP 100; prices 120, 100, 80	A selling price above the MRP is rejected with a clear message. Prices equal to or below the MRP are accepted. The discount percentage recalculates accordingly.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires saving price combinations against a real product), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1
Products	NP-PRD-TC-004	Verify the discount percentage is calculated and displayed correctly	A product with MRP and a lower selling price	1. Set MRP 100 and selling price 80 and save 2. Read the displayed discount percentage 3. Check the same product on the customer site 4. Repeat with MRP 90 and price 90	MRP 100 / price 80; MRP 90 / price 90	The first product shows a 20 percent discount in both the admin and the customer site. The second shows no discount and no discount badge. The calculation is consistent in both applications.	Executed automatically in 4.6 s; every assertion in the automated check held.	Pass	Critical	P1
Products	NP-PRD-TC-005	Verify numeric field validation rejects negative and non-numeric values	Product form open	1. Enter a negative MRP 2. Enter a negative stock value 3. Enter letters in the price field 4. Enter an extremely large number	-100 , -5 , abc , 999999999999	Negative and non-numeric values are rejected with specific messages. An unreasonably large value is either rejected or handled without overflow or display corruption.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires submitting invalid values against the product form), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	High	P2
Products	NP-PRD-TC-006	Verify a product image can be uploaded, replaced and removed	An existing product record	1. Upload a valid image and save 2. View the product on the customer site 3. Replace the image with a different one 4. Remove the image entirely	JPG and PNG images within the size limit	The uploaded image appears in the admin and on the customer product card and detail page. Replacement updates both applications. Removal restores the category artwork fallback rather than a broken image.	No automated steps are implemented for this case. The test records only why it writes to live data (Changing product imagery changes the live storefront), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Medium	P2
Products	NP-PRD-TC-007	Verify product image upload restricts file type and size	Product form open	1. Attempt to upload an executable file 2. Attempt a file far above the size limit 3. Upload a valid image at the limit 4. Observe each response	.exe file; oversized image; compliant image	Disallowed types and oversized files are rejected with clear messages, enforced on the server. The compliant image uploads successfully and displays correctly.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires attempting real uploads against a live product), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1
Products	NP-PRD-TC-008	Verify an existing product can be edited and changes propagate to the customer site	An existing product visible on the customer site	1. Note the product's current values on the customer site 2. In the admin change the name, price and strength 3. Save 4. Reload the customer product page and listing	Change price from BDT 18 to BDT 15	All changes are saved and reflected on the customer product detail, listing cards and search results after reload, with no stale cached values.	No automated steps are implemented for this case. The test records only why it writes to live data (Editing a live product changes what customers see and pay), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Products	NP-PRD-TC-009	Verify the prescription-required flag controls the customer-side gate	A product that is not prescription-required	1. Note a non-prescription product 2. In the admin enable its prescription-required flag 3. On the customer site open the product and add it to the cart 4. Attempt checkout without a prescription	Toggle prescription flag on a test product	The product now displays the prescription badge and checkout is blocked without an approved prescription. Disabling the flag again removes the badge and the gate.	Executed automatically in 4.1 s; every assertion in the automated check held.	Pass	Critical	P1
Products	NP-PRD-TC-010	Verify a product can be hidden and unhidden	A visible product exists	1. Hide the product in the admin 2. Search for it on the customer site and open its direct URL 3. Unhide it 4. Search again	Any test product	While hidden, the product does not appear in listings, search or suggestions, and its direct URL returns a not-found page. After unhiding it is fully visible and purchasable again.	No automated steps are implemented for this case. The test records only why it writes to live data (Hiding a live product removes it from the storefront), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	High	P2
Products	NP-PRD-TC-011	Verify the product list can be searched, filtered and sorted	Product list open with a large catalogue	1. Search by product name 2. Search by generic name 3. Filter by manufacturer and by category 4. Sort by name and by price	Napa ; Paracetamol ; Square Pharmaceuticals Ltd.; Injections & Insulin	Each search and filter returns the correct subset with an accurate count. Sorting orders the full result set correctly, not only the visible page. Combined filters apply together.	Error: searching the admin catalogue for the seeded brand "Napa" must return the same products the storefront returns for it expect(received).toBeGreaterThan(expected) Expected: > 0 Received: 0	Fail	High	P2
Products	NP-PRD-TC-012	Verify deleting a product does not corrupt existing orders	A product that appears on a historical order	1. Identify a product present on an existing order 2. Delete or hide it in the admin 3. Open that historical order in the admin and on the customer side 4. Open the sales and product reports	Product on order NP-103015	The historical order still shows the product name, price and quantity as ordered. Reports remain accurate. No order displays a blank or broken line and no error occurs.	No automated steps are implemented for this case. The test records only why it writes to live data (Deleting a catalogue product is irreversible on a shared environment), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1
Products	NP-PRD-TC-013	Verify a negative MRP is rejected on the product form	Product form open	1. Enter -100 as the MRP 2. Complete the other mandatory fields 3. Attempt to save	MRP -100	The negative MRP is rejected with a validation message. No product is created with a negative price that could corrupt order totals.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires submitting a negative price against the product form), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1
Products	NP-PRD-TC-014	Verify a negative stock value is rejected on the product form	Product form open	1. Enter -5 as the stock quantity 2. Attempt to save 3. Observe the message	Stock -5	The negative stock is rejected with a clear message and the product is not saved with an impossible stock level.	Executed automatically in 3.4 s; every assertion in the automated check held.	Pass	High	P2
Products	NP-PRD-TC-015	Verify non-numeric input in the price field is rejected	Product form open	1. Enter abc in the selling price field 2. Attempt to save 3. Enter a value containing a currency symbol and retry	Values abc and BDT 50	Each non-numeric price is rejected with a validation message. Only a clean numeric value is accepted and stored.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires submitting text into the price field of a real product), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	High	P2

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Products	NP-PRD-TC-016	Verify an unreasonably large numeric value is handled without overflow	Product form open	1. Enter 999999999999 as the MRP 2. Attempt to save 3. If saved, view the product on the customer site	MRP 999999999999	The value is rejected with a stated maximum, or stored and displayed correctly without overflow, rounding error or layout breakage in either application.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires saving an extreme value against a real product), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Medium	P3
Products	NP-PRD-TC-017	Verify the product slug is generated correctly from the product attributes	Product form open	1. Create a product named QA Test Medicine, 500 mg, Tablet 2. Save and open the product record 3. Open the product URL on the customer site	Name QA Test Medicine, 500 mg, Tablet	A readable lowercase hyphenated slug is generated from the name, strength and formation, and the customer URL built from that slug opens the correct product.	Executed automatically in 3.9 s; every assertion in the automated check held.	Pass	High	P2
Products	NP-PRD-TC-018	Verify a duplicate slug cannot be created	A product with a known slug exists	1. Create a second product whose name, strength and formation would produce the same slug 2. Save 3. Open both product URLs	Two products producing the same slug	Either the save is rejected with a clear message or a unique suffix is appended automatically. Both products remain independently reachable by URL.	Executed automatically in 4.2 s; every assertion in the automated check held.	Pass	Critical	P1
Products	NP-PRD-TC-019	Verify replacing a product image updates it everywhere on the customer site	A product with an existing image	1. Note the current image on the customer listing and detail page 2. Upload a different image in the admin and save 3. Reload the listing, detail page and cart	Replacement product image	The new image appears on the product card, detail page and in the cart after reload. The previous image is no longer served from cache.	No automated steps are implemented for this case. The test records only why it writes to live data (Changing product imagery changes the live storefront), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Medium	P3
Products	NP-PRD-TC-020	Verify removing a product image restores the category artwork fallback	A product with an uploaded image	1. Remove the product image in the admin and save 2. Open the product on the customer site 3. Check the listing card and detail page	Product with image removed	The designed category artwork fallback is shown in both places. No broken image icon, empty box or layout shift appears.	Executed automatically in 3.8 s; every assertion in the automated check held.	Pass	Medium	P3
Products	NP-PRD-TC-021	Verify an executable file cannot be uploaded as a product image	Product form open	1. Attempt to upload a file with an .exe extension 2. Attempt to upload an .exe renamed to .jpg 3. Observe each response	test.exe and test.exe renamed to test.jpg	Both uploads are rejected. The server validates actual file content, not only the extension, so a renamed executable is also refused.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires attempting real uploads against a live product), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1
Products	NP-PRD-TC-022	Verify an oversized product image is rejected with a clear message	A large image file is available	1. Upload an image just under the documented size limit 2. Upload one just above the limit 3. Upload a 50 MB image	Files below, just above and far above the limit	The compliant file uploads successfully. Over-limit files are rejected with a message naming the maximum size, and the browser does not hang.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires attempting a real oversized upload), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	High	P2
Products	NP-PRD-TC-023	Verify the admin product list can be searched by product name	Product list open with a large catalogue	1. Search Napa in the product list 2. Review the returned products 3. Confirm the count against the customer-side search	Search term Napa	All Napa variants are returned and non- matching products are excluded. The result count is accurate and consistent with the customer catalogue.	Error: the admin product search must find "Napa"; the customer catalogue returns 24 products for the same term expect(received).toBeGreaterThan(expected) Expected: > 0 Received: 0	Fail	High	P2

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Products	NP-PRD-TC-024	Verify the admin product list can be searched by generic name	Product list open	1. Search Paracetamol in the product list 2. Review the manufacturers represented 3. Open two results and confirm the generic	Search term Paracetamol	Products of that generic are returned across multiple brands and manufacturers, not only one brand.	Executed automatically in 4.9 s; every assertion in the automated check held.	Pass	High	P2
Products	NP-PRD-TC-025	Verify the admin product list can be filtered by category	Product list open	1. Filter by the category Injections & Insulin 2. Review the returned products 3. Open three and confirm their category	Category Injections & Insulin	Only products in the selected category are returned, the count is accurate, and clearing the filter restores the full list.	Could not be executed: No Injections option in the filter	Blocked	High	P2

B6. INVENTORY & STOCK CONTROL — 20 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Inventory	NP-INV-TC-001	Verify the inventory list displays stock, flags and sales data accurately	Logged in as administrator	1. Open the inventory module 2. Inspect the columns for the first ten products 3. Open one product and compare with its catalogue record	Maxima 40 mg Injection — stock 1, low stock true, no photo, POS sold 371	Stock on hand, low-stock flag, hidden state, photo presence and POS sales figures display correctly for each product and agree with the product record.	2 automated checks executed (3.1 s, 8.1 s); every assertion held.	Pass	High	P2
Inventory	NP-INV-TC-002	Verify the stock quantity can be updated for a single product	A product with known stock	1. Note a product's current stock 2. Change the stock to a new value and save 3. Reload the inventory list 4. Check the product on the customer site	Change stock from 1 to 25	The new stock value is saved and displayed. The low-stock flag clears if the new value exceeds the threshold. The customer site reflects the updated availability and permits the higher quantity.	No automated steps are implemented for this case. The test records only why it writes to live data (Changing stock affects every other tester and the storefront), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1
Inventory	NP-INV-TC-003	Verify setting stock to zero marks the product out of stock on the customer site	An in-stock product visible to customers	1. Set a product's stock to 0 in the admin 2. Open the product on the customer site 3. Attempt to add it to the cart 4. Check the listing card	Stock set to 0	The product displays as out of stock on both the listing card and the detail page, and cannot be added to the cart through the interface or by a direct request.	No automated steps are implemented for this case. The test records only why it writes to live data (Taking a live product out of stock blocks real purchases), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1
Inventory	NP-INV-TC-004	Verify restoring stock makes the product purchasable again	A product currently at zero stock	1. Set stock from 0 to 10 2. Reload the customer product page 3. Add 3 units to the cart 4. Complete checkout	Stock restored from 0 to 10	The product becomes available immediately, the add-to-cart control is enabled, and an order can be completed for up to the available quantity.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires changing live stock twice), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1
Inventory	NP-INV-TC-005	Verify negative stock cannot be entered	Inventory edit form open	1. Enter a negative stock value and save 2. Enter a non-numeric value 3. Enter a decimal value 4. Observe each response	-10 , abc , 5.5	Negative and non-numeric values are rejected with a clear message. Decimal handling follows the documented rule. The stored stock is never negative.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires submitting invalid stock against a live product), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	High	P2

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Inventory	NP-INV-TC-006	Verify the inventory quick filters return the correct product sets	Products exist in each state	1. Apply the low-stock filter and verify every result is low stock 2. Apply the out-of-stock filter 3. Apply the hidden filter 4. Apply the missing-photo filter	Filters: low, out, hidden, nophoto, missing	Each filter returns only products in that state with an accurate count. The low- stock count matches the dashboard low-stock attention counter.	Executed automatically in 9.6 s; every assertion in the automated check held.	Pass	Medium	P2
Inventory	NP-INV-TC-007	Verify the low-stock threshold drives the flag and the dashboard counter	Admin access to the low-stock threshold	1. Note the current low-stock count on the dashboard 2. Set a product's stock just below the threshold 3. Refresh inventory and the dashboard 4. Raise the stock above the threshold and recheck	Stock values either side of the low-stock threshold	The product gains the low-stock flag when below the threshold and loses it when above. The dashboard low-stock counter increases and decreases by one accordingly.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires moving a product across the low-stock threshold), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	High	P2
Inventory	NP-INV-TC-008	Verify the purchasable quantity respects both the stock level and the per-item cap	Products with stock below and above 200	1. Set a product's stock to 5 and check the maximum selectable quantity on the customer site 2. Set stock to 500 and check again 3. Attempt to order above each limit	Stock 5, then stock 500; per-item cap 200	With stock 5 the maximum is 5. With stock 500 the maximum is 200, the configured per-item cap. Attempts to exceed either limit are rejected on the server.	Executed automatically in 4.7 s; every assertion in the automated check held.	Pass	Critical	P1
Inventory	NP-INV-TC-009	Verify concurrent stock edits do not silently overwrite one another	Two admin browser sessions available	1. Open the same product's stock in two sessions 2. Change the stock to 50 in session A and save 3. Change the stock to 80 in session B, which still shows the old value, and save 4. Reload both sessions	Same product edited in two sessions	The second save either is rejected with a conflict message prompting a reload, or applies with a clear record of the change. The final stored value is deterministic and no update is lost without notice.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires two admin sessions saving the same product), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	High	P2
Inventory	NP-INV-TC-010	Verify the low-stock quick filter returns only products below the threshold	Products exist above and below the low-stock threshold	1. Apply the low-stock filter 2. Record the returned products and their stock figures 3. Compare each against the threshold	Low-stock filter	Every returned product has stock below the configured threshold and no product above it appears. The count matches the dashboard low-stock counter.	Executed automatically in 5.4 s; every assertion in the automated check held.	Pass	High	P2
Inventory	NP-INV-TC-011	Verify the out-of-stock quick filter returns only products with zero stock	At least two products have zero stock	1. Apply the out-of-stock filter 2. Record the returned products 3. Verify each shows stock of zero	Out-of-stock filter	Only products with zero stock are returned. Products with any stock remaining are excluded, and the count is accurate.	Executed automatically in 4.6 s; every assertion in the automated check held.	Pass	High	P2
Inventory	NP-INV-TC-012	Verify the hidden quick filter returns only hidden products	At least one product is hidden	1. Hide a product in the admin 2. Apply the hidden filter 3. Confirm the product appears and visible products do not	Hidden filter	Only hidden products are listed. Each is also confirmed absent from the customer catalogue.	Executed automatically in 4.6 s; every assertion in the automated check held.	Pass	Medium	P3
Inventory	NP-INV-TC-013	Verify the missing-photo quick filter returns only products without an image	Products exist with and without photographs	1. Apply the missing-photo filter 2. Open three returned products 3. Confirm none has an uploaded image	Missing-photo filter; Maxima has no photo	Every returned product lacks an uploaded photograph. Products that have an image are excluded.	Executed automatically in 3.8 s; every assertion in the automated check held.	Pass	Medium	P3
Inventory	NP-INV-TC-014	Verify the missing-data quick filter identifies products with incomplete attributes	Products exist with missing generic, strength or manufacturer	1. Apply the missing-data filter 2. Open the returned products 3. Identify which attribute is absent in each	Missing-data filter	Products with incomplete mandatory catalogue data are returned and the missing attribute is identifiable, so the data can be corrected before release.	Executed automatically in 4.9 s; every assertion in the automated check held.	Pass	Medium	P3

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Inventory	NP-INV-TC-015	Verify a bulk stock update applies to every selected product	Several products selected in the inventory list	1. Select five products 2. Apply a bulk stock update 3. Verify each product stock individually 4. Confirm unselected products are unchanged	Five products; bulk value 50	All five selected products show the new stock value. No unselected product is altered. The change is reflected on the customer site.	No automated steps are implemented for this case. The test records only why it writes to live data (A bulk update rewrites stock on several live products at once), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1
Inventory	NP-INV-TC-016	Verify non-numeric stock input is rejected	Inventory stock edit open	1. Enter abc in the stock field 2. Attempt to save 3. Enter a value with a currency symbol and retry	Values abc and BDT 50	Each non-numeric entry is rejected with a validation message and the previous stock value is retained. No corrupt stock value is written.	Executed automatically in 3.1 s; every assertion in the automated check held.	Pass	High	P2
Inventory	NP-INV-TC-017	Verify decimal stock input is handled according to the documented rule	Inventory stock edit open	1. Enter 5.5 in the stock field 2. Attempt to save 3. Observe whether it is rejected or rounded	Value 5.5	The behaviour matches the documented rule, either rejecting the decimal or rounding consistently. The result is deterministic and the same on every attempt.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires submitting 5.5 against a live product), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Medium	P3
Inventory	NP-INV-TC-018	Verify stock decrements in the admin inventory when a customer places an order	A product with a known stock figure	1. Record the stock in the admin inventory 2. Have a customer order 3 units 3. Refresh the inventory and read the stock	Stock before and after a 3-unit order	Stock is reduced by exactly 3. No other product is affected and the low-stock flag updates if the new value falls below the threshold.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires placing a real order), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1
Inventory	NP-INV-TC-019	Verify stock is restored in the admin inventory when an order is cancelled	An order exists for a product with known stock	1. Record the stock after an order was placed 2. Cancel that order in the admin 3. Refresh the inventory and read the stock	Stock before and after cancellation	Stock returns to its pre-order value in line with the documented rule, and the product becomes purchasable again if it had reached zero.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires placing and cancelling a real order), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1
Inventory	NP-INV-TC-020	Verify the POS sold figure is presented separately from online stock movement	Products with recorded POS sales	1. Open the inventory list 2. Record the POS sold figure for a product 3. Place an online order for the same product 4. Re-read both figures	Maxima — POS sold 371	The POS sold figure is distinct from online stock and is not altered by an online order. Online ordering reduces stock on hand only.	Executed automatically in 3.4 s; every assertion in the automated check held.	Pass	High	P2

B7. MANUFACTURERS & CUSTOMERS — 12 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Manufacturer s	NP-MFR-TC-001	Verify the manufacturer list shows accurate product and stock counts	Logged in as administrator	1. Open the manufacturer module 2. Record the product and in-stock counts for several entries 3. Filter the product catalogue by one manufacturer and count	Square Pharmaceuticals Ltd. — 564 products, 384 in stock	The product count equals the number of catalogue products for that manufacturer and the in-stock count equals those with stock above zero. Counts update after a product is added or hidden.	Executed automatically in 4.0 s; every assertion in the automated check held.	Pass	Medium	P3

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Manufacturers	NP-MFR-TC-002	Verify a manufacturer can be created, edited and validated	Manufacturer module open	1. Create a manufacturer with a new name 2. Attempt to create another with the same name 3. Edit the first and change its name 4. Attempt to save with a blank name	Name: QA Test Pharma Ltd.	Creation succeeds. A duplicate name is rejected with a clear message. Editing saves correctly. A blank name is rejected. The new manufacturer becomes selectable on the product form.	No automated steps are implemented for this case. The test records only why it writes to live data (Creating manufacturers adds permanent rows to the live catalogue), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Medium	P3
Manufacturers	NP-MFR-TC-003	Verify the manufacturer logo can be uploaded, replaced and removed	An existing manufacturer record	1. Upload a logo image and save 2. Check the customer manufacturers page 3. Replace the logo 4. Remove it and recheck	Logo image within the size limit	The logo displays in the admin list and on the customer manufacturers page and brand strip. Replacement updates both. Removal shows the designed text fallback, not a broken image.	Executed automatically in 3.2 s; every assertion in the automated check held.	Pass	Low	P3
Manufacturers	NP-MFR-TC-004	Verify the home-page toggle controls the customer brand strip	Manufacturers with the toggle on and off	1. Note which manufacturers show on the customer home page 2. Disable the toggle for one of them 3. Reload the customer home page 4. Enable the toggle for a different manufacturer and recheck	Home-page toggle on Opsonin Pharma Ltd	A manufacturer disappears from the brand strip when its toggle is disabled and appears when enabled. Only flagged manufacturers are shown and the change takes effect on reload.	Executed automatically in 3.3 s; every assertion in the automated check held.	Pass	Medium	P3
Manufacturers	NP-MFR-TC-005	Verify deletion of a manufacturer that has products is handled safely	A manufacturer with assigned products	1. Attempt to delete a manufacturer with many products 2. Observe the response 3. Create an empty manufacturer and delete it 4. Check the catalogue for orphaned products	Manufacturer with 564 products; an empty manufacturer	Deleting a manufacturer with products is prevented with a clear explanation, or handled by a documented reassignment rule. No product is left without a manufacturer. The empty manufacturer deletes cleanly.	No automated steps are implemented for this case. The test records only why it writes to live data (Deleting a manufacturer could orphan hundreds of live products), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	High	P2
Customers	NP-CUS-TC-001	Verify the customer list displays all required fields accurately	Logged in as administrator	1. Open the customer module 2. Inspect the columns for the first ten rows 3. Open one customer and compare	Saniul — 01332530093 , Customer, active, 1 order, BDT 6,022.65	Name, phone, email, role, active state, registration date, last login, order count and lifetime spend display correctly and match the underlying records.	2 automated checks executed (3.1 s, 4.1 s); every assertion held.	Pass	High	P2
Customers	NP-CUS-TC-002	Verify customer search by name, phone and email	Customer list open	1. Search by full name 2. Search by partial name 3. Search by phone number 4. Search by email address	Saniul , San , 01332530093 , saniulhassan99@gm ail.com	Each search returns the matching customers and excludes others. The result count is accurate and a no-match search shows a proper empty state.	Could not be executed: No customer search field in this build	Blocked	High	P2
Customers	NP-CUS-TC-003	Verify the customer order count and lifetime spend reconcile with actual orders	A customer with orders exists	1. Open a customer record and note orders and spend 2. Filter the order list to that customer 3. Count the orders and sum the totals 4. Compare, noting the treatment of cancelled orders	Saniul — 1 order, BDT 6,022.65	Order count and lifetime spend equal the sum of that customer's orders under the documented rule for cancelled orders, applied consistently.	Requires manual verification: Summing a customer's orders by hand is needed to prove the lifetime spend figure and the treatment of cancelled orders	Not Executed	High	P2

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Customers	NP-CUS-TC-004	Verify a customer account can be deactivated and cannot then log in	An active customer account with known credentials	1. Deactivate the account in the admin 2. Attempt to log in as that customer 3. Observe the message 4. Reactivate and log in again	Test customer account credentials	Login is refused while the account is inactive, with an appropriate message, and any existing session is invalidated. After reactivation login succeeds normally.	No automated steps are implemented for this case. The test records only why it writes to live data (Deactivating an account locks a real customer out), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1
Customers	NP-CUS-TC-005	Verify a newly registered customer appears immediately in the admin list	Admin list open	1. Note the current customer count 2. Register a new customer on the customer site 3. Refresh the admin customer list 4. Open the new record	Newly registered customer	The new customer appears without delay with role Customer, active state true, the correct registration timestamp and zero orders. The dashboard customer count increases by one.	Could not be executed: No customer search field in this build	Blocked	High	P2
Customers	NP-CUS-TC-006	Verify the customer detail shows order history and addresses	A customer with orders and addresses	1. Open a customer record 2. Review the listed orders 3. Review the saved addresses 4. Click through to an order	Customer with at least one order	All of the customer's orders are listed with number, date, status and total, and the saved addresses are shown. The order link opens the correct order detail.	Executed automatically in 3.1 s; every assertion in the automated check held.	Pass	Medium	P2
Customers	NP-CUS-TC-007	Verify customer list pagination and sorting	More customers than fit one page	1. Note the rows on page 1 2. Move to page 2 and page 3 3. Sort by registration date and by lifetime spend 4. Return to page 1	Customer list across multiple pages	Pages show distinct records with no repeats or omissions. Sorting applies to the full result set and the chosen sort persists while paging.	Executed automatically in 4.4 s; every assertion in the automated check held. Failed on the first attempt and passed on retry —	Pass	Medium	P3

B8. PROMOTIONS & REPORTS — 38 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Promotions	NP-PRM-TC-001	Verify a promotion can be created with valid values	Logged in as administrator	1. Open the promotions module and create a promotion 2. Enter the name, discount value, start date and end date 3. Set the applicable products or categories 4. Save and reopen	10 percent discount, valid for the next seven days	The promotion is created and all values are stored correctly. It appears in the promotions list with its status and date range.	Executed automatically in 3.0 s; every assertion in the automated check held.	Pass	High	P2
Promotions	NP-PRM-TC-002	Verify promotion value and date validation	Promotion form open	1. Enter a discount above 100 percent 2. Enter a negative discount 3. Enter an end date earlier than the start date 4. Leave the name blank	150% , -10% , end before start, blank name	Each invalid entry is rejected with a specific message. The promotion is not saved until all values are valid.	Requires manual verification: No create- promotion entry point is exposed in this build	Not Executed	High	P2
Promotions	NP-PRM-TC-003	Verify an active promotion applies on the customer site and in totals	An active promotion covering a known product	1. Note the product price before the promotion 2. Activate the promotion 3. View the product on the customer site 4. Add it to the cart and open checkout	10 percent promotion on a BDT 100 product	The discounted price of BDT 90 is shown on the listing card, the detail page, the cart and the checkout summary, and the discount is reflected correctly in the order total.	Executed automatically in 7.0 s; every assertion in the automated check held.	Pass	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Promotions	NP-PRM-TC-004	Verify an expired or deactivated promotion no longer applies	An active promotion exists	1. Confirm the discounted price on the customer site 2. Deactivate the promotion in the admin 3. Reload the customer product page and cart 4. Set another promotion's end date to the past and recheck	Deactivated and past-dated promotions	The original price is restored on the listing, detail page and cart. Neither the deactivated nor the expired promotion applies to new orders.	No automated steps are implemented for this case. The test records only why it writes to live data (Deactivating a live promotion changes real prices), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1
Promotions	NP-PRM-TC-005	Verify promotional pricing is recorded correctly on the placed order	An active promotion; a customer ready to order	1. Place an order for a promoted product 2. Open the order in the admin 3. Check the unit price, discount and total 4. Deactivate the promotion and reopen the historical order	Order placed during an active promotion	The order records the promotional price that applied at the time of ordering. Deactivating the promotion afterwards does not retroactively alter the historical order or its totals.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires placing a real order during an active promotion), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1
Promotions	NP-PRM-TC-006	Verify overlapping promotions resolve by the defined rule	Two promotions covering the same product	1. Create two active promotions covering one product with different values 2. View the product on the customer site 3. Add to cart and check the price applied	10 percent and 20 percent promotions on one product	Exactly one promotion applies, selected by the documented rule such as the greater discount. Discounts are not stacked unintentionally and the price is consistent across the listing, cart and order.	Executed automatically in 4.5 s; every assertion in the automated check held.	Pass	High	P2
Promotions	NP-PRM-TC-007	Verify a discount percentage above 100 is rejected	Promotion form open	1. Enter a discount of 150 percent 2. Attempt to save 3. Observe the message	Discount 150%	The value is rejected with a clear message stating the permitted range. The promotion is not saved and no negative selling price can result.	Executed automatically in 3.8 s; every assertion in the automated check held.	Pass	Critical	P1
Promotions	NP-PRM-TC-008	Verify a negative discount value is rejected	Promotion form open	1. Enter a discount of -10 2. Attempt to save 3. Observe the message	Discount -10	The negative value is rejected with a validation message. No promotion is created that would increase the price above the MRP.	Executed automatically in 3.7 s; every assertion in the automated check held.	Pass	Critical	P1
Promotions	NP-PRM-TC-009	Verify an end date earlier than the start date is rejected	Promotion form open	1. Set the start date to a date one week ahead 2. Set the end date to today 3. Attempt to save	Start = today + 7 days; End = today	The date range is rejected with a message explaining that the end date must not precede the start date. The promotion is not saved.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires submitting an invalid date range to the promotion form), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	High	P2
Promotions	NP-PRM-TC-010	Verify a promotion cannot be saved without a name	Promotion form open	1. Leave the name field blank 2. Complete all other fields with valid values 3. Attempt to save	Blank promotion name	Saving is blocked with a field-level message. No unnamed promotion appears in the promotions list.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires submitting the promotion form), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Medium	P3

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Promotions	NP-PRM-TC-011	Verify a promotion becomes active exactly at its start date	A promotion configured to start today	1. Create a promotion starting today 2. View the product on the customer site before activation time if applicable 3. View it on or after the start date	Promotion starting today	The promotional price applies from the start date onwards and not before it. The boundary is applied inclusively as documented.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires creating a promotion that starts today), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1
Promotions	NP-PRM-TC-012	Verify a promotion stops applying after its end date	A promotion whose end date has passed	1. Set a promotion end date to yesterday 2. View the product on the customer site 3. Add it to the cart and open checkout	Promotion ended yesterday	The original price is shown on the listing, product detail, cart and checkout. The expired promotion does not reduce the order total.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires back-dating a live promotion), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1
Promotions	NP-PRM-TC-013	Verify deactivating a promotion updates carts that already contain the product	A customer cart holds a promoted product	1. As a customer add a promoted product to the cart and note the price 2. As administrator deactivate the promotion 3. Reload the customer cart and open checkout	Promoted product already in a cart	The cart reflects the restored original price and the totals recalculate. The order is placed at the price in effect at submission, not a stale promotional price.	No automated steps are implemented for this case. The test records only why it writes to live data (Requires deactivating a live promotion while a cart holds the product), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	Critical	P1
Promotions	NP-PRM-TC-014	Verify a promotion applies only to the products or categories within its configured scope	A promotion scoped to one category	1. Configure a promotion for the category Tablets & Capsules only 2. View a product in that category 3. View a product in Injections & Insulin	Promotion scoped to one category	Only products inside the configured scope show the promotional price. Products outside the scope retain their original price in listing, cart and checkout.	Executed automatically in 3.9 s; every assertion in the automated check held.	Pass	Critical	P1
Promotions	NP-PRM-TC-015	Verify editing an active promotion takes effect immediately on the customer site	An active promotion exists	1. Note the current promotional price on the customer site 2. Change the discount value in the admin and save 3. Reload the customer product page and cart	Discount changed from 10% to 20%	The new discount is reflected on the listing, product detail, cart and checkout after reload, with totals recalculated to the new value.	No automated steps are implemented for this case. The test records only why it writes to live data (Editing a live promotion changes real prices), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	High	P2
Reports	NP-RPT-TC-001	Verify the sales summary report generates with correct columns and rows	Logged in as administrator; order data exists	1. Open the sales summary report 2. Verify the column headings 3. Verify one day's row against the order list for that date 4. Verify the period totals	Columns: Day, Orders, Units sold, MRP value, Discount, Delivery charge, Sales, Average order, New customers, Prescriptions	All ten columns are present and correctly labelled. Each row's figures match the underlying orders for that day. Period totals equal the sum of the daily rows.	Executed automatically in 5.2 s; every assertion in the automated check held.	Pass	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Reports	NP-RPT-TC-002	Verify the sales calculation follows the stated definition	A date with known order data	1. Select a day with orders 2. Record MRP value, discount and delivery charge for that day 3. Calculate MRP value minus discount plus delivery charge 4. Compare with the reported sales figure	A day with recorded sales, for example BDT 6,087.68	The reported sales figure equals MRP value minus discount plus delivery charge exactly. Cancelled orders are excluded from every component of the calculation.	Requires manual verification: Proving sales = MRP value - discount + delivery needs the per-day columns reconciled against the order list for that date	Not Executed	Critical	P1
Reports	NP-RPT-TC-003	Verify the average order value is calculated correctly	A period with multiple orders	1. Record the period sales and order count 2. Divide sales by order count 3. Compare with the reported average order value 4. Check a period with zero orders	Sales BDT 6,087.68 across 2 orders	The average order value equals sales divided by order count, here BDT 3,043.84. For a period with zero orders the value shows zero rather than an error or a division-by-zero result.	Requires manual verification: Sales, order count and average order value are not laid out as labelled rows on this reports view, so the division has to be checked by eye	Not Executed	Critical	P1
Reports	NP-RPT-TC-004	Verify date range presets and custom ranges filter correctly	Reports module open	1. Apply the last-week preset and note the dates covered 2. Apply the last-month preset 3. Apply a custom range 4. Verify no row falls outside each selected range	Presets last-week, last-month; a custom range	Each preset selects the correct date span and the report contains only data within it. The custom range is respected inclusively at both boundaries.	Executed automatically in 3.6 s; every assertion in the automated check held.	Pass	High	P2
Reports	NP-RPT-TC-005	Verify grouping by day and by month produces consistent totals	A date range spanning more than one month	1. Run the sales report grouped by day for a two-month range 2. Record the period total 3. Switch grouping to month 4. Sum the monthly rows and compare	Two-month date range	The sum of the daily rows equals the sum of the monthly rows and both equal the reported period total. No data is lost or duplicated at the month boundary.	Requires manual verification: Comparing the day-grouped and month-grouped period totals needs the two views read side by side across a two-month range	Not Executed	Critical	P1
Reports	NP-RPT-TC-006	Verify the product, category and manufacturer reports return accurate figures	Order data exists	1. Run the products report and note the top entries 2. Run the categories report 3. Run the manufacturers report 4. Cross-check one product's units and revenue against the orders	Top product Merobac — 5 units, BDT 6,022.65	Each report returns correct units sold and revenue. The sum across categories and across manufacturers equals the overall sales total for the same period.	Executed automatically in 3.0 s; every assertion in the automated check held.	Pass	High	P2
Reports	NP-RPT-TC-007	Verify the order-state reports return the correct order sets	Orders exist in several states	1. Run the pending orders report 2. Run the processing report 3. Run the delivered report 4. Run the cancelled report and compare each with the filtered order list	Reports: pending, processing, delivered, cancelled	Each report lists exactly the orders in that state for the period, matching the filtered order list and the dashboard status breakdown.	Executed automatically in 3.7 s; every assertion in the automated check held.	Pass	High	P2
Reports	NP-RPT-TC-008	Verify the customers, areas and delivery reports are accurate	Order data across several districts	1. Run the customers report and verify one customer's order count and spend 2. Run the areas report 3. Verify that district totals sum to the overall total 4. Run the delivery report	Districts including Dhaka and others	Customer figures match the customer records. District totals sum to the period total with no orders unassigned. Delivery charges reported agree with the orders.	Executed automatically in 3.0 s; every assertion in the automated check held.	Pass	High	P2
Reports	NP-RPT-TC-009	Verify report export produces a correct and readable file	A generated report with data	1. Generate a report with several rows 2. Export it to a file 3. Open the exported file 4. Compare every column and row against the screen	Sales summary export	The exported file contains the same columns and rows as displayed. Currency and numeric values are intact, dates are correctly formatted, and Bangla text is not corrupted by the file encoding.	Executed automatically in 10.1 s; every assertion in the automated check held.	Pass	Medium	P2

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Reports	NP-RPT-TC-010	Verify report behaviour for an empty range and a very large range	Reports module open	1. Select a date range containing no orders 2. Observe the report 3. Select a range of one year 4. Measure the generation time and check the figures	Empty range; one-year range	The empty range shows a clear empty state with zero totals rather than an error. The large range generates within the agreed limit without timing out, and its totals remain accurate.	Executed automatically in 3.4 s; every assertion in the automated check held.	Pass	Medium	P2
Reports	NP-RPT-TC-011	Verify the last-week preset selects the correct date span	Reports module open	1. Apply the last-week preset 2. Record the from and to dates shown 3. Confirm no row falls outside that span	Last-week preset	The preset selects the documented seven-day span and every returned row falls within it. Boundary dates are included or excluded consistently with the stated rule.	Requires manual verification: Confirming the exact seven-day span needs the from/to dates read on screen	Not Executed	High	P2
Reports	NP-RPT-TC-012	Verify the last-month preset selects the correct date span	Reports module open	1. Apply the last-month preset 2. Record the from and to dates 3. Confirm the span matches the documented definition	Last-month preset	The preset covers the correct calendar or rolling month as documented, and no data outside the span is included.	Requires manual verification: Confirming the calendar or rolling month span needs the dates read on screen	Not Executed	High	P2
Reports	NP-RPT-TC-013	Verify a custom date range is inclusive at both boundaries	Orders exist on two known dates	1. Set a custom range whose start equals the date of a known order 2. Set the end to the date of another known order 3. Confirm both orders appear	Custom range matching two order dates	Orders falling exactly on the start date and exactly on the end date are both included. No boundary order is silently dropped.	Requires manual verification: Boundary inclusivity needs two orders on known, different dates	Not Executed	Critical	P1
Reports	NP-RPT-TC-014	Verify the products report units sold and revenue reconcile with the underlying orders	Order data exists for the period	1. Run the products report 2. Select one product and record its units and revenue 3. Open every order containing that product and sum manually	Top product Merobac — 5 units, BDT 6,022.65	Units equal the total ordered quantity and revenue equals the sum of the line totals across non-cancelled orders in the period.	Requires manual verification: Summing the line totals of every order containing a product is a manual reconciliation against the report figure	Not Executed	Critical	P1
Reports	NP-RPT-TC-015	Verify the categories report totals sum to the overall period total	Orders span several categories	1. Run the categories report 2. Sum the revenue across all categories 3. Compare with the sales summary total for the same period	Category report; same period as sales summary	The sum across all categories equals the period sales total. No revenue is unassigned to a category and none is double counted.	Requires manual verification: Needs the category report and the sales summary read for the same period	Not Executed	Critical	P1
Reports	NP-RPT-TC-016	Verify the manufacturers report totals sum to the overall period total	Orders span several manufacturers	1. Run the manufacturers report 2. Sum the revenue across all manufacturers 3. Compare with the sales summary total	Manufacturer report; same period	The sum across all manufacturers equals the period sales total, with no revenue unattributed.	Requires manual verification: Needs the manufacturer report and the sales summary for the same period	Not Executed	High	P2
Reports	NP-RPT-TC-017	Verify the customers report figures match the customer records	Customers with known order history	1. Run the customers report 2. Record one customer order count and spend 3. Compare with the admin customer record and the order list	Saniul — 1 order, BDT 6,022.65	Order count and spend in the report match the customer record and the underlying orders, with cancelled orders treated consistently.	Requires manual verification: Needs a customer record and the report compared side by side	Not Executed	High	P2
Reports	NP-RPT-TC-018	Verify district totals in the areas report sum to the period total	Orders placed across several districts	1. Run the areas report 2. Sum the revenue across every district 3. Compare with the sales summary total	Districts including Dhaka, Chittagong, Sylhet	District totals sum exactly to the period total. No order is left without a district and none is counted in two districts.	Requires manual verification: Needs every district row summed against the sales summary total	Not Executed	High	P2
Reports	NP-RPT-TC-019	Verify delivery charges in the delivery report match the charges on the orders	Orders exist with inside and outside district delivery	1. Run the delivery report 2. Record the total delivery charge 3. Sum the delivery charge across the same orders manually	Orders at BDT 60 and BDT 120 delivery	The reported delivery charge total equals the manual sum. Free-delivery orders contribute zero and are not omitted from the order count.	Requires manual verification: Needs the delivery charge of each order summed by hand	Not Executed	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Reports	NP-RPT-TC-020	Verify the pending orders report matches the filtered order list	Orders exist in Pending status	1. Run the pending orders report and count the rows 2. Filter the order list by Pending and count 3. Compare both against the dashboard counter	Pending status	All three counts agree. Every order in the report is genuinely in Pending status.	Executed automatically in 7.4 s; every assertion in the automated check held.	Pass	High	P2
Reports	NP-RPT-TC-021	Verify the processing orders report returns the correct in-progress orders	Orders exist in Confirmed, Packed and Shipped status	1. Run the processing orders report 2. Record the statuses of the returned orders 3. Compare with the dashboard in- progress counter	Confirmed, Packed, Shipped statuses	Only orders in the documented in-progress statuses are returned, and the count matches the dashboard in- progress attention counter.	Executed automatically in 4.4 s; every assertion in the automated check held.	Pass	High	P2
Reports	NP-RPT-TC-022	Verify the delivered orders report returns only completed orders	Orders exist in Delivered status	1. Run the delivered orders report 2. Verify every returned order is Delivered 3. Compare the revenue with the sales summary for delivered orders	Delivered status	Only Delivered orders are returned. The revenue figure is consistent with those orders and excludes any order in another status.	Executed automatically in 4.6 s; every assertion in the automated check held.	Pass	High	P2
Reports	NP-RPT-TC-023	Verify cancelled orders appear in the cancelled report but not in sales revenue	A cancelled order of known value exists	1. Run the cancelled orders report and locate the order 2. Run the sales summary for the same period 3. Confirm the cancelled value is absent from sales	Order NP-103013 — Cancelled, BDT 63.50	The cancelled order appears in the cancelled report with its value, and that value is excluded from the sales summary, consistent with the stated sales definition.	Requires manual verification: Proving the cancelled value is absent from the sales summary needs both views read for the same period	Not Executed	Critical	P1

B9. CONTENT MANAGEMENT & STORE SETTINGS — 30 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Content	NP-WCM-TC-001	Verify the home top bar message and tagline can be edited	Logged in as administrator	1. Open home content management 2. Change the top bar message and the tagline 3. Save 4. Reload the customer home page	New top bar message text	The new message and tagline appear on the customer home page after reload, with correct formatting and no leftover previous text.	Executed automatically in 3.2 s; every assertion in the automated check held.	Pass	High	P2
Content	NP-WCM-TC-002	Verify placeholder tokens resolve to live settings values	Home content uses placeholder tokens	1. Confirm the top bar message contains a free-delivery token 2. View the customer home page and read the rendered value 3. Change the free delivery threshold in settings 4. Reload the home page	Tokens for free delivery amount, delivery charges and home district	Tokens render as the current configured values, never as raw text. After the threshold changes, the home page message updates to the new value automatically.	Executed automatically in 4.2 s; every assertion in the automated check held.	Pass	Critical	P1
Content	NP-WCM-TC-003	Verify hero slides can be added, edited, reordered and removed	Home content module open	1. Edit slide 1's title, highlight and body text 2. Change its button labels and links 3. Add a new slide 4. Reorder the slides and delete one	Slide fields: eyebrow, title, highlight, text, buttons, artwork, tone	All edits save and appear on the customer home page in the configured order. Added and removed slides are reflected accurately and the slider handles the new count without error.	Executed automatically in 4.3 s; every assertion in the automated check held.	Pass	High	P2
Content	NP-WCM-TC-004	Verify static pages can be created and edited with rich text	Pages module open	1. Create a new page with a title and body 2. Apply headings, bold text and a list 3. Save and open the page on the customer site 4. Edit and re-save	New page with formatted content	The page is created with a working URL and the formatting renders correctly on the customer site. Edits are reflected after reload with no markup leakage.	Executed automatically in 4.9 s; every assertion in the automated check held.	Pass	Medium	P3

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Content	NP-WCM-TC-005	Verify FAQs can be created, edited, reordered and deleted	FAQ module open	1. Add a new FAQ with a question and answer 2. Edit an existing FAQ 3. Reorder two entries 4. Delete one and check the customer FAQ page	New FAQ question and answer	All changes are reflected on the customer FAQ page in the configured order. The deleted entry no longer appears and the remaining entries expand correctly.	Executed automatically in 4.0 s; every assertion in the automated check held.	Pass	Medium	P3
Content	NP-WCM-TC-006	Verify the image library supports upload, replacement and deletion	Images module open	1. Upload an image to the library 2. Use it in a hero slide 3. Replace the image 4. Attempt to delete an image that is in use	Image files within the size limit	Uploads succeed and the image is usable in content. Replacement updates every place the image is used. Deleting an in-use image is prevented or warned about rather than silently breaking the page.	No image library exists in this build. The only upload is the per-slide "Own picture" replacement on the Home page tab — there is no library listing to upload into and no delete control, so replacement and deletion cannot be exercised.	Blocked	Medium	P3
Content	NP-WCM-TC-007	Verify unsaved content changes are protected	Content form open with edits made	1. Make several edits without saving 2. Attempt to navigate to another module 3. Observe the warning 4. Cancel, save, then navigate again	Unsaved content edits	A warning appears before the edits are discarded. Cancelling keeps the user on the form with the edits intact. After saving, navigation proceeds without a warning.	Executed automatically in 3.6 s; every assertion in the automated check held.	Pass	Low	P3
Settings	NP-SET-TC-001	Verify store details save and appear across the customer site	Settings module open	1. Change the store name, hotline, email and address 2. Save 3. Check the customer header, footer and contact page 4. Revert to the original values	Hotline 01330770000 ; Mohammadpur, Dhaka-1207 address	All details save and appear identically in every location on the customer site. The settings record shows the updated version, editor and timestamp.	2 automated checks executed (3.9 s, 3.3 s); every assertion held.	Pass	High	P2
Settings	NP-SET-TC-002	Verify the inside-district delivery charge change takes effect at checkout	Settings module open; a customer able to check out	1. Change the inside delivery charge from 60 to 80 2. Save 3. As a customer build a sub-threshold cart with a Dhaka address 4. Read the delivery charge at checkout	Inside charge changed from BDT 60 to BDT 80	Checkout applies the new charge of BDT 80 immediately and the grand total reflects it. The cart delivery preview also updates.	Executed automatically in 3.2 s; every assertion in the automated check held.	Pass	Critical	P1
Settings	NP-SET-TC-003	Verify the outside-district delivery charge change takes effect	Settings module open	1. Change the outside delivery charge from 120 to 150 2. Save 3. As a customer check out with a Sylhet address and a sub-threshold cart 4. Read the delivery charge	Outside charge changed from BDT 120 to BDT 150	Checkout applies BDT 150 for the outside-district address while the inside-district charge is unaffected. The grand total is correct.	Executed automatically in 3.3 s; every assertion in the automated check held.	Pass	Critical	P1
Settings	NP-SET-TC-004	Verify the free delivery threshold change takes effect at the new boundary	Settings module open	1. Change the threshold from 2,000 to 1,500 2. Save 3. As a customer build a cart worth BDT 1,500 and check out 4. Build one worth BDT 1,499 and check out	Threshold changed from BDT 2,000 to BDT 1,500	A cart of BDT 1,500 now qualifies for free delivery and BDT 1,499 does not. The new boundary is applied inclusively and the home page message reflects the new amount.	Executed automatically in 3.1 s; every assertion in the automated check held.	Pass	Critical	P1
Settings	NP-SET-TC-005	Verify the maximum quantity per item setting is enforced	Settings module open	1. Change the maximum quantity per item from 200 to 10 2. Save 3. As a customer open a well-stocked product 4. Attempt to add 11 units	Maximum changed from 200 to 10	The customer can add up to 10 units but no more, with a clear message naming the new limit. The server rejects a larger quantity submitted directly.	Executed automatically in 6.6 s; every assertion in the automated check held.	Pass	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Settings	NP-SET-TC-006	Verify delivery settings reject invalid values	Delivery settings form open	1. Enter a negative delivery charge 2. Enter letters in the threshold field 3. Enter zero as the maximum quantity 4. Attempt to save each	-60 , abc , 0	Each invalid value is rejected with a specific message and the previous value is retained. No invalid configuration is written that could break checkout.	Executed automatically in 14.8 s; every assertion in the automated check held.	Pass	Critical	P1
Settings	NP-SET-TC-007	Verify enabling a wallet payment method makes it available at checkout	Payment settings open; bKash currently disabled	1. Enable bKash and enter a wallet number 2. Save 3. As a customer open checkout 4. Select bKash and observe the wallet number shown	bKash enabled with a wallet number	bKash appears as a selectable payment method at checkout with the configured wallet number displayed. An order placed with it records the method correctly in the admin.	Executed automatically in 3.5 s; every assertion in the automated check held.	Pass	High	P2
Settings	NP-SET-TC-008	Verify a wallet number is mandatory when its method is enabled	Payment settings open	1. Enable Nagad but leave the wallet number blank 2. Attempt to save 3. Enter a wallet number and save 4. Attempt to disable every payment method and save	Nagad enabled without a number; all methods disabled	Saving without the wallet number is blocked with a clear message. Disabling every payment method is prevented, since checkout would otherwise be impossible.	Executed automatically in 17.0 s; every assertion in the automated check held.	Pass	Critical	P1
Settings	NP-SET-TC-009	Verify social links save, validate and render in the footer	Social settings open	1. Enter valid URLs for Facebook, Instagram, YouTube and LinkedIn 2. Save and check the customer footer 3. Enter an invalid URL and attempt to save 4. Clear a link and recheck the footer	Valid and invalid URL values	Valid links save and appear as working footer icons opening the correct destination. An invalid URL is rejected with a message. A cleared link removes its icon rather than leaving a dead link.	Executed automatically in 4.1 s; every assertion in the automated check held.	Pass	Low	P3
Settings	NP-SET-TC-010	Verify concurrent settings edits are detected rather than silently overwritten	Two admin browser sessions; settings carry a version stamp	1. Open delivery settings in sessions A and B 2. In session A change the inside charge and save 3. In session B, still showing the old version, change the threshold and save 4. Reload both and inspect the stored version, editor and timestamp	Delivery settings edited concurrently in two sessions	The second save is either rejected with a conflict message prompting a reload, or applied with a clear record. Session A's change is not silently lost. The version number increments and the editor and timestamp identify who made the last change.	Executed automatically in 3.3 s; every assertion in the automated check held.	Pass	Critical	P1
Settings	NP-SET-TC-011	Verify a store name change appears in the customer site header	Settings details form open	1. Change the store name and save 2. Open the customer home page 3. Check the header and the browser tab title	New store name value	The new name appears in the site header and page title. No stale name remains anywhere on the customer site after reload.	Executed automatically in 4.9 s; every assertion in the automated check held.	Pass	High	P2
Settings	NP-SET-TC-012	Verify a hotline change appears in the footer and on the contact page	Settings details form open	1. Change the hotline number and save 2. Check the customer footer 3. Check the contact page and any header hotline display	Hotline changed from 01330770000	The new hotline appears in every location where it is displayed, and the tap-to-call link on mobile dials the new number.	Executed automatically in 4.6 s; every assertion in the automated check held.	Pass	High	P2
Settings	NP-SET-TC-013	Verify an address change appears on the customer contact page	Settings details form open	1. Change the store address and save 2. Open the customer contact page 3. Check the footer address	New address value	The updated address is displayed in full on the contact page and in the footer, with correct formatting and no truncation.	Executed automatically in 3.7 s; every assertion in the automated check held.	Pass	Medium	P3
Settings	NP-SET-TC-014	Verify a store email change appears where the email is displayed	Settings details form open	1. Set a store email address and save 2. Check the contact page and footer 3. Click the email link	Store email value	The email appears where configured and the link opens a mail composer addressed correctly. An unset email does not render an empty or broken link.	Executed automatically in 3.8 s; every assertion in the automated check held.	Pass	Medium	P3

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Settings	NP-SET-TC-015	Verify a negative delivery charge is rejected	Delivery settings form open	1. Enter -60 as the inside delivery charge 2. Attempt to save 3. Repeat for the outside delivery charge	Delivery charge -60	The negative value is rejected with a validation message and the previous value is retained. No configuration is saved that could reduce an order total below its subtotal.	Executed automatically in 7.6 s; every assertion in the automated check held. Failed on the first attempt and passed on retry —	Pass	Critical	P1
Settings	NP-SET-TC-016	Verify a non-numeric free delivery threshold is rejected	Delivery settings form open	1. Enter abc as the free delivery threshold 2. Attempt to save 3. Enter a value with a currency symbol and retry	Values abc and BDT 2000	Each non-numeric entry is rejected with a clear message. Checkout continues to apply the last valid threshold.	Executed automatically in 6.6 s; every assertion in the automated check held.	Pass	Critical	P1
Settings	NP-SET-TC-017	Verify a maximum quantity per item of zero is rejected	Delivery settings form open	1. Enter 0 as the maximum quantity per item 2. Attempt to save 3. Enter a negative value and retry	Values 0 and -1	Both values are rejected with a message. A configuration that would make every product unpurchasable cannot be saved.	Executed automatically in 14.0 s; every assertion in the automated check held.	Pass	Critical	P1
Settings	NP-SET-TC-018	Verify enabling bKash makes it selectable at checkout with its wallet number	Payment settings open; bKash disabled	1. Enable bKash and enter a wallet number 2. Save 3. As a customer open checkout and select bKash	bKash enabled with a wallet number	bKash is offered at checkout, the configured wallet number is displayed, and an order placed with it records bKash as the payment method in the admin.	Executed automatically in 15.5 s; every assertion in the automated check held.	Pass	High	P2
Settings	NP-SET-TC-019	Verify enabling Nagad makes it selectable at checkout with its wallet number	Payment settings open; Nagad disabled	1. Enable Nagad and enter a wallet number 2. Save 3. As a customer open checkout and select Nagad	Nagad enabled with a wallet number	Nagad is offered at checkout with the configured wallet number, and the placed order records Nagad as the payment method.	Executed automatically in 15.5 s; every assertion in the automated check held.	Pass	High	P2
Settings	NP-SET-TC-020	Verify every payment method cannot be disabled at once	Payment settings open	1. Disable Cash on Delivery, bKash and Nagad 2. Attempt to save 3. Observe the message and then check checkout	All payment methods disabled	The save is blocked with a message explaining that at least one payment method must remain enabled. Checkout continues to offer a usable method.	Executed automatically in 4.6 s; every assertion in the automated check held.	Pass	Critical	P1
Settings	NP-SET-TC-021	Verify an invalid social media URL is rejected	Social settings open	1. Enter notaurl in the Facebook field 2. Attempt to save 3. Enter a valid URL and save	Values notaurl and a valid URL	The invalid value is rejected with a message describing the expected URL format. The valid URL saves and renders as a working footer icon.	Executed automatically in 6.3 s; every assertion in the automated check held.	Pass	Medium	P3
Settings	NP-SET-TC-022	Verify clearing a social link removes its icon from the footer	A social link is configured and visible	1. Confirm the icon appears in the customer footer 2. Clear that social field in the admin and save 3. Reload the customer footer	Configured then cleared social link	The icon is removed from the footer rather than remaining as a dead link to an empty destination. Other configured icons are unaffected.	Executed automatically in 10.1 s; every assertion in the automated check held.	Pass	Medium	P3
Settings	NP-SET-TC-023	Verify the settings version, editor and timestamp update on every save	Any settings group open	1. Record the current version, editor and timestamp 2. Make a change and save 3. Reload and read the three values again	Delivery settings — version 2, Store Admin	The version number increments by one, the editor records the administrator who saved, and the timestamp reflects the time of the save. The record cannot be edited from the interface.	Executed automatically in 3.0 s; every assertion in the automated check held.	Pass	High	P2

B10. ADMIN UI, USABILITY & PRESENTATION — 6 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Admin UI	NP-UIX-TC-001	Verify sidebar navigation reaches every module with correct active state	Logged in as administrator	1. Click each sidebar item in turn 2. Observe the loaded module and the active highlight 3. Check the breadcrumb on nested screens	All 13 admin modules	Every module opens correctly, the active item is highlighted, and breadcrumbs reflect the current location on nested screens such as settings and reports.	2 automated checks executed (10.8 s, 16.7 s); every assertion held.	Pass	Medium	P3
Admin UI	NP-UIX-TC-002	Verify table sorting, pagination and page size behave consistently	A module with a long list, such as products	1. Sort by a column and page forward 2. Change the page size 3. Sort by a different column 4. Return to page 1	Product or customer list	Sorting applies to the full data set, not only the visible page. The chosen sort and page size persist while paging. No record is repeated or omitted across pages.	Executed automatically in 6.1 s; every assertion in the automated check held.	Pass	Medium	P3
Admin UI	NP-UIX-TC-003	Verify loading, empty and error states are presented clearly	Admin modules accessible	1. Open a module and observe the loading state 2. Apply a filter that matches nothing 3. Simulate a failed request by disabling the network 4. Observe each state	Loading, empty and failed-request conditions	A loading indicator appears during data fetch. Empty results show a designed message. A failed request shows a readable error with a retry option, never a raw API message or a blank screen.	Executed automatically in 5.7 s; every assertion in the automated check held.	Pass	High	P2
Admin UI	NP-UIX-TC-004	Verify confirmation is required before destructive actions	Records available to delete	1. Attempt to delete a product 2. Cancel at the confirmation prompt 3. Repeat and confirm 4. Repeat for cancelling an order and deleting an FAQ	Deletable records	Every destructive action prompts for confirmation naming the affected record. Cancelling leaves the record untouched. Confirming performs the action and shows a success message.	No automated steps are implemented for this case. The test records only why it writes to live data (Exercising a delete confirmation means clicking delete on a live record), so the run reports it as passing without asserting anything. It needs either automation or a hand run.	Not Executed	High	P2
Admin UI	NP-UIX-TC-005	Verify date, time and currency formatting are consistent across all modules	Admin modules with dates and amounts	1. Record the date format in orders, customers, prescriptions and reports 2. Record the currency format in orders, products and reports 3. Compare all occurrences	Dates and currency across modules	A single date and time format is used throughout, and currency is formatted consistently with the BDT symbol or code and the same decimal precision. No module displays a raw timestamp or an unformatted number.	Executed automatically in 5.8 s; every assertion in the automated check held.	Pass	Medium	P3
Admin UI	NP-UIX-TC-006	Verify the admin dashboard is usable on tablet and mobile widths	Device emulation or physical devices	1. Open the admin at 768 px and review the dashboard and order list 2. Open at 414 px 3. Attempt an order status change at mobile width 4. Check table scrolling	Widths 414 px and 768 px	The layout adapts without overlapping elements or clipped controls. Wide tables scroll horizontally within their container rather than breaking the page. Core actions such as a status change remain performable.	Executed automatically in 4.1 s; every assertion in the automated check held.	Pass	Medium	P3

5. Part C — End-to-End Scenario Test Cases

10 cases — Pass 8 · Fail 1 · Blocked 0 · Not Executed 1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
End-to-End	NP-E2E-TC-001	New customer registers and completes a first Cash on Delivery order inside Dhaka	Unused mobile number available; products in stock	1. Register a new customer 2. Search and open a non-prescription product 3. Add it to the cart 4. Proceed to checkout and add a Dhaka address 5. Select Cash on Delivery and place the order 6. Verify in the admin	Napa 500 mg Tablet, BDT 1.20 × 5; Dhaka address	The order is created with delivery charge BDT 60 and a total of BDT 66.00. The order number follows the NP format. It appears in the customer order list and in the admin list as Pending, Unpaid, Cash on Delivery. Stock reduces by 5 and the customer count increases by one.	Executed automatically in 12.6 s; every assertion in the automated check held. Failed on the first attempt and passed on retry —	Pass	Critical	P1
End-to-End	NP-E2E-TC-002	Free-delivery threshold boundary verified inside and outside Dhaka	Products allowing precise cart values; addresses in Dhaka and outside	1. Build a cart of BDT 1,999 and check out with a Dhaka address 2. Adjust to BDT 2,000 and recheck 3. Adjust to BDT 2,001 and recheck 4. Repeat all three with a Chittagong address	Subtotals BDT 1,999 / 2,000 / 2,001; threshold BDT 2,000	At BDT 1,999 the charge is BDT 60 for Dhaka and BDT 120 for Chittagong. At BDT 2,000 and above delivery is free for both. The rule is applied identically in the cart preview, at checkout and on the placed order.	Could not add product 0 to the cart after 3 attempts (cart went from 1 to 1 items)	Fail	Critical	P1
End-to-End	NP-E2E-TC-003	Prescription medicine purchased only after pharmacist approval	Customer account; prescription-required product in stock; admin access	1. Add Merobac 1 gm Injection to the cart 2. Attempt checkout with no prescription 3. Upload a prescription and attempt checkout again 4. As administrator approve it 5. Return to the customer and complete checkout	Merobac 1 gm Injection; prescription image	Checkout is blocked at step 2 and again at step 3 while the prescription is pending, with clear messages. After approval the customer sees the Approved status, checkout succeeds, and the order records the linked prescription on both sides.	Requires manual verification: Approving the prescription needs a pharmacist decision on the shared queue; the approval half is covered by NP-RXA-TC-003 and NP-RXA-TC- 010	Not Executed	Critical	P1
End-to-End	NP-E2E-TC-004	Order progresses through the full lifecycle to delivery	A newly placed Pending order	1. Place a customer order 2. As administrator set it to Confirmed, then Packed, Shipped and Delivered 3. After each change refresh the customer order page 4. Review the order history and the dashboard breakdown	Statuses Pending → Confirmed → Packed → Shipped → Delivered	Each transition is accepted in sequence and rejected out of sequence. The customer timeline updates after every change. The history records each change with operator and timestamp, and the dashboard status breakdown and reports update accordingly.	Executed automatically in 5.3 s; every assertion in the automated check held.	Pass	Critical	P1
End-to-End	NP-E2E-TC-005	Order cancellation and its financial effect	Two placed orders of known value; admin access	1. Cancel the first order from the customer side while permitted 2. Cancel the second from the admin side with a reason 3. Attempt to cancel a Delivered order 4. Review the dashboard, sales report and stock	Two orders of known totals; a Delivered order	Both permitted cancellations succeed and the reason is recorded. Cancelling a Delivered order is refused. Both cancelled orders are excluded from sales figures in the dashboard and the sales report, and stock is handled per the documented rule.	Executed automatically in 5.0 s; every assertion in the automated check held.	Pass	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
End-to-End	NP-E2E-TC-006	Admin catalogue changes propagate correctly to the storefront	A test product visible on the customer site	1. Change the product price in the admin and check the customer site 2. Apply a discount and recheck 3. Set stock to zero and recheck 4. Hide the product and check the listing and its direct URL 5. Check an existing cart containing it	Test product with price, discount, stock and visibility changes	Each change appears on the customer site after reload with no stale cache. The discounted price and saving are correct. The zero-stock product cannot be added to the cart. The hidden product disappears from listings and its URL returns a not-found page, and an existing cart handles it gracefully.	Executed automatically in 3.9 s; every assertion in the automated check held.	**Pass**	Critical	P1
End-to-End	NP-E2E-TC-007	Delivery settings change applied end to end	Admin access to delivery settings	1. Change the inside and outside charges and the free delivery threshold 2. Save and note the version stamp 3. As a customer build a cart and open checkout with a Dhaka address 4. Repeat with an outside district 5. Check the home page promotional message	New charges and a new threshold value	The new charges and threshold apply immediately at checkout and in the cart preview for both inside and outside districts. The home page message reflects the new threshold through its placeholder token. The settings record stores the new version, editor and timestamp.	Executed automatically in 3.3 s; every assertion in the automated check held.	**Pass**	Critical	P1
End-to-End	NP-E2E-TC-008	Guest cart merges correctly into the account cart on login	An account whose cart already contains items	1. As a guest add products A, B and C 2. Log in to an account whose cart holds C and D 3. Inspect every line and quantity 4. Verify the subtotal and proceed to checkout	Guest A×1, B×2, C×3; account C×1, D×1	The merged cart contains A×1, B×2, C×4 and D×1. Nothing is lost or duplicated, the combined quantity does not exceed the per-item cap, the subtotal is recalculated correctly and checkout proceeds on the merged cart.	Executed automatically in 27.9 s; every assertion in the automated check held.	**Pass**	Critical	P1
End-to-End	NP-E2E-TC-009	Authorisation boundaries hold across both applications	A customer account and a second customer's order and prescription identifiers	1. As a customer open admin URLs and call admin endpoints 2. Log out and repeat both 3. As customer B open customer A's order by changing the identifier 4. Attempt the same for a prescription image and an address	Admin URLs; order NP-103014 ; prescription file URL	Every attempt is denied with an authorisation or not-found response. No admin page renders, and no order, address or prescription belonging to another customer is disclosed through any page or endpoint.	Executed automatically in 6.9 s; every assertion in the automated check held.	**Pass**	Critical	P1
End-to-End	NP-E2E-TC-010	Reporting reconciles with the dashboard and with manual calculation	A controlled set of orders placed across several days and statuses	1. Place a known set of orders, including one cancelled 2. Open the dashboard for the matching period 3. Open the sales, orders and products reports for the same period 4. Calculate the expected figures manually and compare all three sources 5. Switch grouping from day to month and recompare	Controlled order set with known totals, including a cancelled order	Order counts, units, discounts, delivery charges, sales totals and average order value agree across the dashboard, every report and the manual calculation. The cancelled order is excluded consistently everywhere, and day and month groupings produce identical period totals.	Executed automatically in 4.1 s; every assertion in the automated check held.	**Pass**	Critical	P1

6. Part D — Compatibility, Responsive, Accessibility & Usability Test Cases

48 cases — Pass 30 · Fail 3 · Blocked 4 · Not Executed 11

D1. BROWSER & DEVICE COMPATIBILITY — 20 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Compatibility	NP-CMP-TC-001	Verify the full customer journey completes on Google Chrome for Windows	Chrome latest installed on Windows 11	1. Open the site in Chrome 2. Browse a department, search a product, open its detail page 3. Add to cart and complete checkout 4. Open the account order history	Chrome latest, Windows 11, 1366 px	Every step completes without visual defect or functional failure. This run is the reference baseline against which the other browsers are compared.	Executed automatically in 10.9 s; every assertion in the automated check held.	Pass	Critical	P1
Compatibility	NP-CMP-TC-002	Verify the complete admin suite operates on Google Chrome for Windows	Admin credentials; Chrome latest	1. Log in to the admin 2. Open each of the 13 modules in turn 3. Perform one write action in orders, products and settings 4. Generate one report	Chrome latest, Windows 11	All modules load and all write actions succeed. Tables, charts and date pickers render correctly with no console errors.	Executed automatically in 10.7 s; every assertion in the automated check held.	Pass	Critical	P1
Compatibility	NP-CMP-TC-003	Verify the core customer journey completes on Microsoft Edge	Edge latest installed on Windows 11	1. Repeat the browse, search, cart and checkout journey in Edge 2. Compare each screen against the Chrome baseline 3. Note any layout or behavioural difference	Edge latest, Windows 11	The journey completes identically to the Chrome baseline. No layout shift, missing control or behavioural difference is observed.	Requires manual verification: Edge shares the Chromium engine, so NP-CMP-TC-001 on --project=chromium covers the rendering. A real Edge pass still needs a Windows machine with Edge installed (channel: "msedge").	Not Executed	High	P2
Compatibility	NP-CMP-TC-004	Verify the admin suite operates on Microsoft Edge	Admin credentials; Edge latest	1. Log in to the admin in Edge 2. Open the order list, product list and reports 3. Change one order status and save one settings group	Edge latest, Windows 11	All admin functions behave as in the Chrome baseline. Tables scroll, charts render and writes persist correctly.	Requires manual verification: Edge shares the Chromium engine; NP-CMP-TC-002 on - -project=chromium covers the rendering, but a real Edge pass is still required	Not Executed	High	P2
Compatibility	NP-CMP-TC-005	Verify the core customer journey completes on Mozilla Firefox	Firefox latest installed on Windows 11	1. Repeat the browse, search, cart and checkout journey in Firefox 2. Compare against the Chrome baseline 3. Check the autocomplete dropdown and district select behaviour	Firefox latest, Windows 11	The journey completes successfully. Form controls, dropdowns and the autocomplete list behave consistently with the baseline.	Could not be executed: Run with --project=firefox	Blocked	High	P2
Compatibility	NP-CMP-TC-006	Verify the full customer journey completes on Chrome for Android	Physical Android phone or emulator with Chrome	1. Open the site on an Android phone 2. Browse, search and open a product 3. Add to cart and complete checkout 4. View the order in account history	Chrome for Android, physical device	The entire journey completes on a phone. All controls are tappable, no element is clipped, and the order is created correctly. Mobile is the primary channel so this run carries the same weight as the desktop baseline.	Could not be executed: Run with --project=mobile-chrome	Blocked	Critical	P1
Compatibility	NP-CMP-TC-007	Verify the admin dashboard smoke journey on Chrome for Android	Admin credentials; Android device	1. Log in to the admin on Android 2. Open the dashboard and the order list 3. Open one order and change its status	Chrome for Android	Login succeeds, the dashboard and order list render usably, and a status change can be completed from the phone.	Could not be executed: Run with --project=mobile-chrome	Blocked	High	P2

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Compatibility	NP-CMP-TC-008	Verify the core customer journey completes on Safari for iOS	iPhone with Safari	1. Open the site in Safari on iPhone 2. Browse, search and open a product 3. Add to cart and open checkout 4. Compare rendering against the Chrome baseline	Safari on iOS, physical iPhone	The journey completes. No iOS-specific layout break, no unresponsive control and no font or spacing anomaly compared with the baseline.	Could not be executed: Run with --project=mobile-safari	Blocked	Critical	P1
Compatibility	NP-CMP-TC-009	Verify checkout completes successfully on Safari for iOS	iPhone with Safari; cart populated; customer logged in	1. Open checkout in Safari on iOS 2. Select a saved address and change the district 3. Select Cash on Delivery 4. Place the order and verify in the admin	Safari on iOS; Dhaka then Chittagong address	The delivery charge updates correctly on district change, the order is placed, and it appears in the admin with the correct total. iOS form and scroll behaviour does not block submission.	Checkout redirected to /cart — the cart is empty — NOTE (v1.5): the automated check for this case now passes, but it is narrower than the case as written. The failure above was observed by hand and needs a hand re-test before it is cleared.	Fail	Critical	P1
Compatibility	NP-CMP-TC-010	Verify prescription image upload works from the camera and gallery on Android	Android device; prescription-required product in cart	1. Open the prescription upload on Android 2. Choose to take a photo with the camera 3. Repeat choosing an existing gallery image 4. Confirm both appear in the admin queue	Chrome for Android; camera and gallery	Both the camera capture and the gallery selection upload successfully and arrive legible in the admin review queue. The file picker does not fail or hang.	Requires manual verification: A camera capture and a gallery pick need a physical Android device	Not Executed	Critical	P1
Compatibility	NP-CMP-TC-011	Verify prescription image upload works from the camera and photo library on iOS	iPhone; prescription-required product in cart	1. Open the prescription upload in Safari on iOS 2. Capture a photo with the camera 3. Repeat selecting from the photo library 4. Verify both in the admin queue	Safari on iOS; camera and photo library	Both upload paths succeed and the images are legible in the admin. HEIC or iOS-native image formats are either accepted or rejected with a clear message, never failing silently.	Requires manual verification: A camera capture, a photo-library pick and HEIC handling need a real iPhone	Not Executed	Critical	P1
Compatibility	NP-CMP-TC-012	Verify date pickers render and function on every supported browser	Admin reports and promotion date fields available	1. Open the report date range picker in Chrome, Edge and Firefox 2. Select a custom range in each 3. Repeat on Android and iOS	Date pickers across five platforms	The picker opens, a range can be selected and the chosen dates are applied correctly on every platform. Native mobile date controls are usable and produce the same result.	Requires manual verification: The date pickers live in the admin reports and promotion forms; native mobile date controls need a physical device to judge	Not Executed	High	P2
Compatibility	NP-CMP-TC-013	Verify the 64-district dropdown behaves correctly on every supported browser	Checkout or address form open	1. Open the district select in Chrome, Edge and Firefox 2. Scroll and select a district in each 3. Repeat on Android and iOS native pickers	64-district select across five platforms	All 64 districts are reachable and selectable on every platform. The native mobile picker shows the full list and the selected value is applied to the delivery charge.	Requires manual verification: The district select is reachable only from the address book or checkout, which need a signed-in customer; covered per browser by NP-CMP- TC-009	Not Executed	High	P2
Compatibility	NP-CMP-TC-014	Verify Bangla and English font rendering is correct on every supported browser	Content containing Bangla text exists	1. Open a page containing Bangla text in Chrome, Edge and Firefox 2. Repeat on Android and iOS 3. Compare glyph rendering, line height and spacing	Poppins and Hind Siliguri web fonts; Bangla content	Bangla conjuncts and diacritics render correctly with no missing glyphs, box characters or clipped ascenders on any platform. English text uses the intended font and weight.	Requires manual verification: Judging glyph shaping, conjuncts and clipped ascenders needs a person	Not Executed	High	P2
Compatibility	NP-CMP-TC-015	Verify currency and number formatting is identical on every supported browser	Products and orders with decimal prices	1. Open the same product, cart and order on each supported browser 2. Record the displayed price, delivery charge and total 3. Compare all values	Price BDT 1.20; total BDT 65.03	Every browser displays identical currency values with the same decimal precision and separator. No browser applies a different locale format.	Executed automatically in 2.0 s; every assertion in the automated check held.	Pass	Critical	P1

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Compatibility	NP-CMP-TC-016	Verify the search autocomplete dropdown behaves consistently across browsers	Search field available	1. Type a partial product name in Chrome, Edge and Firefox 2. Observe the suggestion list and select an entry 3. Repeat on Android and iOS	Search term napa	Suggestions appear, are keyboard and touch selectable, and open the correct product on every platform. The dropdown is not clipped or hidden behind other elements.	Executed automatically in 3.1 s; every assertion in the automated check held.	Pass	High	P2
Compatibility	NP-CMP-TC-017	Verify session and remember-me persistence behaves correctly on each browser	Valid customer credentials	1. Log in with remember-me on each supported browser 2. Close and reopen the browser 3. Check the session state on each	Remember-me enabled per browser	The session persists after restart on every browser. No browser silently drops the session or retains it when remember-me was not selected.	Requires manual verification: Closing and reopening a real browser is outside a Playwright context; the cookie-level rule is covered by NP-LOG-TC-005 and NP-LOG- TC-006	Not Executed	High	P2
Compatibility	NP-CMP-TC-018	Verify report export and invoice download work on each desktop browser	Admin report generated; an order invoice available	1. Export a report in Chrome, Edge and Firefox 2. Open each downloaded file 3. Print an order invoice to PDF in each browser	Report export; invoice print	The file downloads and opens correctly in every desktop browser with intact encoding, and the invoice print layout is identical across browsers.	Requires manual verification: Opening the downloaded file and judging print layout needs a person	Not Executed	High	P2
Compatibility	NP-CMP-TC-019	Verify no browser console errors occur on any supported platform	Developer tools available	1. Open the console in Chrome, Edge and Firefox 2. Walk the home, listing, product, cart, checkout and account pages 3. Record every error and warning	Six key pages per browser	No uncaught JavaScript error, failed network request or missing asset appears in the console on any supported browser.	Executed automatically in 5.9 s; every assertion in the automated check held.	Pass	High	P2
Compatibility	NP-CMP-TC-020	Verify tablet rendering on Chrome and Safari	Tablet device or emulation at 768 px and 1024 px	1. Open the home, listing, product, cart and checkout pages on a tablet in Chrome 2. Repeat in Safari 3. Rotate between portrait and landscape	Tablet, Chrome and Safari	All pages render correctly on tablet in both browsers and in both orientations, with no clipped content and no desktop layout squeezed into a tablet viewport.	Executed automatically in 4.1 s; every assertion in the automated check held.	Pass	High	P2

D2. RESPONSIVE LAYOUT & BREAKPOINTS — 12 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Responsive	NP-RSP-TC-001	Verify key customer pages render correctly at 360 px	Browser device emulation or a 360 px phone	1. Set the viewport to 360 px 2. Open the home, listing, product detail, cart and checkout pages 3. Check for horizontal scrolling, overlap and clipped text	Viewport 360 px	Every page fits the viewport with no horizontal scrolling. No element overlaps, no text is clipped and every primary action remains reachable.	Executed automatically in 4.2 s; every assertion in the automated check held.	Pass	Critical	P1
Responsive	NP-RSP-TC-002	Verify key customer pages render correctly at 414 px	Browser device emulation or a 414 px phone	1. Set the viewport to 414 px 2. Open the same five key pages 3. Compare the layout against the 360 px result	Viewport 414 px	All pages render correctly with the layout adapting between the two phone widths without breakage or awkward gaps.	Executed automatically in 4.3 s; every assertion in the automated check held.	Pass	High	P2
Responsive	NP-RSP-TC-003	Verify key customer pages render correctly at 768 px	Tablet portrait emulation	1. Set the viewport to 768 px 2. Open the five key pages 3. Confirm the layout switches to its tablet arrangement	Viewport 768 px	The tablet layout applies at this width. Product grids show the intended column count and navigation switches to its tablet form without leaving dead space.	Executed automatically in 4.8 s; every assertion in the automated check held.	Pass	High	P2
Responsive	NP-RSP-TC-004	Verify key customer pages render correctly at 1024 px	Tablet landscape or small laptop emulation	1. Set the viewport to 1024 px 2. Open the five key pages 3. Check the navigation, grid and footer arrangement	Viewport 1024 px	The layout adapts correctly at this breakpoint with no overlap between the navigation and content and no truncated footer.	Executed automatically in 4.4 s; every assertion in the automated check held.	Pass	High	P2

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Responsive	NP-RSP-TC-005	Verify key customer pages render correctly at 1366 px	Standard desktop width	1. Set the viewport to 1366 px 2. Open the five key pages 3. Compare against the approved desktop design	Viewport 1366 px	The full desktop layout renders as designed with correct spacing, alignment and grid columns.	Executed automatically in 4.6 s; every assertion in the automated check held.	Pass	High	P2
Responsive	NP-RSP-TC-006	Verify key customer pages render correctly at 1920 px	Wide desktop width	1. Set the viewport to 1920 px 2. Open the five key pages 3. Check content container width and image scaling	Viewport 1920 px	Content is constrained to its intended maximum width rather than stretching edge to edge. Images scale without pixelation and no element is left stranded.	Executed automatically in 4.8 s; every assertion in the automated check held.	Pass	Medium	P3
Responsive	NP-RSP-TC-007	Verify the product listing grid reflows correctly across every breakpoint	Listing page with many products	1. Open the shop listing at 360, 414, 768, 1024, 1366 and 1920 px 2. Record the number of product cards per row at each width 3. Check card height consistency	Six breakpoints; populated listing	The card count per row changes sensibly as the width increases, cards keep a consistent height within a row, and no card is cut off or left orphaned on a row.	Executed automatically in 5.9 s; every assertion in the automated check held.	Pass	High	P2
Responsive	NP-RSP-TC-008	Verify the product detail page is fully usable at phone width	Product detail page; 360 px viewport	1. Open a product detail page at 360 px 2. Check the image, price, badges, quantity selector and add-to-cart control 3. Add the product to the cart	Viewport 360 px; Napa 500 mg Tablet	Every element is legible and the quantity selector and add-to-cart control are both reachable without horizontal scrolling. The prescription badge remains visible, not pushed off screen.	Requires manual verification: The dedicated product detail page returns 502 on this build, so the phone-width check is made on the listing card that carries the same price, badges, stepper and add-to-cart control	Not Executed	Critical	P1
Responsive	NP-RSP-TC-009	Verify the cart page is fully usable at phone width	Cart with three products; 360 px viewport	1. Open the cart at 360 px 2. Change a line quantity and remove a line 3. Read the subtotal, delivery preview and checkout control	Viewport 360 px; three cart lines	All line controls are tappable, totals remain visible without scrolling horizontally, and the checkout control is reachable.	Executed automatically in 12.5 s; every assertion in the automated check held.	Pass	Critical	P1
Responsive	NP-RSP-TC-010	Verify checkout is fully usable at phone width	Checkout ready; 360 px viewport	1. Open checkout at 360 px 2. Select an address and change the district 3. Select the payment method and read the order summary 4. Place the order	Viewport 360 px; Dhaka address; COD	The entire checkout can be completed on a phone. The address selector, district picker, payment option and summary are all usable, and the place- order control is not obscured.	Executed automatically in 8.0 s; every assertion in the automated check held.	Pass	Critical	P1
Responsive	NP-RSP-TC-011	Verify wide admin tables scroll within their container rather than breaking the page	Admin order list; 414 px viewport	1. Open the admin order list at 414 px 2. Attempt to scroll the table horizontally 3. Check whether the page itself scrolls sideways	Viewport 414 px; admin order list	The table scrolls horizontally inside its own container while the page body does not. Column headers remain aligned with their data and no content is unreachable.	Executed automatically in 3.0 s; every assertion in the automated check held.	Pass	High	P2
Responsive	NP-RSP-TC-012	Verify layout integrity when the device orientation changes	Mobile or tablet device	1. Open the checkout page in portrait 2. Rotate the device to landscape 3. Rotate back to portrait 4. Repeat on the product listing	Portrait and landscape on phone and tablet	The layout reflows correctly on rotation without losing entered form data, scroll position context or leaving elements overlapping.	Executed automatically in 3.2 s; every assertion in the automated check held.	Pass	High	P2

D3. ACCESSIBILITY — 10 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Accessibility	NP-ACS-TC-001	Verify the registration form can be completed using only the keyboard	Registration page open; no mouse used	1. Press Tab from the top of the page to reach the first field 2. Complete every field using Tab and typing 3. Submit the form using Enter or the keyboard-focused button	Keyboard only; no pointer input	Every field and the submit control are reachable by Tab in a logical order, and the form can be submitted without a mouse. No control is skipped or unreachable.	Executed automatically in 2.7 s; every assertion in the automated check held.	Pass	High	P2
Accessibility	NP-ACS-TC-002	Verify checkout can be completed using only the keyboard	Checkout page open with a populated cart	1. Navigate to the address selector with Tab 2. Choose an address and a district using the keyboard 3. Select the payment method 4. Reach and activate the place-order control	Keyboard only; no pointer input	The whole checkout flow is operable by keyboard, including the address and district selectors and the payment choice. The order can be placed without a mouse.	Executed automatically in 8.8 s; every assertion in the automated check held.	Pass	High	P2
Accessibility	NP-ACS-TC-003	Verify a visible focus indicator is present on every interactive element	Any customer page open	1. Press Tab repeatedly through a page 2. At each stop identify which element holds focus 3. Repeat on the product detail, cart and checkout pages	Tab traversal of four key pages	Every focused element shows a clearly visible focus indicator with sufficient contrast against its background. No element receives focus invisibly.	Executed automatically in 2.5 s; every assertion in the automated check held.	Pass	Medium	P3
Accessibility	NP-ACS-TC-004	Verify the tab order follows the visual reading order	Checkout and registration pages open	1. Tab through each page and record the order in which elements receive focus 2. Compare with the visual top-to-bottom, left-to-right order	Tab order on two key forms	Focus moves in the same order as the visual layout. Focus does not jump unexpectedly between page regions or into hidden or off-screen elements.	Executed automatically in 2.0 s; every assertion in the automated check held.	Pass	Medium	P3
Accessibility	NP-ACS-TC-005	Verify colour contrast of body text and primary buttons meets the accessible minimum	A contrast measurement tool available	1. Measure the contrast ratio of body text against its background 2. Measure primary button text against the button fill 3. Measure link text against the page background	Body text, primary buttons, links	Each measured pair meets at least the WCAG AA ratio of 4.5 to 1 for normal text and 3 to 1 for large text. Any failing pair is recorded with its measured ratio.	Executed automatically in 2.0 s; every assertion in the automated check held.	Pass	Medium	P3
Accessibility	NP-ACS-TC-006	Verify colour contrast of status, stock and discount badges	Badges visible on listing, product and order pages	1. Measure the contrast of the prescription-required badge 2. Measure the out-of-stock and low- stock indicators 3. Measure the discount badge and each order status badge	Prescription, stock, discount and status badges	Every badge meets the minimum contrast ratio. Critical information such as prescription-required and out-of- stock is also distinguishable without relying on colour alone.	Error: badge contrast failures - .stock-in: 3.84:1 needs 4.5:1 (rgb(27, 148, 102) on rgb(255, 255, 255)); .stock: 3.84:1 needs 4.5:1 (rgb(27, 148, 102) on rgb(255, 255, 255)) expect(received).toHaveLength(expected) Expected length: 0 Received length: 2	Fail	High	P2
Accessibility	NP-ACS-TC-007	Verify product and banner images carry meaningful alternative text	Pages with product and hero images	1. Inspect the alt attribute of product images on the listing and detail pages 2. Inspect hero slide and brand logo images 3. Disable images and review the page	Product, hero and brand logo images	Product images carry alt text identifying the product. Decorative images are marked as decorative. With images disabled the page remains comprehensible and no alt text reads as a file name.	Executed automatically in 1.9 s; every assertion in the automated check held.	Pass	Medium	P3

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Accessibility	NP-ACS-TC-008	Verify every form field has an associated label	Registration, address and checkout forms open	1. Inspect each input for an associated label element or accessible name 2. Click each visible label and confirm focus moves to its field 3. Check fields that rely on placeholder text alone	All customer-facing form fields	Every field has a programmatically associated label. Clicking a label focuses its field. No field relies on placeholder text as its only label.	Executed automatically in 1.8 s; every assertion in the automated check held.	Pass	Medium	P3
Accessibility	NP-ACS-TC-009	Verify validation errors are associated with their field and conveyed non-visually	A form with validation errors	1. Submit the registration form with several invalid fields 2. Inspect how each error message is linked to its field 3. Confirm the error is not conveyed by colour alone	Multiple simultaneous validation errors	Each error is programmatically associated with its field and carries text, not only a colour change. Focus or an announcement directs the user to the first error.	Executed automatically in 2.1 s; every assertion in the automated check held.	Pass	High	P2
Accessibility	NP-ACS-TC-010	Verify touch targets on mobile meet the minimum size	Mobile device or 360 px emulation	1. Measure the tappable area of the add-to-cart control, quantity controls and cart line remove control 2. Measure navigation and footer links 3. Attempt each with a thumb on a physical device	Viewport 360 px; key tap targets	Each target meets the documented minimum size, commonly 44 by 44 CSS pixels, with adequate spacing so adjacent controls are not mis-tapped.	Error: targets below 44x44 CSS px: North Pharmacy home (202x42), Login / Register (20x20), Wishlist, 0 items (26x20), Cart, 0 items (27x21), Home (42x50), Shop (36x50), Offers (42x50), Save Dps to wishlist (30x30), Add to Cart (128x36), Order Now (128x36), Save Merobac to wishlist (30x30), Add to Ca	Fail	High	P2

D4. CUSTOMER USABILITY — 6 cases

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Usability	NP-USB-TC-001	Verify customer-facing error messages are actionable rather than technical	Conditions that trigger errors are reproducible	1. Trigger a validation error, a network failure and a server error 2. Record the exact message shown in each case 3. Judge whether a non-technical user would know what to do next	Validation, network and server error conditions	Each message is in plain language, explains what went wrong and states the next action. No raw API text, status code, stack trace or developer wording is shown.	Executed automatically in 6.4 s; every assertion in the automated check held.	Pass	High	P2
Usability	NP-USB-TC-002	Verify the primary action on each key page is reachable without excessive scrolling on mobile	360 px viewport	1. Open the product detail, cart and checkout pages at 360 px 2. Measure how far the user must scroll to reach the primary action 3. Check whether a sticky action bar is present where intended	Viewport 360 px; key conversion pages	The primary action on each page is reachable without unreasonable scrolling, using a sticky bar where the design specifies one. The user is never left unable to find how to proceed.	Executed automatically in 9.4 s; every assertion in the automated check held.	Pass	Medium	P3
Usability	NP-USB-TC-003	Verify terminology is consistent across the customer site	Access to all customer pages	1. Record the wording used for cart, wishlist, prescription, delivery charge and order status across every page 2. Compare navigation labels with page headings 3. Note any term used two different ways	All customer-facing pages	Each concept is described with one consistent term throughout. Navigation labels match the headings of the pages they lead to, in both English and Bangla content.	Executed automatically in 4.3 s; every assertion in the automated check held.	Pass	Medium	P3

Feature	Test Case ID	Test Case Description	Pre-Condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Severity	Priority
Usability	NP-USB-TC-004	Verify breadcrumbs and back navigation make the current location clear	Deep category and product pages open	1. Navigate home, then to a department, a category and a product 2. Read the breadcrumb at each level 3. Use the breadcrumb and the browser back button to return	Department, category and product hierarchy	Breadcrumbs accurately show the current position and every segment is a working link. Back navigation returns to the expected previous level, not to the home page.	Executed automatically in 3.0 s; every assertion in the automated check held.	Pass	Medium	P3
Usability	NP-USB-TC-005	Verify loading indicators are shown during slow operations	Network throttling available in developer tools	1. Throttle the connection to a slow profile 2. Load the product listing, submit a search and place an order 3. Observe the feedback during each wait	Throttled network; three slow operations	A loading indicator or skeleton appears during each wait so the user knows the action was registered. No screen appears frozen and no action can be double-submitted while pending.	Requires manual verification: No spinner or skeleton was detected during a throttled load; confirm by hand on a slow connection that the screen never looks frozen	Not Executed	High	P2
Usability 5. Sign-Off Role Prepared by — QA Lead Executed by — QA Engineer Reviewed by — Project Manager Approved by — Business Owner North Pharmacy E-commerce — Test Case Document · NP-QA-TC-001 · Version 1.4 · 25 October 2026 · Internal — Confidential	NP-USB-TC-006	Verify entered form data is preserved when validation fails	Registration and checkout forms Name Md. Masud Rana Automated run — Playwright suite in this repository	1. Complete the registration form but leave one field invalid 2. Submit and observe which entered values remain 3. Repeat on the checkout address form	Multi-field forms with one invalid entry	All valid entries are retained after a failed submission and only the invalid field needs correction. The user never has to re-enter the whole form. Signature	Executed automatically in 1.9 s; every assertion in the automated check held.	Pass	High	P2