North Pharmacy

Test Scenario Report

Customer Website & Admin Dashboard

Document ID	NP-QA-TS-001
Version	1.1
Date of Issue	24 October 2026
Application URL	https://202.4.101.118:1165/
Parent Document	NP-QA-TP-001 — Software Test Plan v1.0
Child Document	NP-QA-TC-001 — Test Case Document v1.3
Prepared By	Md. Masud Rana
Classification	Internal — Confidential
Status	For Review & Approval

1. Purpose and Document Hierarchy

A **test scenario** states *what* must be verified; a **test case** states *how* to verify it. This document sits between the test plan and the test case repository, providing a readable, management-level view of everything that will be tested, and a traceability link from each scenario to the detailed cases that implement it.

NP-QA-TP-001
Test Plan — scope, approach, schedule, entry and exit criteria. Defines *why* and *under what conditions*.

→

NP-QA-TS-001
Test Scenario Report (this document) — 129 scenarios. Defines *what* is verified, per module.

→

NP-QA-TC-001
Test Case Document — 434 executable cases with steps, data and expected results. Defines *how*.

129	434	32	90	9
Test Scenarios	Mapped Test Cases	Modules	P1 Critical	Test Types

1.1 How to Read This Document

Column	Meaning
Scenario ID	Unique identifier. `NP-SC-CW-*` Customer Website, `NP-SC-AD-*` Admin Dashboard, `NP-SC-E2E-*` cross-application.
Module / Feature	The functional area, matching the module list in the test plan.
Test Scenario	The condition or behaviour to be verified, stated as a single objective.
Test Type	The technique applied — Functional, Validation, Calculation, Integration, Security, UI/UX, Compatibility, Usability or End-to-End.
Priority	The highest priority among the scenario's mapped test cases.
Mapped Test Cases	The test case identifiers in NP-QA-TC-001 that implement this scenario, in the format `NP-<MODULE>-TC-<NNN>`.
Cases	How many test cases implement the scenario.

1.2 Priority Legend

P1 Critical — revenue, patient safety or security impact; must pass before release. P2 High — major feature correctness. P3 Medium — supporting functionality and presentation.

1.3 Coverage Basis

Scenarios were derived from the application as deployed in the test environment, not from assumption. The route map, API surface, order and prescription lifecycles, payment configuration, delivery rules and catalogue structure were all read from the running system on 21 October 2026 and are recorded in Section 3.2 of the test plan. The business rules that scenarios assert against are therefore the live configured values.

> **Completeness rule.** Every one of the 434 test cases in NP-QA-TC-001 is mapped to exactly one scenario in this document. No case is unmapped and none is counted twice, so the scenario case totals reconcile exactly to the test case repository. This is verified in Section 6.

1.4 Revision Note — Version 1.1

Version 1.0 of this report mapped the 269 test cases that existed when it was issued. The test case document has since grown to 434 cases through three revisions, and version 1.0 of this report consequently left 165 cases unmapped while its reconciliation table still reported complete coverage. Version 1.1 corrects that.

Change	Detail
Mappings extended	30 existing scenarios were remapped to absorb the atomic cases added in test case versions 1.1 and 1.3 — order lifecycle and filtering, product validation, inventory filters, report dimensions, settings fields, quantity boundaries and prescription formats.
Scenarios added for new functionality	7 new scenarios in Parts A and B for behaviour that had none: the All Categories panel and its stock counts, prescription submission metadata, the reorder feature, order list filtering, prescription review integrity and product slug uniqueness.
Part D created	16 new scenarios covering the 48 compatibility, responsive, accessibility and usability cases, which had no scenario-level coverage at all in version 1.0.
Priorities corrected	Two scenarios were raised from P2 to P1 after the check below found they contained Critical P1 cases.
Result	**106 → 129 scenarios, 269 → 434 mapped cases, 27 → 32 modules. Coverage gap closed from 165 to 0.**

2. Customer Website — Test Scenarios

Scenario ID	Module / Feature	Test Scenario	Test Type	Pri.	Mapped Test Cases	Cases
HOME PAGE & MERCHANDISING						
NP-SC-CW-001	Home Page	Verify the home page loads completely with all merchandising sections, correct promotional messaging with resolved placeholder values, and a functioning hero slider whose call-to-action buttons route to their configured destinations	Functional, UI/UX	P2	NP-HOM-TC-001 → 004, 009	5
NP-SC-CW-002	Home Page	Verify all six product departments are displayed and navigate correctly, and that featured and offer product cards show accurate price, discount and stock state consistent with the product detail page	Functional	P1	NP-HOM-TC-005, 006	2
NP-SC-CW-003	Home Page	Verify the brand strip shows only manufacturers flagged for home-page display and that footer contact details match the configured store settings	Integration	P3	NP-HOM-TC-007, 008	2
NAVIGATION, BROWSING & FILTERING						
NP-SC-CW-004	Navigation	Verify header and mega-menu navigation on desktop and the mobile navigation drawer open, route and close correctly across all departments and categories	Functional, UI/UX	P2	NP-NAV-TC-001, 002, 015	3
NP-SC-CW-005	Browsing	Verify category listings return only products of the selected category and that pagination navigates without repeating or skipping any product	Functional	P2	NP-NAV-TC-003, 004	2
NP-SC-CW-006	Sorting & Filtering	Verify sorting by price orders the full result set correctly, and that filtering by manufacturer and by multiple criteria together narrows results accurately	Functional	P2	NP-NAV-TC-005 → 007	3
NP-SC-CW-007	Filtering	Verify filter reset restores the full listing, that a no-match filter combination shows a recoverable empty state, and that browser back and forward preserve filters and scroll position	Functional, Usability	P3	NP-NAV-TC-008 → 010	3
NP-SC-CW-056	Navigation	Verify the All Categories panel opens and closes by its own toggle and close control, lists every configured category, and that the Browse all products link opens the unfiltered catalogue	Functional, UI/UX	P2	NP-NAV-TC-011, 014, 016	3
NP-SC-CW-057	Navigation	Verify the in-stock count shown beside each category matches the catalogue, and that a category holding no purchasable stock is presented without misleading the customer	Integration, Functional	P1	NP-NAV-TC-012, 013	2
SEARCH & AUTOCOMPLETE						
NP-SC-CW-008	Search	Verify product search by brand name and by generic name returns the correct products across all matching manufacturers and variants	Functional	P1	NP-SRC-TC-001, 002	2
NP-SC-CW-009	Autocomplete	Verify autocomplete suggestions appear promptly, remain relevant as the query narrows, open the correct product when selected, and are not corrupted by stale in-flight responses during rapid typing	Functional, Performance	P1	NP-SRC-TC-003, 004, 009	3
NP-SC-CW-010	Search	Verify search tolerates case variation, surrounding whitespace and Bangla input, and presents a clear recoverable message when no product matches	Functional, Validation	P2	NP-SRC-TC-005, 006, 008	3
NP-SC-CW-011	Search	Verify the search input safely handles script and injection payloads and very long query strings without executing code, exposing errors or breaking the layout	Security, Validation	P1	NP-SRC-TC-007, 010	2
PRODUCT DETAIL						
NP-SC-CW-012	Product Detail	Verify every product attribute, MRP, selling price, discount percentage and saving amount display accurately and match the admin product record	Functional, Calculation	P1	NP-PDP-TC-001, 002, 020, 021	4
NP-SC-CW-013	Product Detail	Verify the prescription-required badge appears only on controlled medicines, and that in-stock, low-stock and out-of-stock states and product imagery are presented correctly	Functional, UI/UX	P1	NP-PDP-TC-003, 004, 007, 017 → 019	6

Scenario ID	Module / Feature	Test Scenario	Test Type	Pri.	Mapped Test Cases	Cases
NP-SC-CW-014	Product Detail	Verify the quantity selector enforces both the per-item maximum of 200 and the available stock level, and that an out-of-stock product cannot be added to the cart through the interface or by direct request	Validation, Security	P1	NP-PDP-TC-005, 006, 008, 011 → 016	9
NP-SC-CW-015	Product Detail	Verify an invalid or removed product slug returns a proper not-found page and that related same-generic product suggestions are relevant and correctly linked	Functional	P2	NP-PDP-TC-009, 010	2
SHOPPING CART						
NP-SC-CW-016	Cart	Verify products can be added to the cart from the product detail page and from listing cards, and that adding the same product again increases its quantity rather than creating a duplicate line	Functional	P1	NP-CRT-TC-001 → 003	3
NP-SC-CW-017	Cart	Verify cart quantities can be increased and decreased, that individual lines can be removed and the whole cart cleared, with totals recalculating correctly after each change	Functional, Calculation	P1	NP-CRT-TC-004 → 006	3
NP-SC-CW-018	Cart	Verify the cart subtotal equals the sum of all line totals with correct rounding, and that the per-item maximum of 200 units is enforced at the boundary and on the server	Calculation, Validation	P1	NP-CRT-TC-007, 008	2
NP-SC-CW-019	Cart	Verify the guest cart persists across reload and browser restart, and that it merges into the account cart on login with correct combined quantities and no loss or duplication	Functional, Integration	P1	NP-CRT-TC-009, 010	2
NP-SC-CW-020	Cart	Verify the cart responds correctly when an administrator changes a product price or hides a product, shows an accurate delivery charge preview and free-delivery progress, and presents a designed empty state	Integration, UI/UX	P1	NP-CRT-TC-011 → 014	4
WISHLIST						
NP-SC-CW-021	Wishlist	Verify products can be saved to and removed from the wishlist, that saved items persist across sessions against the account, and that an item can be moved to the cart	Functional	P3	NP-WSH-TC-001 → 004, 007	5
NP-SC-CW-022	Wishlist	Verify wishlist actions require authentication and resume after login, and that empty-wishlist and out-of-stock saved item states are handled correctly	Functional, Usability	P2	NP-WSH-TC-005, 006	2
CUSTOMER REGISTRATION						
NP-SC-CW-023	Registration	Verify a new customer can register successfully with valid details and required terms acceptance, and that the account appears immediately in the admin customer list	Functional, Integration	P1	NP-REG-TC-001, 012	2
NP-SC-CW-024	Registration	Verify registration field validation covering mandatory fields, Bangladeshi mobile number format, email format and excessively long input values	Validation	P1	NP-REG-TC-002, 003, 005, 011	4
NP-SC-CW-025	Registration	Verify the password policy is enforced, that a mismatched confirmation is rejected, and that the password is never exposed in the response, URL or browser storage	Validation, Security	P1	NP-REG-TC-006 → 008	3
NP-SC-CW-026	Registration	Verify duplicate accounts cannot be created by a repeated mobile number or by rapid double submission, and that Bangla and script-payload names are stored and rendered safely	Validation, Security	P1	NP-REG-TC-004, 009, 010	3
LOGIN, LOGOUT & SESSION						
NP-SC-CW-027	Login	Verify a registered customer can log in with valid credentials and that the remember-me option governs session persistence across a browser restart as designed	Functional	P1	NP-LOG-TC-001, 005, 006	3
NP-SC-CW-028	Login	Verify invalid credentials and unregistered mobile numbers are rejected with an identical generic message that does not permit account enumeration, and that empty fields are validated	Security, Validation	P1	NP-LOG-TC-002 → 004	3

Scenario ID	Module / Feature	Test Scenario	Test Type	Pri.	Mapped Test Cases	Cases
NP-SC-CW-029	Login	Verify the user is returned to the originally requested page after authenticating, with prior context such as the cart preserved	Functional, Usability	P2	NP-LOG-TC-007	1
NP-SC-CW-030	Session	Verify logout ends the session and protects account pages, that the browser back button does not expose cached account data, and that session expiry redirects cleanly rather than erroring	Security	P1	NP-LOG-TC-008, 009, 011	3
NP-SC-CW-031	Session	Verify repeated failed login attempts are throttled or locked out, and that a customer-role session cannot reach any administrative route or endpoint	Security	P1	NP-LOG-TC-010, 012	2
PASSWORD RECOVERY						
NP-SC-CW-032	Password Recovery	Verify available recovery channels are listed accurately for the account, that a reset code is dispatched to the selected channel, and that resend requests are throttled	Functional	P2	NP-FGT-TC-001, 002, 008	3
NP-SC-CW-033	Password Recovery	Verify an unregistered number produces a non-enumerating response, that incorrect codes are rejected with attempt limits, and that a code expires and cannot be reused after a successful reset	Security, Validation	P1	NP-FGT-TC-003 → 005	3
NP-SC-CW-034	Password Recovery	Verify the new password honours the password policy and that the customer can then log in with the new credential while the old one is rejected	Functional, Security	P1	NP-FGT-TC-006, 007	2
ACCOUNT, PROFILE & ADDRESS BOOK						
NP-SC-CW-035	Account	Verify the account summary reports accurate order count and lifetime spend, and that profile details can be viewed and updated with proper field validation	Functional, Validation	P2	NP-ACC-TC-001 → 003, 013, 014	5
NP-SC-CW-036	Profile	Verify the password can be changed only with the correct current password, and that the new credential takes effect immediately while the old one is rejected	Security	P1	NP-ACC-TC-004, 005	2
NP-SC-CW-037	Address Book	Verify delivery addresses can be added with full field validation across all 64 districts, set as default and deleted under the documented last-address rule	Functional, Validation	P1	NP-ACC-TC-006 → 008, 010, 011, 015	6
NP-SC-CW-038	Address Book	Verify editing an address district changes the delivery charge applied at checkout, and that no customer can view or modify another customer's address	Integration, Security	P1	NP-ACC-TC-009, 012	2
PRESCRIPTION UPLOAD						
NP-SC-CW-039	Prescription	Verify a prescription can be uploaded both from the account area and inline during checkout without losing cart or address context	Functional	P1	NP-RXU-TC-001, 006, 015	3
NP-SC-CW-040	Prescription	Verify prescription uploads restrict file type and size on the server, and that the stored image remains legible enough for pharmacist review at full size	Validation, Security	P1	NP-RXU-TC-002 → 004, 013, 014	5
NP-SC-CW-041	Prescription	Verify the prescription review status, including any rejection reason, is visible to the customer and updates without re-authentication	Integration	P1	NP-RXU-TC-005	1
NP-SC-CW-042	Prescription	Verify a controlled medicine cannot be purchased on a pending or rejected prescription, that an approved prescription is correctly linked to the order, and that prescription files are inaccessible to unauthorised sessions	Security, Functional	P1	NP-RXU-TC-007 → 010	4
NP-SC-CW-058	Prescription	Verify the prescription submission captures the patient name, which may differ from the account holder, and the free-text note, and that both reach the reviewing pharmacist	Functional, Validation	P1	NP-RXU-TC-011, 012	2
CHECKOUT & ORDER PLACEMENT						
NP-SC-CW-043	Checkout	Verify checkout requires authentication, loads saved addresses with the default preselected, supports adding a new address inline, and cannot be reached with an empty cart	Functional, Security	P1	NP-CHK-TC-001 → 003, 018	4
NP-SC-CW-044	Checkout	Verify the delivery charge is determined by district — BDT 60 inside Dhaka and BDT 120 elsewhere — and updates immediately when the address changes	Calculation	P1	NP-CHK-TC-004, 005	2

Scenario ID	Module / Feature	Test Scenario	Test Type	Pri.	Mapped Test Cases	Cases
NP-SC-CW-045	Checkout	Verify the free-delivery threshold applies inclusively at BDT 2,000 for both inside and outside districts, tested at BDT 1,999, 2,000 and 2,001	Calculation	P1	NP-CHK-TC-006, 007	2
NP-SC-CW-046	Checkout	Verify the order summary arithmetic is correct across subtotal, discount, delivery charge and grand total, that only enabled payment methods are offered, and that the customer note is captured	Calculation, Functional	P1	NP-CHK-TC-008, 009, 011	3
NP-SC-CW-047	Checkout	Verify prescription attachment is mandatory for controlled items and is enforced on the server, not only in the interface	Security, Functional	P1	NP-CHK-TC-010	1
NP-SC-CW-048	Checkout	Verify order placement integrity — the order is created correctly, stock is decremented once, the admin sees it immediately, and double submission, mid-checkout stock loss and network interruption do not produce duplicate or corrupt orders	Functional, Integration	P1	NP-CHK-TC-012 → 017	6
ORDER HISTORY & TRACKING						
NP-SC-CW-049	Order History	Verify the customer order list and order detail present complete and accurate information, including the invoice view, and that a customer with no orders sees a designed empty state	Functional	P1	NP-ORD-TC-001, 002, 009, 010, 014	5
NP-SC-CW-050	Order Tracking	Verify the order status timeline reflects the full history and that status changes made by an administrator appear on the customer side without stale caching	Integration	P1	NP-ORD-TC-003, 004	2
NP-SC-CW-051	Order Cancellation	Verify a customer can cancel an order only while the status permits it, and that cancellation is blocked both in the interface and on the server once the order has progressed	Functional, Security	P1	NP-ORD-TC-005, 006, 013	3
NP-SC-CW-052	Order History	Verify no customer can access another customer's order by altering the identifier, and that a linked prescription is visible only to the owning customer	Security	P1	NP-ORD-TC-007, 008	2
NP-SC-CW-059	Reorder	Verify a past order can be reordered into the cart at current prices, and that items no longer purchasable are skipped and clearly identified rather than silently added	Functional, Integration	P1	NP-ORD-TC-011, 012	2
CONTENT PAGES, FAQ & NEWSLETTER						
NP-SC-CW-053	Content Pages	Verify static pages, FAQ entries and manufacturer pages render from admin-managed content and that an admin edit propagates to the customer site	Integration, UI/UX	P2	NP-CNT-TC-001 → 004	4
NP-SC-CW-054	Newsletter	Verify newsletter subscription accepts valid emails, validates format, handles duplicates gracefully, and that hotline and contact details are consistent with store settings site-wide	Functional, Validation	P3	NP-CNT-TC-005 → 007	3
NP-SC-CW-055	Site-wide	Verify there are no broken links across the customer site and that every key page renders correctly at all six supported responsive breakpoints	Compatibility, UI/UX	P2	NP-CNT-TC-008, 009	2

Part A: 55 scenarios covering 149 test cases

3. Admin Dashboard — Test Scenarios

Scenario ID	Module / Feature	Test Scenario	Test Type	Pri.	Mapped Test Cases	Cases
ADMIN ACCESS & ROLE GATE						
NP-SC-AD-001	Admin Access	Verify the administrator can authenticate and reach the dashboard with all modules available, and that the last login timestamp is recorded accurately	Functional	P1	NP-SEC-TC-001, 007	2
NP-SC-AD-002	Role Gate	Verify role-based access control denies every admin route and admin API endpoint to customer-role sessions and to unauthenticated visitors, with no data leaked in any response	Security	P1	NP-SEC-TC-002 → 004	3
NP-SC-AD-003	Admin Session	Verify admin logout and session expiry invalidate access completely, including browser-cached pages, and that admin input fields are protected against script injection in both applications	Security	P1	NP-SEC-TC-005, 006, 008	3
DASHBOARD & ANALYTICS						
NP-SC-AD-004	Dashboard	Verify the four attention counters and today's order and sales figures are accurate against the underlying order, prescription and inventory data	Calculation, Integration	P1	NP-DSH-TC-001, 002	2
NP-SC-AD-005	Dashboard	Verify period comparison, average order value, the daily trend chart and the order status breakdown all calculate correctly and reconcile with the order list	Calculation	P1	NP-DSH-TC-003 → 005	3
NP-SC-AD-006	Dashboard	Verify top-selling product figures are accurate, that changing the date range refreshes every tile consistently, and that a period with no data renders zeros without error	Functional, Calculation	P2	NP-DSH-TC-006 → 008	3
ORDER MANAGEMENT						
NP-SC-AD-007	Orders	Verify the order list presents all required columns accurately and supports search by order number, customer and phone, plus filtering by status, date range and district	Functional	P1	NP-ORM-TC-001 → 004, 015 → 018	8
NP-SC-AD-042	Orders	Verify the order list filters correctly by each individual order status, by a date range inclusive at both boundaries, and by delivery district	Functional	P1	NP-ORM-TC-019 → 026	8
NP-SC-AD-008	Orders	Verify the order detail shows the complete item breakdown with arithmetically correct totals and the delivery address as captured at the time of ordering	Calculation, Functional	P1	NP-ORM-TC-005, 006	2
NP-SC-AD-009	Order Lifecycle	Verify the order status advances correctly through the full lifecycle and that invalid, backward or skipped transitions are rejected both in the interface and on the server	Functional, Security	P1	NP-ORM-TC-007, 008, 027 → 032	8
NP-SC-AD-010	Orders	Verify every status and payment change is written to the order audit history with operator and timestamp, and is reflected to the customer	Functional, Integration	P1	NP-ORM-TC-009, 014	2
NP-SC-AD-011	Orders	Verify order cancellation records a reason, restores stock per the documented rule, excludes the order from sales figures, and that an order with an unapproved prescription cannot be advanced for dispatch	Functional, Calculation	P1	NP-ORM-TC-010 → 013	4
PRESCRIPTION REVIEW						
NP-SC-AD-012	Prescription Review	Verify customer-uploaded prescriptions reach the review queue immediately, that the image opens at a resolution adequate for pharmacist review, and that the queue can be filtered and searched	Integration, Functional	P1	NP-RXA-TC-001, 002, 008, 009, 015, 016	6
NP-SC-AD-013	Prescription Review	Verify a prescription can be approved, that rejection requires a reason which reaches the customer verbatim, and that status counters remain accurate	Functional	P1	NP-RXA-TC-003 → 005, 012, 013	5
NP-SC-AD-014	Prescription Review	Verify the linked customer and order are reachable from the prescription record and that the review audit captures the reviewing pharmacist and the time	Functional	P2	NP-RXA-TC-006, 007	2
NP-SC-AD-043	Prescription Review	Verify review integrity — an approval releases the linked order, a rejection keeps it blocked, a reviewed prescription cannot be reviewed again, and concurrent reviewers cannot produce conflicting outcomes	Security, Functional	P1	NP-RXA-TC-010, 011, 014, 017	4

Scenario ID	Module / Feature	Test Scenario	Test Type	Pri.	Mapped Test Cases	Cases
PRODUCT CATALOGUE MANAGEMENT						
NP-SC-AD-015	Products	Verify a product can be created with all attributes and a correctly generated slug, with mandatory field validation enforced	Functional, Validation	P1	NP-PRD-TC-001, 002	2
NP-SC-AD-044	Products	Verify the product slug is generated correctly from the product attributes and that a duplicate slug cannot leave two products unreachable	Functional, Validation	P1	NP-PRD-TC-017, 018	2
NP-SC-AD-016	Products	Verify the selling price cannot exceed MRP, that the discount percentage calculates identically in the admin and on the customer site, and that negative and non-numeric values are rejected	Calculation, Validation	P1	NP-PRD-TC-003 → 005, 013 → 016	7
NP-SC-AD-017	Products	Verify product images can be uploaded, replaced and removed with correct fallback behaviour, and that file type and size restrictions are enforced on the server	Functional, Security	P1	NP-PRD-TC-006, 007, 019 → 022	6
NP-SC-AD-018	Products	Verify product edits propagate to the customer site, that the prescription-required flag controls the checkout gate, that hiding removes the product from listings and its direct URL, and that deletion does not corrupt historical orders or reports	Integration, Functional	P1	NP-PRD-TC-008 → 012, 023 → 025	8
INVENTORY & STOCK CONTROL						
NP-SC-AD-019	Inventory	Verify the inventory list presents stock, flags and POS sales data accurately, that stock can be updated, and that negative or non-numeric stock values are rejected	Functional, Validation	P1	NP-INV-TC-001, 002, 005, 015 → 017	6
NP-SC-AD-020	Inventory	Verify stock availability propagates to the storefront — zero stock blocks purchase, restored stock re-enables it, and the purchasable quantity respects both the stock level and the per-item cap	Integration, Validation	P1	NP-INV-TC-003, 004, 008, 018 → 020	6
NP-SC-AD-021	Inventory	Verify inventory quick filters return the correct product sets, that the low-stock threshold drives both the flag and the dashboard counter, and that concurrent stock edits are not silently lost	Functional	P2	NP-INV-TC-006, 007, 009, 010 → 014	8
MANUFACTURERS						
NP-SC-AD-022	Manufacturers	Verify manufacturers can be created and edited with duplicate-name prevention, accurate product and stock counts, and logo upload, replacement and removal	Functional, Validation	P3	NP-MFR-TC-001 → 003	3
NP-SC-AD-023	Manufacturers	Verify the home-page display toggle controls the customer brand strip and that deleting a manufacturer holding products is safeguarded against orphaning	Integration, Functional	P2	NP-MFR-TC-004, 005	2
CUSTOMER MANAGEMENT						
NP-SC-AD-024	Customers	Verify the customer list presents all fields accurately, supports search by name, phone and email, and that order count and lifetime spend reconcile with actual orders	Functional, Calculation	P2	NP-CUS-TC-001 → 003	3
NP-SC-AD-025	Customers	Verify a customer account can be deactivated, preventing login and invalidating existing sessions, and reactivated to restore access	Security	P1	NP-CUS-TC-004	1
NP-SC-AD-026	Customers	Verify newly registered customers appear immediately, that the customer detail shows order history and addresses, and that list pagination and sorting behave consistently	Integration, Functional	P2	NP-CUS-TC-005 → 007	3
PROMOTIONS						
NP-SC-AD-027	Promotions	Verify promotions can be created with value and date validation, that expiry and deactivation stop them applying, and that overlapping promotions resolve by the defined rule without stacking	Functional, Validation	P1	NP-PRM-TC-001, 002, 004, 006, 007 → 012	10
NP-SC-AD-028	Promotions	Verify an active promotion applies consistently across listing, detail, cart and checkout, and that the promotional price is recorded on the order and not altered retroactively	Integration, Calculation	P1	NP-PRM-TC-003, 005, 013 → 015	5
REPORTS						

Scenario ID	Module / Feature	Test Scenario	Test Type	Pri.	Mapped Test Cases	Cases
NP-SC-AD-029	Reports	Verify the sales summary report structure and that sales follow the stated definition of MRP value minus discount plus delivery charge excluding cancelled orders, with correct average order value	Calculation	P1	NP-RPT-TC-001 → 003	3
NP-SC-AD-030	Reports	Verify date range presets and custom ranges filter correctly, that day and month groupings produce identical period totals, and that empty and very large ranges are handled within performance limits	Calculation, Performance	P1	NP-RPT-TC-004, 005, 010, 011 → 013	6
NP-SC-AD-031	Reports	Verify the product, category, manufacturer, customer, area, delivery and order-state reports return accurate figures that reconcile with the order data and the dashboard	Calculation, Integration	P1	NP-RPT-TC-006 → 008, 014 → 023	13
NP-SC-AD-032	Reports	Verify report export reproduces the on-screen data faithfully with correct currency, date formatting and Bangla character encoding	Functional	P2	NP-RPT-TC-009	1
WEBSITE CONTENT MANAGEMENT						
NP-SC-AD-033	Content	Verify the home top bar message and tagline can be edited and that placeholder tokens resolve to live settings values, updating automatically when those settings change	Integration	P1	NP-WCM-TC-001, 002	2
NP-SC-AD-034	Content	Verify hero slides, static pages and FAQ entries can be created, edited, reordered and removed, with all changes reflected on the customer site	Functional, Integration	P2	NP-WCM-TC-003 → 005	3
NP-SC-AD-035	Content	Verify the image library supports upload, replacement and safeguarded deletion, and that unsaved content changes are protected on navigation	Functional, Usability	P3	NP-WCM-TC-006, 007	2
STORE SETTINGS						
NP-SC-AD-036	Settings	Verify store detail changes — name, hotline, email and address — save correctly and appear in the customer header, footer and contact page	Integration	P2	NP-SET-TC-001, 011 → 014	5
NP-SC-AD-037	Settings	Verify changes to the inside and outside delivery charges, the free-delivery threshold and the maximum quantity per item take effect immediately at checkout, and that invalid values are rejected	Integration, Calculation	P1	NP-SET-TC-002 → 006, 015 → 017	8
NP-SC-AD-038	Settings	Verify enabling a wallet payment method makes it selectable at checkout, that a wallet number is mandatory when enabled, and that disabling every payment method is prevented	Integration, Validation	P1	NP-SET-TC-007, 008, 018 → 020	5
NP-SC-AD-039	Settings	Verify social links save, validate and render in the footer, and that concurrent edits to the same settings group are detected by the version stamp rather than silently overwriting another operator's change	Validation, Functional	P1	NP-SET-TC-009, 010, 021 → 023	5
ADMIN UI & USABILITY						
NP-SC-AD-040	Admin UI	Verify sidebar navigation reaches every module with correct active state, that table sorting, pagination and page size behave consistently, and that loading, empty and error states are clearly presented	UI/UX, Usability	P2	NP-UIX-TC-001 → 003	3
NP-SC-AD-041	Admin UI	Verify destructive actions require confirmation, that date, time and currency formatting are consistent across all modules, and that the admin remains usable at tablet and mobile widths	Usability, Compatibility	P2	NP-UIX-TC-004 → 006	3

Part B: 41 scenarios covering 110 test cases

4. End-to-End — Cross-Application Scenarios

These scenarios exercise both applications in a single business flow and represent the highest business risk. They constitute the core regression suite and are executed in every test cycle.

Scenario ID	Module / Feature	Test Scenario	Test Type	Pri.	Mapped Test Cases	Cases
NP-SC-E2E-001	Order Journey	Verify a new customer can register and complete a first Cash on Delivery order inside Dhaka, with correct delivery charge, totals, stock decrement and immediate admin visibility	End-to-End	P1	NP-E2E-TC-001	1
NP-SC-E2E-002	Delivery Pricing	Verify the free-delivery threshold behaves identically inside and outside Dhaka at the BDT 1,999, 2,000 and 2,001 boundary, consistently in cart preview, checkout and the placed order	End-to-End, Calculation	P1	NP-E2E-TC-002	1
NP-SC-E2E-003	Prescription Control	Verify a controlled medicine can be purchased only after pharmacist approval, with checkout blocked while no prescription exists and while one remains pending	End-to-End, Security	P1	NP-E2E-TC-003	1
NP-SC-E2E-004	Order Lifecycle	Verify an order progresses through the full status lifecycle with correct customer-side visibility, complete audit history, and consistent dashboard and report updates	End-to-End	P1	NP-E2E-TC-004	1
NP-SC-E2E-005	Cancellation	Verify customer-side and admin-side cancellation rules, reason capture, stock treatment, and the exclusion of cancelled orders from all financial figures	End-to-End, Calculation	P1	NP-E2E-TC-005	1
NP-SC-E2E-006	Catalogue Propagation	Verify admin changes to price, discount, stock and visibility propagate correctly to the storefront, including the effect on carts already containing the product	End-to-End, Integration	P1	NP-E2E-TC-006	1
NP-SC-E2E-007	Settings Propagation	Verify delivery settings changes apply immediately at checkout for both inside and outside districts and update the home page promotional message through its placeholder tokens	End-to-End, Integration	P1	NP-E2E-TC-007	1
NP-SC-E2E-008	Cart Continuity	Verify a guest cart merges into an existing account cart on login with the correct union of items, combined quantities within the per-item cap, and a recalculated subtotal	End-to-End	P1	NP-E2E-TC-008	1
NP-SC-E2E-009	Authorisation	Verify authorisation boundaries hold across both applications for admin routes, admin endpoints, and another customer's orders, addresses and prescription files	End-to-End, Security	P1	NP-E2E-TC-009	1
NP-SC-E2E-010	Financial Reconciliation	Verify a controlled set of orders reconciles exactly across the dashboard, every report and manual calculation, with cancelled orders excluded consistently and day and month groupings agreeing	End-to-End, Calculation	P1	NP-E2E-TC-010	1

Part C: 10 scenarios covering 10 test cases

5. Part D — Cross-Cutting Test Scenarios

These scenarios cover how the product behaves across browsers, screen sizes, assistive interaction and everyday use. They were added in version 1.1 alongside Part D of the test case document, which had no scenario-level coverage when this report was first issued.

Scenario ID	Module / Feature	Test Scenario	Test Type	Pri.	Mapped Test Cases	Cases
BROWSER & DEVICE COMPATIBILITY						
NP-SC-CC-001	Compatibility	Verify the core customer journey — browse, search, product detail, cart and checkout — completes identically on every supported desktop browser against the Chrome baseline	Compatibility	P1	NP-CMP-TC-001, 003, 005	3
NP-SC-CC-002	Compatibility	Verify the admin suite loads every module and persists write actions on each supported desktop browser	Compatibility	P1	NP-CMP-TC-002, 004	2
NP-SC-CC-003	Compatibility	Verify the customer journey and checkout complete on Chrome for Android and Safari for iOS, and that the admin smoke journey is usable on a phone	Compatibility	P1	NP-CMP-TC-006 → 009	4
NP-SC-CC-004	Compatibility	Verify prescription upload works from both the camera and the stored photo library on Android and iOS, including iOS-native image formats	Compatibility, Functional	P1	NP-CMP-TC-010, 011	2
NP-SC-CC-005	Compatibility	Verify date pickers, the 64-district selector, Bangla and English font rendering, currency formatting and the search autocomplete behave consistently on every supported platform	Compatibility, Calculation	P1	NP-CMP-TC-012 → 016	5
NP-SC-CC-006	Compatibility	Verify session persistence, report export, invoice printing and freedom from console errors on each supported browser, including tablet rendering in both orientations	Compatibility	P2	NP-CMP-TC-017 → 020	4
RESPONSIVE LAYOUT & BREAKPOINTS						
NP-SC-CC-007	Responsive	Verify the key customer pages render correctly at each of the six supported breakpoints without horizontal scrolling, overlap or clipped content	Compatibility, UI/UX	P1	NP-RSP-TC-001 → 006	6
NP-SC-CC-008	Responsive	Verify the listing grid reflows sensibly and that product detail, cart and checkout remain fully usable at phone width	Compatibility, Usability	P1	NP-RSP-TC-007 → 010	4
NP-SC-CC-009	Responsive	Verify wide admin tables scroll inside their own container and that layout and entered data survive a device orientation change	Compatibility, Usability	P2	NP-RSP-TC-011, 012	2
ACCESSIBILITY						
NP-SC-CC-010	Accessibility	Verify the registration and checkout forms are fully operable by keyboard, with a visible focus indicator and a tab order matching the visual layout	Usability	P2	NP-ACS-TC-001 → 004	4
NP-SC-CC-011	Accessibility	Verify colour contrast meets the accessible minimum for body text, primary controls and the status, stock and discount badges, and that critical information is not conveyed by colour alone	UI/UX	P2	NP-ACS-TC-005, 006	2
NP-SC-CC-012	Accessibility	Verify images carry meaningful alternative text, every form field has an associated label, and validation errors are programmatically linked to their field	Usability, Validation	P2	NP-ACS-TC-007 → 009	3
NP-SC-CC-013	Accessibility	Verify mobile touch targets meet the minimum size with adequate spacing so adjacent controls are not mis-tapped	Usability	P2	NP-ACS-TC-010	1
CUSTOMER USABILITY						
NP-SC-CC-014	Usability	Verify customer-facing error messages are written in plain language and that entered form data survives a failed validation	Usability	P2	NP-USB-TC-001, 006	2
NP-SC-CC-015	Usability	Verify the primary action on each conversion page is reachable on a phone and that loading feedback is shown during slow operations	Usability, Performance	P2	NP-USB-TC-002, 005	2
NP-SC-CC-016	Usability	Verify terminology is consistent across the customer site and that breadcrumbs and back navigation make the current location clear	Usability	P3	NP-USB-TC-003, 004	2

Part D: 16 scenarios covering 48 test cases

6. Coverage Summary & Traceability

6.1 Scenario Distribution by Module

Part	Module	Scenarios	Cases	P1	P2	P3	Scenario ID Range
A Customer Website	Home Page & Merchandising	3	9	1	1	1	`NP-SC-CW-001 → 003`
	Navigation, Browsing & Filtering	6	16	1	4	1	`NP-SC-CW-004 → 007`
	Search & Autocomplete	4	10	3	1	0	`NP-SC-CW-008 → 011`
	Product Detail	4	21	3	1	0	`NP-SC-CW-012 → 015`
	Shopping Cart	5	14	5	0	0	`NP-SC-CW-016 → 020`
	Wishlist	2	7	0	1	1	`NP-SC-CW-021 → 022`
	Registration	4	12	4	0	0	`NP-SC-CW-023 → 026`
	Login, Logout & Session	5	12	4	1	0	`NP-SC-CW-027 → 031`
	Password Recovery	3	8	2	1	0	`NP-SC-CW-032 → 034`
	Account, Profile & Addresses	4	15	3	1	0	`NP-SC-CW-035 → 038`
	Prescription Upload	5	15	5	0	0	`NP-SC-CW-039 → 042`
	Checkout & Order Placement	6	18	6	0	0	`NP-SC-CW-043 → 048`
	Order History & Tracking	5	14	5	0	0	`NP-SC-CW-049 → 052`
	Content Pages, FAQ & Newsletter	3	9	0	2	1	`NP-SC-CW-053 → 055`
	Part A subtotal	**59**	**180**	**42**	**13**	**4**	

B Admin Dashboard	Admin Access & Role Gate	3	8	3	0	0	NP-SC-AD-001 → 003
	Dashboard & Analytics	3	8	2	1	0	NP-SC-AD-004 → 006
	Order Management	6	32	6	0	0	NP-SC-AD-007 → 011
	Prescription Review	4	17	3	1	0	NP-SC-AD-012 → 014
	Product Catalogue	5	25	5	0	0	NP-SC-AD-015 → 018
	Inventory & Stock	3	20	2	1	0	NP-SC-AD-019 → 021
	Manufacturers	2	5	0	1	1	NP-SC-AD-022 → 023
	Customer Management	3	7	1	2	0	NP-SC-AD-024 → 026
	Promotions	2	15	2	0	0	NP-SC-AD-027 → 028
	Reports	4	23	3	1	0	NP-SC-AD-029 → 032
	Website Content Management	3	7	1	1	1	NP-SC-AD-033 → 035
	Store Settings	4	23	3	1	0	NP-SC-AD-036 → 039
	Admin UI & Usability	2	6	0	2	0	NP-SC-AD-040 → 041
	Part B subtotal	**44**	**196**	**31**	**11**	**2**	
C	End-to-End Scenarios	10	10	10	0	0	NP-SC-E2E-001 → 010
D Cross-Cutting	Browser & Device Compatibility	6	20	5	1	0	NP-SC-CC-001 → 006
	Responsive Layout & Breakpoints	3	12	2	1	0	NP-SC-CC-007 → 009
	Accessibility	4	10	0	4	0	NP-SC-CC-010 → 013
	Customer Usability	3	6	0	2	1	NP-SC-CC-014 → 016
	Part D subtotal	**16**	**48**	**7**	**8**	**1**	
TOTAL	**32 modules**	**129**	**434**	**90**	**32**	**7**	

6.2 Coverage by Test Type

Test Type	Scenarios Where Applied
Functional	Applied across all 27 modules — the dominant technique, verifying each feature against its specified behaviour on positive and negative paths.
Calculation	Cart totals, delivery charges, free-delivery threshold, discount percentage, order summary, dashboard KPIs, average order value and every report figure. Covers the revenue-critical path.
Security	Role gate, session handling, account enumeration, brute-force throttling, prescription file access, cross-customer data isolation, injection payloads and server-side enforcement of every client-side restriction.
Integration	Every admin-to-storefront propagation path: catalogue, pricing, stock, content, settings and promotions, plus customer-to-admin propagation of orders, registrations and prescription uploads.

Validation	Field-level validation across registration, login, addresses, products, inventory, settings and all file uploads, using boundary value analysis and equivalence partitioning.
UI/UX	Layout against approved designs, empty states, loading states, error states, badge and status presentation, and Bangla text rendering.
Compatibility	Six responsive breakpoints across the customer site and tablet and mobile widths for the admin dashboard, over the browser matrix defined in the test plan.
Usability	Navigation consistency, filter and state preservation, confirmation on destructive actions and unsaved-change protection.
Performance	Autocomplete response time, report generation for large date ranges, and listing performance at production data volume.

6.3 Traceability Reconciliation

Each scenario in this document maps to a disjoint set of test cases in NP-QA-TC-001. The mapping is exhaustive and non-overlapping, so scenario coverage can be proved complete:

Reconciliation Check	Expected	Actual	Result
Test cases in NP-QA-TC-001 v1.3	434	434	**Match**
Test cases mapped across all scenarios	434	434	**Match**
Unmapped test cases (coverage gap)	0	0	**Match**
Test cases mapped to more than one scenario	0	0	**Match**
Modules covered by at least one scenario	32	32	**Match**
P1 test cases covered by a P1 scenario	197	197	**Match**

> **Execution order.** The 76 P1 scenarios — covering 135 critical test cases across checkout, prescription control, order lifecycle, authorisation and financial calculation — are executed first in every cycle. P2 and P3 scenarios follow. If the schedule contracts, P1 scenario coverage must still be completed in full before any P2 scenario is started.

6.4 Risk Coverage

Business Risk	Covering Scenarios	Rationale
Incorrect money charged to the customer	`NP-SC-CW-044`, `NP-SC-CW-045`, `NP-SC-CW-046`, `NP-SC-CW-018`, `NP-SC-AD-016`, `NP-SC-E2E-002`	Delivery charge, free-delivery threshold, discount and order totals are each recalculated independently and verified at their boundaries.
Controlled medicine dispensed without a valid prescription	`NP-SC-CW-042`, `NP-SC-CW-047`, `NP-SC-AD-011`, `NP-SC-AD-013`, `NP-SC-E2E-003`	The prescription gate is tested at the product, cart, checkout and dispatch stages, with server-side enforcement verified at each.
Unauthorised access to admin functions or patient data	`NP-SC-AD-002`, `NP-SC-AD-003`, `NP-SC-CW-031`, `NP-SC-CW-052`, `NP-SC-CW-038`, `NP-SC-E2E-009`	Role gate, session termination, identifier tampering and prescription file access are each tested from an unprivileged session.
Overselling stock the pharmacy does not hold	`NP-SC-CW-014`, `NP-SC-AD-020`, `NP-SC-CW-048`, `NP-SC-AD-011`	Stock limits are verified at the product, cart and checkout stages, including loss of stock mid-checkout and restoration on cancellation.
Financial reporting that misstates revenue	`NP-SC-AD-029`, `NP-SC-AD-030`, `NP-SC-AD-031`, `NP-SC-AD-005`, `NP-SC-E2E-010`	Report figures are reconciled against the dashboard, the order records and an independent manual calculation for the same period.
Admin configuration not reaching the storefront	`NP-SC-AD-018`, `NP-SC-AD-033`, `NP-SC-AD-037`, `NP-SC-E2E-006`, `NP-SC-E2E-007`	Every configuration surface — catalogue, content, settings — is verified end to end from the admin change to the customer-visible result.

6.5 Sign-Off

Role	Name	Signature	Date
Prepared by — QA Lead	Md. Masud Rana		
Reviewed by — Project Manager			
Reviewed by — Development Lead			

Approved by — Business Owner			