

Bug Report — standard format

Copy this file for every new defect: `docs/bugs/BUG-<id>-<short-slug>.md`. Keep the field names exactly as they are — the summary table is read by the sprint review, and a renamed row is a row nobody finds.

Screenshots and videos go in `docs/templates/evidence/` (or `docs/bugs/evidence/` once the report is copied out) and are embedded inline, never attached as a bare link. A defect without evidence is a claim, not a report.

BUG-000 — <one line, what breaks, not what you expected>

Field	Value
Bug ID	BUG-000
Title	<short, specific, searchable — "Search ignores leading spaces", not "Search broken">
Reported by	<name>
Reported on	YYYY-MM-DD
Module / Feature	<Home Products Search Cart Checkout Login API>
Related test case	TC-WXX-NNN (<code>tests/workflows/wfXX-<name>.spec.ts</code>)
Severity	Critical High Medium Low
Priority	P1 P2 P3 P4
Bug type	Functional UI Performance Security Compatibility Data
Status	New Open In Progress Fixed Retest Closed Deferred Rejected
Assigned to	<developer>
Found in build	<version / commit sha>
Fixed in build	<version / commit sha>

Environment

Application URL	https://automationexercise.com
Environment	QA Staging Production
Browser / version	Chromium 140.x Firefox WebKit
OS	Windows 11 Pro 10.0.26100
Viewport	1280 x 720

Run type	Manual Automated (<code>npm run test:workflows -- -g TC-WXX-NNN</code>)
----------	---

Pre-condition

<State the app must be in before step 1 — logged in as X, cart holds 2 items, catalogue seeded. Write "None" if the defect reproduces from a cold start.>

Steps to reproduce

- 1. <One action per step. Name the exact element and the exact input.>
- 2. <...>
- 3. <...>

Expected result

<What the requirement or the workflow document says must happen. Quote the document line when there is one.>

Actual result

<What the application does. Include the exact error text, status code, or console message — paste it, do not paraphrase.>

<console error / API response / stack trace>

Evidence

Type	File	Shows
Screenshot	<code>evidence/BUG-000-01-before.png</code>	State just before the failing action
Screenshot	<code>evidence/BUG-000-02-failure.png</code>	The failure, with the defect circled
Video	<code>evidence/BUG-000-run.webm</code>	Full reproduction
Trace	<code>evidence/BUG-000-trace.zip</code>	<code>npx playwright show-trace <file></code>

Before

PASTE SCREENSHOT HERE

Before — state prior to the failing action

`evidence/BUG-000-01-before.png`

Failure

PASTE SCREENSHOT HERE

Failure — actual result, defect marked in red
evidence/BUG-000-02-failure.png

Screenshot rules: full page unless the defect is a single control; mark the defect with a red box or arrow; keep the URL bar and any error text visible; never crop out the timestamp or the build banner.

Reproducibility

Frequency	Always Intermittent (N of 10 runs) Once
Browsers affected	Chromium / Firefox / WebKit
First seen	<build or date>

Impact

<Who is blocked and from what. One or two sentences — "A user who pastes a search term with a trailing space sees an empty catalogue and no explanation.">

Workaround

<What a user or tester can do meanwhile, or "None".>

Root cause / Fix notes

<Filled by the developer. What was wrong and what changed.>

Retest result

Retested by	<name>
Retested on	YYYY-MM-DD
Build	<version>
Result	Pass Fail
Evidence	evidence/BUG-000-retest.png

Severity and priority — how to pick one

Severity	Means	Example from this suite
Critical	Core flow dead, no workaround, data loss or security hole	Add to cart does nothing on every product

Severity	Means	Example from this suite
High	Major feature broken, workaround is painful	Cart total calculates wrong
Medium	Feature works but behaves wrongly in a real case	Search does not trim surrounding whitespace (D-02)
Low	Cosmetic, or correct behaviour presented badly	Misaligned label, typo, slow-but-inside-budget page

Priority	Means
P1	Fix now, blocks the release
P2	Fix in this sprint
P3	Fix when the area is next touched
P4	Backlog

Severity is about the application. Priority is about the schedule. A Low severity defect on the checkout button can still be P1.

Worked example — a real defect from this suite

BUG-002 — Search returns nothing when the term has surrounding whitespace

Field	Value
Bug ID	BUG-002 (tracked as D-02 in <code>docs/known-defects.md</code>)
Title	Search does not trim leading and trailing whitespace
Reported by	QA — automation suite
Reported on	2026-10-04
Module / Feature	Products — Search
Related test case	TC-W10-005 (<code>tests/workflows/wf10-product-search.spec.ts</code>)
Severity	Medium
Priority	P2
Bug type	Functional
Status	Open

Field	Value
Assigned to	Backend
Found in build	main @ ad105fe

Environment

Application URL	https://automationexercise.com/products
Environment	Production demo
Browser / version	Chromium (Playwright 1.63)
OS	Windows 11 Pro
Run type	Automated — <code>npm run test:workflows -- -g TC-W10-005</code>

Pre-condition

None. Reproduces as a guest from a cold start.

Steps to reproduce

1. Open https://automationexercise.com/products.
2. Type `top` into `#search_product` and click `#submit_search`. Note the result count is greater than zero.
3. Clear the field and type `top` — the same keyword with three leading and three trailing spaces.
4. Click `#submit_search`.

Expected result

The same results as step 2. The workflow document requires the server to trim the term before matching, and explicitly forbids trimming it in the page object as a workaround.


Actual result

The searched-products grid renders with zero items. No "no results" message and no validation hint is shown.


Evidence

Type	File	Shows
Screenshot	<code>evidence/BUG-002-01-trimmed-term.png</code>	<code>top</code> returns a populated grid
Screenshot	<code>evidence/BUG-002-02-padded-term.png</code>	<code>top</code> returns an empty grid
Video	<code>evidence/BUG-002-run.webm</code>	Playwright run of TC-W10-005

Trimmed term — works



Padded term — fails



Reproducibility

Frequency	Always
Browsers affected	Chromium, Firefox, WebKit

Impact

A user who pastes a product name copied from an email or an invoice — which almost always carries a trailing space — sees an empty catalogue and no explanation, and has no way to tell that the space is the cause.

Workaround

Delete the surrounding spaces manually before searching.

Root cause / Fix notes

Pending. Trim the term server-side before the match; do not trim it in the client, or the API keeps the defect.