

```

+++++
CommunicationService received: Student strike outside the school
CommunicationService triggered: Student strike outside the school
+++++
+ Stage: Incident Response +
+ Report_Received: Suspicious activity, Lot C +
+ Officer_Dispatched: Officer M. Dlamini +
+ Action_Taken: Approached, questioned subject +
+ Outcome: Verified student ID, no incident +
+++++

+++++
+ Stage: Scene Assessment +
+ Hazards_Checked: Fire, obstruction, crowd risk +
+ Threat_Level: Low +
+ Access_Points: 2 identified +
+ Decision: Safe to proceed, no backup +
+++++

AccessControlSystem is locking the area.
This area is locked from access, please try again later.

Thread 1 received signal SIGSEGV, Segmentation fault.
0x00007ff7f2e63f27 in ResponseComponent::~ResponseComponent (this=0x69a970)
    at C:/Users/matmo/OneDrive/Documents/COS214_Practical5/ResponseComponent.h:17
17         delete mediator;
(gdb) |

```

```
14  
15 public:  
16     virtual ~ResponseComponent() {  
17         delete mediator;  
18         state = nullptr;  
19     }  
20
```

```
+ Hazards_Checked:           Traffic, fire, crowd control +
+ Patients_Identified:           1 +
+ Scene_Safety:           Confirmed Safe +
+ Decision:           Proceed with treatment +
+++++
```

CommunicationService received: Student strike outside the school
CommunicationService triggered: Student strike outside the school

```
+++++
+ Stage:           Incident Response +
+ Report_Received:           Suspicious activity, Lot C +
+ Officer_Dispatched:           Officer M. Dlamini +
+ Action_Taken:           Approached, questioned subject +
+ Outcome:           Verified student ID, no incident +
+++++
```

```
+++++
+ Stage:           Scene Assessment +
+ Hazards_Checked:           Fire, obstruction, crowd risk +
+ Threat_Level:           Low +
+ Access_Points:           2 identified +
+ Decision:           Safe to proceed, no backup +
+++++
```

AccessControlSystem is locking the area.
This area is locked from access, please try again later.
[Thread 22420.0x583c exited with code 0]
[Thread 22420.0x42e8 exited with code 0]
[Thread 22420.0x403c exited with code 0]
[Inferior 1 (process 22420) exited normally]
(gdb) █

```

Thread 1 hit Breakpoint 2, 0x00007ff73ffe20c6 in main () at main.cpp:72
72     int main() {
(gdb) step
75     std::string issue1 = "Student strike outside the school";
(gdb) step
std::allocator<char>::allocator (this=<optimized out>) at C:/msys64/ucrt64/include/c++/16.2.0/bits/allocator.h:168
168     allocator() _GLIBCXX_NOTHROW { }
(gdb) step
std::__new_allocator<char>::__new_allocator (this=0x5ffe3e) at C:/msys64/ucrt64/include/c++/16.2.0/bits/new_allocator.h:88
88     __new_allocator() _GLIBCXX_USE_NOEXCEPT { }
(gdb) step
std::allocator<char>::allocator (this=<optimized out>) at C:/msys64/ucrt64/include/c++/16.2.0/bits/allocator.h:168
168     allocator() _GLIBCXX_NOTHROW { }
(gdb) step
main () at main.cpp:75
75     std::string issue1 = "Student strike outside the school";
(gdb) step
std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char> >::basic_string (this=0x5ffe10,
__s=0x7ff73ffe9ac8 <__gnu_cxx::__default_lock_policy+564> "Student strike outside the school", __a=...)
    at C:/msys64/ucrt64/include/c++/16.2.0/bits/basic_string.h:731
731     : _M_dataplus(_M_local_data(), __a)
(gdb) step
std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char> >::_M_local_data (this=0x5ffe10)
    at C:/msys64/ucrt64/include/c++/16.2.0/bits/basic_string.h:245
245     return std::pointer_traits<pointer>::pointer_to(*_M_local_buf);
(gdb) next
249     }
(gdb) next
std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char> >::basic_string (this=0x5ffe10,
__s=0x7ff73ffe9ac8 <__gnu_cxx::__default_lock_policy+564> "Student strike outside the school", __a=...)
    at C:/msys64/ucrt64/include/c++/16.2.0/bits/basic_string.h:734
734     if (__s == 0)
(gdb) next
737     const _CharT* __end = __s + traits_type::length(__s);
(gdb) backtrace
#0  std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char> >::basic_string (this=0x5ffe10,
__s=0x7ff73ffe9ac8 <__gnu_cxx::__default_lock_policy+564> "Student strike outside the school", __a=...)
    at C:/msys64/ucrt64/include/c++/16.2.0/bits/basic_string.h:737
#1  0x00007ff73ffe20ea in main () at main.cpp:75
(gdb) print issues
No symbol "issues" in current context.
(gdb) print issue1
No symbol "issue1" in current context.
(gdb) next
738     _M_construct(__s, __end, forward_iterator_tag());
(gdb) next
739     }
(gdb) print issue1
No symbol "issue1" in current context.
(gdb) next

```