
PROTIA
Allergy-Q

















PROTIA *Allergy-Q*	Atopy panel
PROTIA *Allergy-Q 64*	Inhalant panel
PROTIA *Allergy-Q 64*	Food panel
PROTIA *Allergy-Q 64S*	S panel
PROTIA *Allergy-Q 64D*	D panel
PROTIA *Allergy-Q 64G*	Inhalant panel
PROTIA *Allergy-Q 64G*	Food panel

PROTIA *Allergy-Q 96M*	M panel
PROTIA *Allergy-Q 128M*	M panel
PROTIA *Allergy-Q 128L*	L panel
PROTIA *Allergy-Q 192D*	D panel
PROTIA *Food IgG 96*	
PROTIA *Specific IgG4*	

PROTIA


Multiplex Allergy Simultaneous Test

PROTIA
Allergy-Q

Identify the cause of YOUR ALLERGY!


The pain can be reduced once you know the cause.

176 allergens in 1 panel




Allergy is an abnormal immune response in which the body's defense system overreacts to substances that are normally harmless to most people. Immunoglobulin E (IgE), one of the antibodies produced by our immune system, recognizes these substances as threats and binds to mast cells, a type of white blood cell, triggering the release of histamine and other chemical mediators. Depending on where this reaction occurs in the body, it can lead to conditions such as dermatitis, rhinitis, conjunctivitis, urticaria, and asthma — and in severe cases, life-threatening anaphylactic shock.

Compact diagnostic panel




- Parallel lines array(PLA) multiplex biochip technology
- Increase efficiency of test up to 2 ~ 3 fold (Patent: KR 1570327)
- Small sample volume


Broad allergen coverage



For more information :
Refer to the allergen list of each product and product features on page 10.

Action Mechanism





Parallel lines array diagnostic technology





- World class multiplex allergy testing
- Small serum volume for testing
  (96 Line: 100uL, 192 Line: 150uL)
- Compact diagnostic panel
- Simultaneous testing for greater efficiency and cost saving
- On strip calibration
- Multiple panels

Instruments for PROTIA's panel products



YouTube

Q-STATION ELITE
Fully automatic system

- 40 ~ 48 tests in one process
- Testing different panels at once



YouTube

Q-Processor
Semi-automatic system


- Integrated PC
- 10 tests in one process



Q-Smart
Reading system

- Multiple language available
- 10 tests in one process
- Compact size & Light weight

Valuable and Informative report format



PROTIA Inc. Medical report PROTIA Allergy-Q

PROTIA Allergy-Q 192D

Sample-ID:
Last Name (Patient):
First Name (Patient):
Date of Birth (Patient): Sex (Patient):

Note:
Group:
Session:
Date of evaluation: 2026-03-12

No	Name	Code	U/mL		Class
1	Total IgE	tIgE	1	-	
2	House dust	h1	14.15	3	
3	D.pteronyssinus	d1	<0.15	0	
4	D.farinae	d2	<0.15	0	
5	Acarus siro	d70	<0.15	0	
6	T. putrescentiae	d72	43.58	4	
7	Cat epithelium /dander	ex102	<0.15	0	
8	Dog dander	e5	51.88	5	
9	Hamster epithelium	e84	<0.15	0	
10	Mouse/Rat epithelium	ex713	<0.15	0	
11	Guinea pig epithelium	e6	4.56	3	
12	Wool, sheep	e81	<0.15	0	
13	Rabbit epithelium	e82	9.73	3	
14	Horse epithelium	e3	<0.15	0	
15	Common ragweed	w1	<0.15	0	
16	Mugwort	w6	3.74	3	
17	Ox-eye daisy	w7	2.29	2	
18	Dandelion	w8	<0.15	0	
19	Plantain	w9	<0.15	0	
20	Goosefoot, Lamb's quarters	w10	<0.15	0	
21	Russian thistle	w11	<0.15	0	
22	Goldenrod	w12	<0.15	0	
23	Cocklebur	w13	3.61	3	
24	Common pigweed	w14	6.69	3	
25	Japanese hop	w22	39.08	4	
26	Sunflower	k84	17.72	4	
27	Hevea latex	k82	1.07	2	
28	Silkworm pupa	f743	<0.15	0	
29	Penicilloyl G	c1	<0.15	0	
30	Penicilloyl V	c2	<0.15	0	
31	Ampicilloyl	c5	>100	6	
32	Amoxicilloyl	c6	<0.15	0	
33	Cefaclor	c7	16.32	3	
34	Clavulanate	c100	<0.15	0	
35	Formaldehyde/ Formalin	k80	7	3	
36	Isocyanate TDI	k75	<0.15	0	
37	Isocyanate MDI	k76	2.91	2	
38	Isocyanate HDI	k77	3.71	3	
39	rDer p 10 (Dp)	d205	<0.15	0	
40	rDer f 2 (Df)	d101	>100	6	
41	rCan f 1 (Dog dander)	e101	>100	6	
42	rFel d 1 (Cat epithelium)	e94	>100	6	
43	rApi m 1 (Honey bee)	i208	<0.15	0	
44	rHev b 1 (Latex)	k215	<0.15	0	
45	rAln g 1 (Alder)	t100	<0.15	0	
46	rBet v 1 (Birch)	t215	<0.15	0	
47	rBet v 2 (Birch)	t216	1.27	2	
48	rQue a 1 (Oak)	t400	<0.15	0	
49	rOle e 1 (Olive)	t224	9.07	3	
50	rPla a 1 (Sycamore)	t241	<0.15	0	
51	rPla l 1 (Plantain)	w234	<0.15	0	
52	rPhl p 1 (Timothy grass)	g205	<0.15	0	
53	rPhl p 5 (Timothy grass)	g215	<0.15	0	
54	rPhl p 12 (Timothy grass)	g212	<0.15	0	
55	rAsp f 3 (A. fumigatus)	m229	<0.15	0	
56	rAlt a 1 (Alternaria alternata)	m229	1.91	2	
57	P. notatum	m1	<0.15	0	
58	C. herbarum	m2	<0.15	0	
59	A. fumigatus	m3	<0.15	0	
60	C. albicans	m5	<0.15	0	
61	A. alternata	m6	<0.15	0	
62	Rhizopus nigricans	m11	<0.15	0	
63	Alder	t2	8.41	3	
64	Birch	t3	12.12	3	
65	Hazel	t4	<0.15	0	
66	Oak	t7	16.73	3	
67	Elm	t8	10.11	3	
68	Olive	t9	9.48	3	

Remark

Memo

RANGE OF INTERPRETATION

IU/mL	Class	Description
≤ 0.34	0	Not found
0.35 ~ 0.69	1	Weak
0.70 ~ 3.49	2	Moderate
3.50 ~ 17.49	3	Moderately strong
17.50 ~ 49.99	4	Strong
50.00 ~ 99.99	5	Very strong
≥ 100.00	6	Extremely strong

1.0

- Type of test
- Sample information
- Analyst's comments
- Allergen information
- Photo of the test panel
- sIgE concentration (IU/mL, class)
- Interpretation of the class
  (Classification of specific IgE concentration)

PROVEN Quality

Kappa value : 0.87

Total Agreement : 93.5%

Class Agreement : 95.7%

*High agreement with the gold standard product

**In 192D model

Type of Panel



Allergy-Q Atopy

Atopy panel

No.	Allergen
1	Total IgE
2	Egg white
3	Egg yolk
4	Milk
5	α-lactalbumin
6	β-lactoglobulin
7	Casein
8	Peanut
9	Pea
10	Soybean
11	Walnut
12	Pork
13	Beef
14	Chicken
15	Codfish
16	Mackerel
17	Crab
18	Shrimp
19	Clam
20	Silkworm pupa
21	Wheat
22	Yeast, baker's
23	Rice
24	Potato
25	Peach
26	Apple
27	House dust
28	D. pteronyssinus
29	D. farinae
30	Cockroach
31	Cat epithelium & dander
32	Dog dander
33	Candida albicans
34	Tricophyton rubrum
35	Aspergillus fumigatus
36	Penicillium notatum
37	Alternaria alternata
38	Staphylococcal enterotoxin B
39	Birch-alder mix
40	Oak
41	Grass mix
42	Common ragweed
43	Mugwort
44	Japanese hop

Total 48 Allergens

Allergy-Q 64

Inhalant panel

No.	Allergen	No.	Allergen
1	Total IgE	32	Sweet vernal/ Orchard grass/ Common reed/ Bent grass
2	House dust		
3	D. pteronyssinus	33	Bermuda grass
4	D. farinae	34	Timothy grass
5	Cat epithelium & dander	35	Penicillium notatum
6	Dog dander	36	Candida albicans
7	Egg white	37	Hazel
8	Milk	38	Olive
9	Cockroach	39	Maple leaf sycamore
10	Peanut	40	Willow
11	Soy bean	41	Cottonwood
12	Wheat	42	White ash
13	Alder	43	White pine
14	Birch	44	Japanese cedar
15	Oak	45	Acacia
16	Common ragweed	46	Ox-eye daisy
17	Japanese hop	47	Dandelion
18	Mugwort	48	Plantain
19	Alternaria alternata	49	Russian thistle
20	Cladosporium herbarum	50	Goldenrod
21	Aspergillus fumigatus	51	Common pigweed
22	Crab	52	Hevea latex
23	Shrimp	53	Bee venom
24	Mackerel	54	Wasp venom
25	Cultivated rye	55	Mouse/ Rat
26	CCD	56	Rabbit
27	Peach	57	Guinea pig
28	Apple	58	Wool, sheep
29	Sesame	59	Hamster
30	Acarus siro	60	Horse
31	Tyrophagus putrescentiae		

Total 64 Allergens

Food panel

No.	Allergen	No.	Allergen
1	Total IgE	32	Plaice/ Anchovy/ Alaska Pollock
2	House dust	33	Lobster/ Pacific squid
3	D. pteronyssinus	34	Eel
4	D. farinae	35	Blue mussel/ Oyster/ Clam/ Scallop
5	Cat epithelium & dander		
6	Dog dander	36	Silkworm pupa
7	Egg white	37	Pork
8	Milk	38	Beef
9	Cockroach	39	Chicken
10	Peanut	40	Lamb meat
11	Soy bean	41	Cheese, cheddar type
12	Wheat	42	Barley
13	Alder	43	Rice
14	Birch	44	Buckwheat
15	Oak	45	Yeast, baker's
16	Common ragweed	46	Corn
17	Japanese hop	47	Carrot
18	Mugwort	48	Potato
19	Alternaria alternata	49	Garlic/ Onion
20	Cladosporium herbarum	50	Celery
21	Aspergillus fumigatus	51	Cucumber
22	Crab	52	Tomato
23	Shrimp	53	Citrus mix
24	Mackerel	54	Strawberry
25	Cultivated rye	55	Kiwi/ Mango/ Banana
26	CCD	56	Sweet chestnut
27	Peach	57	Walnut
28	Apple	58	Hazel nut
29	Sesame	59	Almond/Pine nut/ Sunflower
30	Codfish		
31	Tuna/ Salmon	60	Cacao

Total 72 Allergens

Type of Panel



Allergy-Q 64S

64S panel

No.	Allergen	No.	Allergen
1	Total IgE	31	Egg yolk
2	Housedust	32	Milk
3	D. pteronyssinus	33	Cheese
4	D. farinae	34	Peanut
5	Cat epithelium & dander	35	Soybean
6	Dog dander	36	Wheat
7	Cockroach	37	Shrimp
8	Cultivated rye	38	Lobster
9	Common ragweed	39	Codfish
10	Timothy grass	40	Barley
11	Alternaria alternata	41	Rice
12	Aspergillus fumigatus	42	Pea
13	Penicillum notatum	43	Sesame
14	Candida albicans	44	Apple
15	Olive (pollen)	45	Mango/Banana
16	Bee venom	46	Peach
17	Horse	47	Strawberry
18	Mouse/Rat	48	Tomato
19	Rabbit	49	Corn
20	Sheep	50	Carrot
21	Acaus siro	51	Potato
22	Tyroph. putrescentiae	52	Garlic/Onion
23	Acacia	53	Pumpkin
24	White ash	54	Eggplant
25	CCD	55	Cucumber
26	Yeast, baker's	56	Orange
27	Almond	57	Pork
28	Hazel nut	58	Beef
29	Coconut	59	Chicken
30	Egg white	60	Lamb meat

Total 63 Allergens


Allergy-Q 96M

96M panel

No.	Allergen	No.	Allergen	No.	Allergen
1	Total IgE	32	Sweet vernal/ Orchard grass/ Common reed /Bent grass	62	Tuna/Salmon
2	House dust			63	Plaice/Anchovy/ Alaska Pollock
3	D. pteronyssinus	33	Bermuda grass	64	Lobster/Pacific squid
4	D. farinae	34	Timothy grass	65	Eel
5	Cat epithelium & dander	35	Penicillium notatum	66	Blue mussel/Oyster/ Clam/Scallop
6	Dog dander	36	Candida albicans		
7	Egg white	37	Hazel	67	Silkworm pupa
8	Milk	38	Olive	68	Pork
9	Cockroach	39	Maple leaf sycamore	69	Beef
10	Peanut	40	Willow	70	Chicken
11	Soy bean	41	Cottonwood	71	Lamb meat
12	Wheat	42	White ash	72	Cheese, cheddar type
13	Alder	43	White pine	73	Barley
14	Birch	44	Japanese cedar	74	Rice
15	Oak	45	Acacia	75	Buckwheat
16	Common ragweed	46	Ox-eye daisy	76	Yeast, baker's
17	Japanese hop	47	Dandelion	77	Corn
18	Mugwort	48	Plantain	78	Carrot
19	Alternaria alternata	49	Russian thistle	79	Potato
20	Cladosporium herbarum	50	Goldenrod	80	Garlic/Onion
21	Aspergillus fumigatus	51	Common pigweed	81	Celery
22	Crab	52	Hevea latex	82	Cucumber
23	Shrimp	53	Bee venom	83	Tomato
24	Mackerel	54	Wasp venom	84	Citrus mix
25	Cultivated rye	55	Mouse/Rat	85	Strawberry
26	CCD	56	Rabbit	86	Kiwi/Mango/Banana
27	Peach	57	Guinea pig	87	Sweet chestnut
28	Apple	58	Wool, sheep	88	Walnut
29	Sesame	59	Hamster	89	Hazel nut
30	Acarus siro	60	Horse	90	Almond/Pine nut/ Sunflower
31	Tyrophagus putrescentiae	61	Codfish	91	Cacao

Total 107 Allergens

Type of Panel



Allergy-Q 64G

Inhalant panel

No.	Allergen	No.	Allergen
1	Housedust	31	Cladosporium herbarum
2	Dermatophagoides pteronyssinus	32	Aspergillus fumigatus
3	Dermatophagoides farinae	33	Candida albicans
4	Lepidoglyphus destructor	34	Alternaria alternata
5	Blomia tropicalis	35	Rhizopus nigricans
6	Cat epithelium & dander	36	Alder
7	Dog dander	37	Birch
8	Horse epithelium	38	Oak
9	Cow epithelium	39	Elm
10	Guinea pig epithelium	40	Olive
11	Camel dander	41	Willow
12	Wool, sheep	42	Cottonwood
13	Rabbit epithelium	43	White ash
14	Hamster epithelium	44	White pine
15	Chicken feathers	45	Mesquite
16	Duck feathers	46	Acacia
17	Sweet vernal grass	47	Date palm
18	Bermuda grass	48	Common ragweed
19	Orchard grass	49	Mugwort
20	Ryegrass	50	Dandelion
21	Timothy grass	51	Plantain
22	Common reed grass	52	Goosefoot, Lamb's quarters
23	Kentucky blue grass	53	Goldenrod
24	Bent grass	54	Cocklebur
25	Cultivated rye	55	Common pigweed
26	Bee venom	56	Scale, Lenscale
27	Wasp venom	57	Japanese hop
28	Cockroach, German	58	Sunflower seed
29	Cockroach, American	59	Hevea latex
30	Penicillium notatum	60	CCD


Total 60 Allergens

Food panel

No.	Allergen	No.	Allergen
1	Yeast, baker's	31	Salmon
2	Wheat flour	32	Pacific squid
3	nGluten	33	Crab
4	Rye	34	Lobster
5	Corn	35	Shrimp
6	Sesame	36	Anchovy
7	Peanut	37	Tuna
8	Soybean	38	Mackerel
9	White bean	39	Blue mussel
10	Hazel nut	40	Clam
11	Brazil nut	41	Scallop
12	Almond	42	Tomato
13	Coconut	43	Carrot
14	Cacao	44	Onion
15	Cashew nut	45	Celery
16	Pine nut	46	Mushroom
17	Walnut	47	Paprika
18	Sweet chestnut	48	Cucumber
19	Macadamia nut	49	Eggplant
20	Beef	50	Kiwi
21	Chicken	51	Mango
22	Lamb meat	52	Banana
23	Egg white	53	Peach
24	Egg yolk	54	Orange
25	Milk	55	Strawberry
26	α-lactalbumin (nBos d 4)	56	Apple
27	β-lactoglobulin (nBos d 5)	57	Melon
28	Casein (nBos d 8)	58	Grape
29	Cheese	59	Lemon
30	Codfish	60	CCD

Total 60 Allergens

Type of Panel




Allergy-Q 128M

128M panel

No.	Allergen	No.	Allergen	No.	Allergen	No.	Allergen
1	Total IgE	31	Aspergillus fumigatus	61	Lamb meat	91	Salmon
2	Housedust	32	Candida albicans	62	Chicken	92	Pacific squid
3	Dermatophagoides pteronyssinus	33	Alternaria alternata	63	Egg white	93	Mackerel
4	Dermatophagoides farinae	34	Rhizopus nigricans	64	Egg yolk	94	Plaice
5	Acarus siro	35	Alder	65	Milk	95	Eel
6	Tyrophagus putrescentiae	36	Birch	66	Cheese	96	Anchovy
7	Cat epithelium & dander	37	Hazel	67	Tomato	97	Lobster
8	Dog dander	38	Oak	68	Carrot	98	Crab
9	Hamster epithelium	39	Elm	69	Garlic	99	Shrimp
10	Mouse epithelium/ Rat epithelium	40	Olive	70	Onion	100	Blue mussel
11	Guinea pig epithelium	41	Sycamore pollen	71	Celery	101	Clam
12	Wool, sheep	42	Willow	72	Cucumber	102	Oyster
13	Rabbit epithelium	43	Cottonwood	73	Mushroom	103	Scallop
14	Horse epithelium	44	White ash	74	Potato	104	Kiwi
15	Common ragweed	45	White pine	75	Corn	105	Mango
16	Mugwort	46	Japanese cedar	76	Yeast, baker's	106	Banana
17	Ox-eye daisy	47	Acacia	77	Rice	107	Peach
18	Dandelion	48	Sweet vernal grass	78	Wheat flour	108	Orange
19	Plantain	49	Bermuda grass	79	Rye	109	Strawberry
20	Goosefoot, Lamb's quarters	50	Orchard grass	80	Barley meal	110	Apple
21	Russian thistle	51	Ryegrass	81	Buckwheat	111	Cacao
22	Goldenrod	52	Timothy grass	82	Sesame	112	Coconut
23	Cocklebur	53	Common reed	83	Peanut	113	Cashew nut
24	Common pigweed	54	Bent grass	84	Soybean	114	Pine nut
25	Japanese hop	55	Cultivated rye	85	White bean	115	Walnut
26	Sunflower	56	Bee venom	86	Hazelnut	116	Sweet chestnut
27	Hevea latex	57	Wasp venom	87	Brazil nut	117	Macadamia nut
28	Silkworm pupa	58	Cockroach	88	Almond	118	CCD
29	Penicillium notatum	59	Pork	89	Codfish		
30	Cladosporium herbarum	60	Beef	90	Tuna		

Total 118 Allergens

Type of Panel




Allergy-Q 128L

128L panel

No.	Allergen	No.	Allergen	No.	Allergen	No.	Allergen
1	Total IgE	32	Common ragweed	63	Corn	94	Pine nut
2	Housedust	33	Mugwort	64	Rice	95	Walnut
3	Dermatophagoides pteronyssinus	34	Ox-eye daisy	65	Wheat flour	96	Sweet chestnut
4	Dermatophagoides farinae	35	Dandelion	66	Gluten	97	Macadamia nut
5	Acarus siro	36	Plantain	67	Rye	98	Tomato
6	Tyrophagus putrescentiae	37	Goosefoot, Lamb's quarters	68	Barley meal	99	Carrot
7	Cat epithelium & daner	38	Russian thistle	69	Buckwheat	100	Garlic
8	Dog dander	39	Goldenrod	70	Egg white	101	Onion
9	Hamster epithelium	40	Cocklebur	71	Egg yolk	102	Celery
10	Mouse epithelium /Rat epithelium	41	Common pigweed	72	Milk	103	Cucumber
11	Guinea pig epithelium	42	Japanese hop	73	Cheese	104	Mushroom
12	Wool, sheep	43	Alder	74	Pork	105	Potato
13	Rabbit epithelium	44	Birch	75	Beef	106	Pumpkin
14	Horse epithelium	45	Hazel	76	Lamb meat	107	Eggplant
15	Penicillium notatum	46	Oak	77	Chicken	108	Codfish
16	Cladosporium herbarum	47	Elm	78	Kiwi	109	Tuna
17	Aspergillus fumigatus	48	Olive	79	Mango	110	Salmon
18	Candida albicans	49	Sycamore	80	Banana	111	Pacific squid
19	Alternaria alternata	50	Willow	81	Peach	112	Mackerel
20	Rhizopus nigricans	51	Cottonwood	82	Orange	113	Plaice
21	Bee venom	52	White ash	83	Strawberry	114	Eel
22	Wasp venom	53	White pine	84	Apple	115	Anchovy
23	Cockroach	54	Japanese cedar	85	Cacao	116	Lobster
24	Sweet vernal grass	55	Acacia	86	Coconut	117	Crab
25	Bermuda grass	56	Cypress	87	Peanut	118	Shrimp
26	Orchard grass	57	Hevea latex	88	Soybean	119	Blue mussel
27	Ryegrass	58	Sunflower seed	89	White bean	120	Clam
28	Timothy grass	59	Silkworm pupa	90	Hazelnut	121	Oyster
29	Common reed grass	60	Yeast, bakers	91	Brazil nut	122	Scallop
30	Bent grass	61	CCD	92	Almond		
31	Cultivated rye	62	Sesame	93	Cashew nut		

Total 122 Allergens

Type of Panel



Allergy-Q 192D

192D panel

No.	Allergen	No.	Allergen	No.	Allergen	No.	Allergen	No.	Allergen
1	Total IgE	37	Hazel	73	Mushroom	109	Strawberry	145	rAsp f 3, Aspergillus, Peroxysomal protein
2	Housedust	38	Oak	74	Potato	110	Apple	146	rAlt a 1, Alternaria
3	D. pteronyssinus	39	Elm	75	Corn	111	Cacao	147	nAlpha-Gal, Beef, galactose-α-1, 3-galactose
4	D. farinae	40	Olive	76	Yeast, bakers	112	Coconut	148	nSus s 1,Pork, serum albumin of Sus scrofa(domestic pig)
5	Acarus siro	41	Sycamore	77	Rice	113	Cashew nut	149	rGad c 1, Cod, Parvalbumin
6	T. putrescentiae	42	Willow	78	Wheat flour	114	Pine nut	150	rPen a 1, Shrimp, Tropomyosin
7	Cat epithelium & Dander	43	Cottonwood	79	Rye	115	Walnut	151	nGal d 1, Egg, Ovomucoid
8	Dog dander	44	White ash	80	Barley meal	116	Sweet chestnut	152	nGal d 2, Egg, Ovalbumin
9	Hamster epithelium	45	White pine	81	Buckwheat	117	Macadamia nut	153	nBos d 4, Milk, α-lactalbumin
10	Mouse epithelium/ Rat epithelium	46	Japanese cedar	82	Sesame	118	CCD	154	nBos d 5, Milk, β-lactoglobulin
11	Guinea pig epithelium	47	Acacia	83	Peanut	119	Penicilloyl G	155	nBos d 8, Milk, Casein
12	Wool, sheep	48	Sweet vernal grass	84	Soybean	120	Penicilloyl V	156	rTri a 19, Wheat, ω-5 gliadin
13	Rabbit epithelium	49	Bermuda grass	85	White bean	121	Ampicilloyl	157	nGliadin, Wheat
14	Horse epithelium	50	Orchard grass	86	Hazel nut	122	Amoxicilloyl	158	nGluten, Wheat
15	Common ragweed	51	Ryegrass	87	Brazil nut	123	Cefaclor	159	rFag e 2, Buckwheat, 2S albumin
16	Mugwort	52	Timothy grass	88	Almond	124	Clavulanate	160	rFag e 3, Buckwheat, alpha-hairpinin
17	Ox-eye daisy	53	Common reed grass	89	Codfish	125	Formaldehyde/ Formalin	161	rGly m 4,Soybean, PR-10
18	Dandelion	54	Bent grass	90	Tuna	126	Isocyanate TDI	162	nGly m 5, Soybean, Beta-conglycinin (vicilin, 7S globulin)
19	Plantain	55	Cultivated rye	91	Salmon	127	Isocyanate MDI	163	nGly m 6, Soybean, Glycinin (legumin, 11S globulin)
20	Lamb's quarters	56	Bee venom	92	Pacific squid	128	Isocyanate HDI	164	rPru p 1, Peach, PR-10
21	Russian thistle	57	Wasp venom	93	Mackerel	129	rDer p 10, Dp, Tropomyosin	165	rPru p 4, Peach, Profilin
22	Goldenrod	58	Cockroach	94	Plaice	130	rDer f 2, Df, NPC2 family	166	rMal d 1, Apple, PR-10
23	Cocklebur	59	Pork	95	Eel	131	rCan f 1,Dog dander, Lipocalin	167	rMal d 3, Apple, nsLTP
24	Common pigweed	60	Beef	96	Anchovy	132	rFel d 1, Cat epithelium, Uteroglobin	168	rAra h 1, Peanut, 7S globulin (Vicillin-type, Cupin)
25	Japanese hop	61	Lamb meat	97	Lobster	133	rApi m 1, Bee venom, Phospholipase A2	169	rAra h 2, Peanut, 2S albumin(Conglutin)
26	Sunflower seed	62	Chicken	98	Crab	134	rHev b 1, Latex, Rubber elongation factor	170	rAra h 3, Peanut, 11S Globulin (legumin, Cupin, Glycinin)
27	Hevea latex	63	Egg white	99	Shrimp	135	rAln g 1, Alder, PR-10	171	rAra h 8, Peanut, PR-10
28	Silkworm pupa	64	Egg yolk	100	Blue mussel	136	rBet v 1, Birch, PR-10	172	rAra h 9, Peanut, nsLTP
29	Penicillium notatum	65	Milk	101	Clam	137	rBet v 2, Birch, Profilin	173	rCor a 1, Hazelnut, PR-10
30	Cladosporium herbarum	66	Cheese	102	Oyster	138	rQue a 1, Oak, PR-10	174	rCor a 8, Hazelnut, nsLTP
31	Aspergillus fumigatus	67	Tomato	103	Scallop	139	rOle e 1, Olive, Olive group 1	175	rJug r 1,Walnut, 2S albumin
32	Candida albicans	68	Carrot	104	Kiwi	140	rPla a 1, Sycamore, Putative invertase inhibitor	176	rJug r 3,Walnut, nsLTP
33	Alternaria alternata	69	Garlic	105	Mango	141	rPla l 1, Plantain, Ole e 1-like protein		
34	Rhizopus nigricans	70	Onion	106	Banana	142	rPhl p 1, Timothy, β-expansin		
35	Alder	71	Celery	107	Peach	143	rPhl p 5, Timothy		
36	Birch	72	Cucumber	108	Orange	144	rPhl p 12, Timothy, Profilin		

Total 176 Allergens

Type of Panel

Allergy-Q 64D

64D panel

No.	Allergen	No.	Allergen
1	Penicilloyl G	30	nSus s 1,Pork, serum albumin of Sus scrofa (domestic pig)
2	Penicilloyl V	31	rGad c 1, Cod, Parvalbumin
3	Ampicilloyl	32	rPen a 1, Shrimp, Tropomyosin
4	Amoxicilloyl	33	nGal d 1, Egg, Ovomucoid
5	Cefaclor	34	nGal d 2, Egg, Ovalbumin
6	Clavulanate	35	nBos d 4, Milk, α-lactalbumin
7	Formaldehyde/ Formalin	36	nBos d 5, Milk, β-lactoglobulin
8	Isocyanate TDI	37	nBos d 8, Milk, Casein
9	Isocyanate MDI	38	rTri a 19, Wheat, ω-5 gliadin
10	Isocyanate HDI	39	nGliadin, Wheat
11	rDer p 10, Dp, Tropomyosin	40	nGluten, Wheat
12	rDer f 2, Df, NPC2 family	41	rFag e 2, Buckwheat, 2S albumin
13	rCan f 1,Dog dander, Lipocalin	42	rFag e 3, Buckwheat, alpha-hairpinin
14	rFel d 1, Cat epithelium, Uteroglobin	43	rGly m 4,Soybean, PR-10
15	rApi m 1, Bee venom, Phospholipase A2	44	nGly m 5, Soybean, Beta-conglycinin (vicilin, 7S globulin)
16	rHev b 1, Latex, Rubber elongation factor	45	nGly m 6, Soybean, Glycinin (legumin, 11S globulin)
17	rAln g 1, Alder, PR-10	46	rPru p 1, Peach, PR-10
18	rBet v 1, Birch, PR-10	47	rPru p 4, Peach, Profilin
19	rBet v 2, Birch, Profilin	48	rMal d 1, Apple, PR-10
20	rQue a 1, Oak, PR-10	49	rMal d 3, Apple, nsLTP
21	rOle e 1, Olive, Olive group 1	50	rAra h 1, Peanut, 7S globulin (Vicillin-type, Cupin)
22	rPla a 1, Sycamore, Putative invertase inhibitor	51	rAra h 2, Peanut, 2S albumin(Conglutin)
23	rPla l 1, Plantain, Ole e 1-like protein	52	rAra h 3, Peanut, 11S Globulin (legumin, Cupin, Glycinin)
24	rPhl p 1, Timothy, β-expansin	53	rAra h 8, Peanut, PR-10
25	rPhl p 5, Timothy	54	rAra h 9, Peanut, nsLTP
26	rPhl p 12, Timothy, Profilin	55	rCor a 1, Hazelnut, PR-10
27	rAsp f 3, Aspergillus, Peroxysomal protein	56	rCor a 8, Hazelnut, nsLTP
28	rAlt a 1, Alternaria	57	rJug r 1,Walnut, 2S albumin
29	nAlpha-Gal, Beef, galactose-α-1,3-galactose	58	rJug r 3,Walnut, nsLTP

Total 58 Allergens

Find the Right Panel for you

PROTIA ***Allergy-Q***

Atopy panel
Total 48 Allergens
Covers key food and mold allergens associated with atopic conditions

PROTIA ***Allergy-Q 64***

Inhalant panel
Total 64 Allergens
Includes common screening allergens and key inhalant allergens

Food panel
Total 72 Allergens
Covers common allergy screening items and major food allergens

PROTIA ***Allergy-Q 64S***

S panel
Total 63 Allergens
Includes key inhalant and food allergens commonly used in allergy screening

PROTIA ***Allergy-Q 64D***

D panel
Total 58 Allergens
Combines 48 recombinant and highly purified component allergens with 10 drug and chemical allergens

PROTIA ***Allergy-Q 64G***

Inhalant panel
Total 60 Allergens
Focused inhalant allergen panel including camel hair, commonly found in the Middle East

Food panel
Total 60 Allergens
Focused food allergen panel including date palm, commonly found in the Middle East

PROTIA ***Allergy-Q 96M*** ★

M panel
Total 107 Allergens
Combines food, inhalant, and commonly tested allergens for broad allergy testing

PROTIA ***Allergy-Q 128M***

M panel
Total 118 Allergens
Covers a broader range of food and inhalant allergens for more comprehensive allergy testing

PROTIA ***Allergy-Q 128L***

L panel
Total 122 Allergens
Expanded from 128M with gluten, cypress, eggplant, pumpkin, and selectable panel formats

PROTIA ***Allergy-Q 192D*** ★

D panel
Total 176 Allergens
All-in-One diagnostic kit combining 118 natural allergens with 58 component allergens

Food Intolerance test



PROTIA *Food IgG 96*

Specification of PROTIA Food IgG 96

- Required sample amount: 9ul
- High-density diagnostic panel
- Line blot immunoassay: High reproducibility
- On-strip calibration
- Detection limit: 2.00 mg/L
- Detects 89 food allergens on 1 panel
- Fully automated equipment available

Comparison Between Food Intolerance and Allergy

Food Intolerance

Response after
2 ~ 72hrs of food intake

Inflammatory reaction of
IgG against Specific food allergens

Allergy

Immediate reaction
& Anaphylaxis Shock

Histamine reaction of
IgE against food allergens

Food IgG 96

Food IgG 96 panel

No.	Allergen	No.	Allergen	No.	Allergen	No.	Allergen	No.	Allergen
1	Rice	19	Hazel nut	37	Blue mussel	55	Broccoli	73	Lemon
2	Barley meal	20	Pistachio nut	38	Scallop	56	Potato	74	Melon
3	Corn	21	Macadamia nut	39	Oyster	57	Sweet potato	75	Pear
4	Wheat flour	22	Cashew nut	40	Crab	58	Pumpkin	76	Pineapple
5	Gluten	23	Coconut	41	Shrimp	59	Mushroom	77	Plum
6	Rye	24	Sunflower	42	Lobster	60	Tomato	78	Watermelon
7	Buckwheat	25	Mustard	43	Pacific squid	61	Apple	79	Egg white
8	Soybean	26	Cacao	44	Octopus	62	Banana	80	Egg yolk
9	Peanut	27	Yeast, bakers	45	Olive fruit	63	Grape	81	Chicken
10	Pea	28	Tuna	46	Cucumber	64	Peach	82	Pork
11	Red kidney bean	29	Salmon	47	Carrot	65	Strawberry	83	Beef
12	Lentil	30	Trout	48	Eggplant	66	Orange	84	Lamb meat
13	Sesame	31	Codfish	49	Garlic	67	Mango	85	Goat milk
14	Pine nut	32	Mackerel	50	Onion	68	Kiwi	86	Milk
15	Sweet chestnut	33	Plaice	51	Lettuce	69	Apricot	87	α-lactalbumin
16	Walnut	34	Eel	52	Cabbage	70	Avocado	88	β-lactoglobulin
17	Brazil nut	35	Anchovy	53	Celery	71	Blueberry	89	Casein
18	Almond	36	Clam	54	Spinach	72	Cherry		

Total 89 Allergens

Multiplex Test for Allergen Specific IgG4

PROTIA *specific IgG4*



Specific IgG4

The Antibody that turns down allergic reaction

During immunotherapy, your body gradually produces more allergen-specific IgG4 —
a blocking antibody that helps block allergens before they can trigger an allergic reaction.
Over time, this may help reduce your allergy symptoms.

The Value of Testing Specific IgG4



Reflects immune changes during AIT



Helps evaluate IgE-IgG4 balance



May support symptom improvement

What may change during immunotherapy?

Specific IgG4 ↑ ----→ Allergy Symptoms ↓



A simple way to understand it : more blocking support, fewer allergy symptoms.

IgG4									
Specific IgG4 panel									
No.	Allergen	No.	Allergen	No.	Allergen	No.	Allergen	No.	Allergen
1	D. pteronyssinus	10	Japanese hop	19	Chicken	28	Crab	37	Almond
2	D. farinae	11	Aspergillus fumigatus	20	Egg yolk	29	Shrimp	38	Peach
3	Cat epithelium&dander	12	Penicillium notatum	21	Egg white	30	Blue mussel/ Oyster	39	Apple
4	Dog dander	13	Alternaria alternata	22	Milk	31	Wheat	40	Kiwi
5	Alder/ Birch	14	Bee venom	23	Casein	32	Buckwheat	41	Mango
6	Oak	15	Wasp venom	24	α-lactalbumin	33	Rice	42	α-Gal (Thyroglobulin)
7	Sweet vernal grass/ Bermuda grass/ Orchard grass/ Timothy grass	16	Cockroach	25	β-lactoglobulin	34	Soy bean		
8	Common ragweed	17	Pork	26	Codfish	35	Peanut		
9	Mugwort	18	Beef	27	Mackerel	36	Walnut		
Total 42 Allergens									

PROTIA
A-702, 401, Yangcheon-Ro, Gangseo-Gu, Seoul 07528, Republic of Korea
Tel: +82-2-6968-5288 | Website: www.protia.co.kr | E-mail: protia@protia.co.kr

ISO 13485:2016

PRB-AllergyQ-EN01