





٩	/1	1	0	-1	′ه ا	\		/1	_1_		-4	ر ه	\		/1	1		-4	ا ه	\		/1	0	1	- 2	0			/ 1	Đ	1	-2	ອ `	\ .	, Hay 2 Jables libres Jay tadhas
	2	3	- 1	-1	0	fu -	- f ₄	2	3	- 1	-1	e	\ f3.	sfa	0	1	- 1	1	o	1-	-f2	0	1	- 1	1	0	f4-f	₹	0	4	-1	1	0	Vori	iables libre
	s	7	- 2	-3	0			s	7	- 2	-3	0	12-	2117	0	2	- S	2	0	f3 -	2f2>	0	٥	0	9	0									
	_		-1					∫ ຈ				ð										۱,						\	0	0	0	•			les lebres
X.	+ X3		X4 =					X2 - X						ξ(x.	, ¥2,	χ _{3 ,}	X") €,	R"	¥4 + X	3 - 2)	X4 =0	л ×	2 - ¥3	+ X4 :	, ,	841		_ 1)					ome)	filas nulas)
			χ4 :	X3	+2x	4			χ	z = X	(₃ - X4)		toma	wos	X321	E, Xi	- S	Ł,s (:Ph	ځ <= ۲	(-t+2	es, t	-s,t	(s, s)	€ 6`	t,s	€1 % ("	. 2					
																						(-ŧ,								_					
																					٤	£ (-1	, 1 , 4	1,0)	+ 8(:	2,-1,	.0,1) t,	s eli	8.5	6	-옱	11		,
(9)	/ 1	5	4	-1	2	12-	>f1	1	ح	4	-1	2	f2.6	2fs —>/	/1	2	4	-1	2	<u>fz :</u>	(- <u>4</u>)	1	2	8	-1 -5	_ <u>s</u> _	fn-	2f2 En	1	0	`40 B	- 4	<u>5</u>	511	st incomp
	3	1	-1	-1	7	<u>f3-</u>	sf ₇ >	0	-3	- 4	1.	1 - C I		- (อ	-10 (~ <u>g</u>	9	, ,			•	1	76	10	10	+3+ 9	\ 2	0	1	10	10	40		
	\	0	-3	-1	1 5 /			١٥	-10	- 8	ч	-31			(0	-3	-4	2	1			10	- 2	-7	- 4	1 1				e	0	0	ן פ		
(£)	/ a	2.	1 15	۱,	.c.	/ a	7	1 15	\	Un.	UAU	مارو	CIOA	91.	t		2M 5.0	مداء																	
V	(2	ч	-5	12-	217		2	- 35		0=-	35 /	ABS!	<u></u>	D .,	A C. WIL	(,,,,		116/8																	
0	/ z	-1	1	۱ ۱	\		1	- 1/2	1/2	1/2	F2 -3	3f4 	/4	-1/2	12	1/2	u	o HA	y Se	Juden	,	31 stp	na :	COM	patrib	le									
	3	2	-4	Ļ	<u>f4 · 3</u>	² →	1 3 -6	2	-4	4	f3 + 6	fy.	0	4 2	- 11	2	0:	٤.	AB	براری		.0													
	(-6	3	-3	z			-6	3	-3	2			0	0	O	s																			
\mathscr{D}	/1	1	Ð	-1	1	fa-	2 f1	1	4	O	- 1	1	₽ .	f.	11	0	1	- 2	0 \		X1 +	Х3	- 2 X	(4 = 1	0		X1 =	-X3	+ 2 X	4					
	2	3	-1	-1	3	f3-	2f1 5f1	0	1	-1	1	1	f3.	2/2	0	1	-1	1	1			<i>X</i> 3 1													
	\$	7	-2	-3	7	f4-	·f,	0	2	-2	2	2	f4 -	<u>k</u> ,	0	0	0	0	ø			£(%,	¥2, X	ls, Xi))R"	X2 +	X3 -	2 X	, =0	Λ (χz	- X3	ŧ X4	= 1)}
	\ 1	2	-1	0	2	l		0 /	1	-1	1	1			(0	0	Ð	Ø	Ð /			toman	nes X	ls=t	, Xu:	<u>.</u> s {	ıs ell	\ =>	{(t	†25	, ŧ -	3+1,	e, s) { .=	s e RZ
																																			s e Mis
																									{₺	(-1,	1,1,6))+ s	(2,-	1,0,	4)+ ((0,1,	0,0)	ŧ,s	e R }
		C 2 %	4 2Y	+ Q &	z 4																														
3	<u>@</u>	X X	3y +	10 &	= 6	72	'an																												
		/2	2	9	4	<u> </u>	.6	[1	1	10	2 \) <u>f</u> 2	-f1	→ (1	4	40	2	\ <u>f2</u>	· 6	1	1	10	2	<u> </u>	-t2	[1	0	10	Б	\				
		1	3	10	٦.	,		1	3	16	6 /				0	2	0	4	<u> </u>		(0	1	Ð	2			(5	1	ව	2	1	у÷	2		
																					[[2,2)	c 7/	1		ı						X - 5			
																												, .		\	- 9		X= 3		
																				•	to ma	mos	2 :	² t	te 7	L11 =						\$ 6) €	c 7/ 7		
																																शास् शिस्		3	
	€ C	(X4	+ X2 + + 6X2	-2V	X4=	2 9	,	(L	<u>ዜ</u> ር 1	10,1	i, # ((-1 210	* 1 T. 6	. Kuj		
	Б)	2 X 4	+ 2x	2 - 3X	(5 ~3X	4 =	S	(5	$ otin \left(egin{small} \mathcal{E} \end{array} ight)$																										
		L x4	x f +	2 - 10) X3 + 2	284 =	7																												
		/ A	4	A	-0	7	\			/ ^	A	4	ا ۾ -	21			1.		A	_ 4	2				/A	6	20	ادی	- 24	١					
		1	6	-2	- 7	8	1 f2	-f1	•	ő	5	٠,٦	-6	4	€2	9_	["	1	-27	-54	34	fa-	fz			1	- D - Z7	-84	3K						
		2	2	-3	-3	5	fs.	- 244	>	0	0	-5	-1	1		>	0		-s	~4	1	P4-	6f2	_	6	6	-s	-1	1						
		1	7	-10	2	7	\frac{\f2}{\f_3}	-f1 <u>.</u>	•	0	6	-11	3	5			0	6	0	3	s				0	0	-162	329	216						
	1	0	6	-2	-1	\		/1	0	6	~2	-1	\		/ 4	Ð	ס	-86	83 /	\	[1	0	0	~1	-2			/4	0	9	-1	-2 \	\		
	0	1	6	1	3			0	1	6	1	3	1	6f3>	Đ	1	0	<i>6</i> 2-	\$7		0	1	0	2	2	fz.	4	5	1	0	2	2			
	0	0	~5	~1	1	1 1/3	. (·4 <u>)</u>	0	Ð	1	9	-9	fs-	643	٥	O	1	٩	~9	اد	0	Đ	A	q	-9		7	Ð	Ð	1	Q	-9			
	Ð	0	3	ક	7		. (-9)	0	0	3	g	7	/ th-	213	٥١	0	0	-19	34		0	0	0	3	1			. 0	۵	0	1	4			
																																			X4=2
																			٥	1	0	2	2	f2-	2 <u>F</u>	o	4	0	O	-6		X2 = -	.6		X4=2 X2:-6 X3=2 (4c-1
																			Ð	8	1	Q	-9	Fee	fu	0	0	4	0	-9	(X9 =	-9	→	X3 = 2
																			0	0	0	1	4		}	Ð	0	0	٨	- 45	1	V 4 =	.45		(4 = -1
																																~		x	(4 C)
																																		x	195.7

