



Datasets: rahular/**itihasa** Like 25

Modalities: Text Languages: Sanskrit English Size: 10K - 100K

Tags: conditional-text-generation Libraries: Datasets Croissant

License: apache-2.0

Dataset card

Data Studio

Files xet

Community 4

→ Copy to bucket NEW

Use this dataset ▾



Downloads last month 336

Number of rows:

93,033

Total file size:

42.2 MB

Models trained or fine-tuned on rahular/itihasa

sraivante/Sanskrit-322M-Base

Text Generation • 0.3B • Updated 1 day ago • 322

sarch7040/llama3-8B-sanskrit-english

Translation • Updated Apr 27, 2025 • 8

Bheri/ithasa-colbertv2

0.1B • Updated Aug 31, 2025 • 8

Satyamk1345/ShlokVaani

Translation • 0.5B • Updated Apr 23, 2025 • 7

Spaces using rahular/itihasa 2



Dataset Viewer

Auto-converted to Parquet

</> API

Embed

+ Duplicate

Data Studio

Split (3)

train · 75.2k rows



Search this dataset

translation

translation

```
{ "en": "The ascetic Vālmīki asked Nārada, the best of sages and foremost of those conversant with words, ever engaged in austerities and Vedic studies.", ...
```

```
{ "en": "Who at present in this world is like crowned with qualities, and with prowess, knowing duty, and grateful, and truthful, and firm in vow.", "sn": ...
```

```
{ "en": "Who is qualified by virtue of his character, and who is engaged in the welfare of all creatures? Who is learned and capable. Who alone is ever lovely...
```

```
{ "en": "Who has subdued his heart, and controlled his anger, is endowed with splendour, and devoid of malice; and whom enraged in battle, do even the gods, ...
```

```
{ "en": "I have great curiosity to hear of such a person. You can, O Maharṣi, * know about a man of this description. *A great saint. The word, however, ...
```

```
{ "en": "Hearing Vālmīki's words, Nārada, cognizant of the three worlds, said with alacrity, "listen to me"!", "sn": "श्रुत्वा चैतत्रिलोकज्ञो वाल्मीकेनरिदो वचः। श्रूयतामिति चामन्...
```

```
{ "en": "Rare as are the qualities mentioned by you, I will, O sage, having duly considered, describe to you a person endowed with them.", "sn": "बहवो दर्शयन्ते
```

< Previous

1

2

3

...

752

Next >

YAML Metadata Warning: The task_categories "text2text-generation" is not in the official list: text-classification, token-classification, table-question-answering, question-answering, zero-shot-classification, translation, summarization, feature-extraction, text-generation, fill-mask, sentence-similarity, text-to-speech, text-to-audio, automatic-speech-recognition, audio-to-audio, audio-classification, audio-text-to-text, voice-activity-detection, depth-estimation, image-classification, object-detection, image-segmentation, text-to-image, image-to-text, image-to-image, image-to-video, unconditional-image-generation, video-classification, reinforcement-learning, robotics, tabular-classification, tabular-regression, tabular-to-text, table-to-text, multiple-choice, text-ranking, text-retrieval, time-series-forecasting, text-to-video, image-text-to-text,

image-text-to-image, image-text-to-video, visual-question-answering, document-question-answering, zero-shot-image-classification, graph-ml, mask-generation, zero-shot-object-detection, text-to-3d, image-to-3d, image-feature-extraction, video-text-to-text, keypoint-detection, visual-document-retrieval, any-to-any, video-to-video, other

Itihāsa

Itihāsa is a Sanskrit-English translation corpus containing 93,000 Sanskrit shlokas and their English translations extracted from M. N. Dutt's seminal works on The Rāmāyana and The Mahābhārata. The paper which introduced this dataset can be found [here](#).

This repository contains the randomized train, development, and test sets. The original extracted data can be found [here](#) in JSON format. If you just want to browse the data, you can go [here](#).

Usage

```
>> from datasets import load_dataset
>> dataset = load_dataset("rahular/itihasa")
>> dataset
DatasetDict({
  train: Dataset({
    features: ['translation'],
    num_rows: 75162
  })
  validation: Dataset({
    features: ['translation'],
    num_rows: 6149
  })
  test: Dataset({
    features: ['translation'],
    num_rows: 11722
  })
})

>> dataset['train'][0]
```

```
{'translation': {'en': 'The ascetic Vālmīki asked Nārada, the best c  
'sn': 'ॐ तपः स्वाध्यायनिरतं तपस्वी वाग्विदां वरम्। नारदं परिप्रच्छ वाल्मीकिर्मुनिपुङ्गवम्॥'}}
```

Citation

If you found this dataset to be useful, please consider citing the paper as follows:

```
@inproceedings{aralikatte-etal-2021-itihasa,  
  title = "Itihasa: A large-scale corpus for {S}anskrit to {E}ngli  
  author = "Aralikatte, Rahul  and  
    de Lhoneux, Miryam  and  
    Kunchukuttan, Anoop  and  
    S{\o}gaard, Anders",  
  booktitle = "Proceedings of the 8th Workshop on Asian Translati  
  month = aug,  
  year = "2021",  
  address = "Online",  
  publisher = "Association for Computational Linguistics",  
  url = "https://aclanthology.org/2021.wat-1.22",  
  pages = "191--197",  
  abstract = "This work introduces Itihasa, a large-scale translat  
}
```

 System theme

Company

TOS

Privacy

About

Careers

Website

Models

Datasets

Spaces

Pricing

Docs

