

01 Working System - AccountFlow OS

Source: README.md

Must Quest - AccountFlow OS

AI OS Mini for the 5-Day Remote AI OS Sprint.

Problem: After client calls, reps spend 30-40 min on follow-up emails, CRM updates, and tasks - often missing out-of-scope requests.

System: Record/upload meeting + HubSpot context + SOW -> Scope Verifier -> human approves -> executes via Gmail, HubSpot, Jira.

User (proxy): Alex Rivera, AE/PM - see docs/workflow/USER.md

Live: Web - API

Demo fixtures: samples/demo/ (transcript + SOW)

Quick start (3 steps)

1. Configure secrets

```
cp .env.example .env
```

Set JWT_SECRET + CREDENTIALS_FERNET_KEY; LLM_PROVIDER=mock for offline demos

In the app: Register -> Settings -> Credentials (OpenAI / Anthropic / Gemini / Groq / Ollama)

2. API (use project venv)

```
cd apps/api
```

```
python -m venv .venv
```

```
.\.venv\Scripts\Activate.ps1 # Windows PowerShell
```

```
# source .venv/bin/activate # macOS/Linux
```

```
pip install -e ".[dev]"
```

```
uvicorn accountflow.main:app --reload --port 8000
```

3. Web (new terminal)

```
cd apps/web && npm install && npm run dev
```

```
# Open http://localhost:3000
```

Or from repo root: make install && make run-api (terminal 1) + make run-web (terminal 2).

Docker: docker compose up --build

Monorepo layout

Path	Purpose
<code>`apps/api/`</code>	FastAPI + LangGraph backend
<code>`apps/web/`</code>	Next.js 15 Approval Inbox
<code>`config/`</code>	Provider + app YAML examples
<code>`samples/`</code>	Synthetic transcripts, SOW, accounts
<code>`eval/`</code>	12-case test suite + <code>`run_eval.py`</code>

Deploy (free tier)

Service	Target
Web	Vercel - <code>https://accountflow-web.vercel.app</code>
API	Vercel - <code>https://accountflow-api.vercel.app</code>
DB	Turso (set <code>`TURSO_DATABASE_URL`</code> + <code>`TURSO_AUTH_TOKEN`</code> on API)
Env	Web: <code>`NEXT_PUBLIC_API_URL=https://accountflow-api.vercel.app`</code>

Docs

Doc	Purpose
<code>docs/SPRINT.md</code>	5-day implementation plan
<code>docs/DECISIONS.md</code>	Locked scope + stack
<code>docs/RUNBOOK.md</code>	Operator guide
<code>docs/evaluation/</code>	Baseline, metrics, results

CLI

```
cd apps/api
```

```
python -m accountflow.cli run \  
  
  --transcript ../../samples/transcripts/tc01_in_scope_sync.txt \  
  
  --account ../../samples/accounts/acme_deal.json \  
  
  --sow ../../samples/sow/acme_web_app.txt \  
  
  --llm mock
```

Eval

```
make eval
```

```
# or: python eval/run_eval.py
```

Source: docs/RUNBOOK.md

Operator Runbook - AccountFlow OS

Audience: Non-developer operator (Alex) + deployer (admin)

Live web: <https://accountflow-web.vercel.app>

Live API: <https://accountflow-api.vercel.app>

Demo fixtures: [samples/demo/demo_meeting_transcript.txt](#), [samples/demo/demo_sow.txt](#)

For Alex (daily use)

Before first use (one-time, ~10 min)

1. Admin completes setup (§ Admin below) or use the live URLs above
2. Open app -> Register (or Google Sign-In)
3. Go to Settings -> Credentials and paste your HubSpot, Jira, LLM, and Deepgram keys
4. Open Connect -> authorize Gmail -> select Jira project
5. (Optional) Upload SOW text per client for Scope Verifier

After every client call

1. Go to New Run

2. Select or create a HubSpot deal; attach SOW
3. Check recording consent -> Record OR paste transcript (try samples/demo/)
4. Wait for processing (~30-60 sec)
5. Review Approval Inbox (/runs/{id}):
 - Check Scope Verifier flags (red = out of scope)
 - Review email / CRM fields (stage dropdown) / tasks
6. Click Approve all
7. Click Execute
8. Confirm green checkmarks in execution log

If something goes wrong

Symptom	Action
"insufficient_content"	Re-upload clearer transcript or re-record
Scope flag seems wrong	Edit tasks/email before Execute
Email didn't send	Check Gmail on Connect; draft in approval view
"not configured" / Settings error	Re-save keys under Settings -> Credentials
Low confidence (yellow)	Edit field before Execute
Logged out after idle / bounce to sign-in	Sign in again; data persists on Turso in prod

For admin (setup - 3 steps)

Step 1: Clone and configure

```
git clone <repo>

cd "Must Quest"

cp .env.example .env

# Set JWT_SECRET, CREDENTIALS_FERNET_KEY

# LLM_PROVIDER=mock / STT_PROVIDER=mock for demo

# Optional prod: TURSO_DATABASE_URL, TURSO_AUTH_TOKEN

docker compose up --build
```

Generate a Fernet key:

```
python -c "from cryptography.fernet import Fernet; print(Fernet.generate_key().decode())"
```

Step 2: OAuth apps (production)

- * Google Cloud OAuth client with redirect URI matching `GOOGLE\_REDIRECT\_URI`
- Prod example: <https://accountflow-api.vercel.app/auth/google/callback>
- * Set `INTEGRATIONS MOCK=false` so execute uses each user's vault keys
- * Users bring their own HubSpot private app token, Jira API token, LLM/STT keys

Step 3: Open UI

- * Local: `http://localhost:3000` -> Register / Sign in
- * API docs: `http://localhost:8000/docs`
- * Live: <https://accountflow-web.vercel.app>

Deploy (Vercel)

- * **API** project -> `apps/api`: set `JWT\_SECRET`, `CREDENTIALS\_FERNET\_KEY`, Google OAuth, `CORS\_ORIGINS` / `WEB\_APP\_URL`, Turso vars
- * **Web** project -> `apps/web`: set `NEXT\_PUBLIC\_API\_URL=https://accountflow-api.vercel.app`
- * Cookies: production uses `SameSite=None; Secure` so web and API can share session across subdomains

Privacy & consent

- * Recording consent checkbox required before capture
- * Do not record without informing participants
- * User passwords are bcrypt-hashed; API keys are Fernet-encrypted at rest and never returned by the API

Support escalation

- * Run ID shown on approval page - provide when reporting issues
- * Eval log: `python eval/run\_eval.py`
- * Submission pack: `python scripts/build\_submission\_pack.py` -> `docs/submission/`

Source: docs/DECISIONS.md

Locked Decisions - AccountFlow OS

Product

Meeting + account context -> scope verify -> approve -> execute (Gmail, HubSpot, Jira)

User (proxy)

Alex Rivera - AE/PM, 8-12 client calls/week, HubSpot + Gmail + Jira

Primary metric

Time call end -> email sent + CRM updated (target <8 min vs 30-40 manual)

Stack

Python 3.11+ - LangGraph - FastAPI - Next.js 15 - SQLite (dev) / Turso libSQL (prod)

AI: Gemini (default LLM) - Ollama Cloud (fallback) - Deepgram (STT)

Deploy: Vercel (web + API) - Turso libSQL (prod DB)

Integrations

Ingest | Execute

Record/upload + STT | Gmail send

HubSpot read | HubSpot write

SOW upload | Jira create

Non-goals (v1)

1. No auto-send without approval
2. No Zoom/Meet bot
3. No Salesforce
4. No org/billing SaaS layer (open register + per-user BYOK)
5. English-only

Auth & credentials

* Open registration: Google Sign-In **or** email/password (bcrypt)

* Session: HttpOnly JWT cookie

* Per-user Fernet-encrypted credential vault (HubSpot, Jira, LLM, STT); Gmail OAuth tokens encrypted per user

* No runtime fallback to shared operator `.env` API keys for logged-in users

Human vs AI

* **AI:** transcribe, extract, scope flag, draft

* **Human:** approve every execute action

Source: samples/README.md

Samples - AccountFlow OS fixtures

Synthetic data for eval, baseline, and CLI demos. No real client data.

Demo recording (`demo/`)

Preferred path for the Day 5 demo video (long, realistic fixtures):

File	Purpose
------	---------

`demo_meeting_transcript.txt`	Full post-call transcript for New Run paste
-------------------------------	---

`demo_sow.txt`	Matching SOW for Scope Verifier
----------------	---------------------------------

Short creep demo alternative: transcripts/tc03_scope_creep.txt + sow/acme_web_app.txt.

Transcripts (`transcripts/`)

File	Used by
------	---------

`baseline_01.txt` - `baseline_03.txt`	Day 1 baseline protocol
---------------------------------------	-------------------------

`tc01_in_scope_sync.txt`	TC-01 happy path
--------------------------	------------------

`tc02_discovery.txt`	TC-02 discovery / no SOW
----------------------	--------------------------

`tc03_scope_creep.txt`	TC-03, TC-11 scope creep
------------------------	--------------------------

`tc04_timeline_drift.txt`	TC-04 timeline conflict
---------------------------	-------------------------

`tc05_owner_ambiguity.txt`	TC-05 owner ambiguity
----------------------------	-----------------------

`tc06_short_call.txt`	TC-06 hallucination grader
-----------------------	----------------------------

`tc07_closing_signals.txt`	TC-07 CRM conflict
----------------------------	--------------------

`tc12_garbled.txt`	TC-12 input validation
--------------------	------------------------

Accounts (`accounts/`)

- * `acme\_deal.json` - standard Acme Corp deal
- * `acme\_wrong\_stage.json` - stage mismatch for TC-07
- * `new\_deal.json` - early-stage deal for TC-02

SOW (`sow/`)

- * `acme\_web\_app.txt` - Phase 1 web app scope (mobile excluded)

Audio

TC-08 uses mock STT when samples/audio/tc08_call.m4a is absent.