

Kali

Linux

Matej Papaj 1.V

Čo je kali linux

OS odvodený od debianu urč. na penetračné testovanie a analýzu

Obsahuje stovky nástrojov na úlohy bezpečnosti


open-source distribúcia prepísany BackTrack linux

Historia

knoppix, 1 linux
knoppix bol potom prerobený na whoppix
a potom na WHAX.
Whax bol premenovaný na BackTrack
a dlho, takmer 7 rokov, vládol ako voľba pentesterov
a hackerov.

V roku **2013 ho nahradil kali**

evolucia kali



Vlastnosti

1 obsahuje viac ako 600 nástrojov na penetračné testovanie

2 bezplatný a otvorený zdrojový kód

má monolitický typ jadra (celý OS pracuje v priestore jadra)

4 úplne prispôsobiteľný

5 Flexibilita (podpora zariadený fungujuce na ARM)

niektorez nástrojov kali

nástroje na zhromažďovanie informácií

- dnsdict6
- dnsenum
- dnsmap
- dnsrecon
- dnsrevenum6
- dnstracer
- dnswalk
- fierce
- maltego
- nmap
- urlcrazy

```
—(root᠖kali)-[/home/kali]
└─# nmap -sS -sV 192.168.0.117
Starting Nmap 7.94SVN ( https://nmap.org ) at 2024-11-02 08:39 EDT
Nmap scan report for 192.168.0.117
Host is up (0.0012s latency).
Not shown: 996 filtered tcp ports (no-response)
PORT:
        STATE SERVICE
                            VERSION
135/tcp open msrpc Microsoft Windows RPC
139/tcp open netbios-ssn Microsoft Windows netbios-ssn
445/tcp open microsoft-ds?
5357/tcp open http
                            Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 16.58 seconds
```

nmap

vďaka množstvu parametrov je ako švajčiarsky armádny nôž na všetky situácie, v ktorých je potrebná identifikácia siete. -[/home/kali]

skenuje hostiteľa, snaží sa identifikovať nainštalované služby

```
--(kali@kali)-[/root]
-$ dnstracer www.pornhub.com
Tracing to www.pornhub.com[a] via 10.0.2.3, maximum of 3 retries
10.0.2.3 (10.0.2.3) Got answer [received type is cname]
 |\___ ns12.digicertdns.com [pornhub.com] (2600:1802:0002:0000:0000:0000:0001:001f) * * *
      ns12.digicertdns.com [pornhub.com] (208.80.126.159) Got authoritative answer [received type is cname]
       sdns3.ultradns.org [pornhub.com] (156.154.143.3) Got authoritative answer [received type is cname]
       sdns3.ultradns.org [pornhub.com] (2610:00a1:1004:0000:0000:0000:0000:0003) * * *
       ns14.digicertdns.net [pornhub.com] (2600:1802:0004:0000:0000:0000:0001:001f) * * *
       ns14.digicertdns.net [pornhub.com] (208.80.127.159) Got authoritative answer [received type is cname]
       sdns3.ultradns.net [pornhub.com] (2610:00a1:1002:0000:0000:0000:0000:0003) * * *
      sdns3.ultradns.net [pornhub.com] (156.154.141.3) Got authoritative answer [received type is cname]
       ns11.digicertdns.com [pornhub.com] (2600:1801:0001:0000:0000:0000:0001:001f) * * *
       ns11.digicertdns.com [pornhub.com] (208.80.124.159) Got authoritative answer [received type is cname]
       sdns3.ultradns.com [pornhub.com] (2610:00a1:1001:0000:0000:0000:0000:0003) * * *
       sdns3.ultradns.com [pornhub.com] (156.154.140.3) Got authoritative answer [received type is cname]
       sdns3.ultradns.biz [pornhub.com] (156.154.142.3) Got authoritative answer [received type is cname]
       sdns3.ultradns.biz [pornhub.com] (2610:00a1:1003:0000:0000:0000:0000:0003) * * *
       ns13.digicertdns.net [pornhub.com] (2600:1801:0003:0000:0000:0000:0001:001f) * * *
       ns13.digicertdns.net [pornhub.com] (208.80.125.159) Got authoritative answer [received type is cname]
___(kali⊕ kali)-[/root]
```

dnstracer

umožňuje sledovať servery DNS na zdroj určuje, odkiaľ daný server s názvom domény DNS získava informácie, a sleduje reťazec serverov DNS späť k serverom, ktoré poznajú údaje.

zhromažďovanie informácií - identifikácia IDS/IPS

- fragroute
- fragrouter
- wafw00f

wafw00f

identifikuje vzdialené webové aplikačné firewally

webové aplikačné firewally (WAF) možno odhaliť prostredníctvom scenárov testovania podnetov/odpovedí

skenery zraniteľnosti webu

- burpsuite
- cadaver
- davtest
- deblaze
- fimap
- grabber
- joomscan
- nikto
- padbuster
- proxystrike
- xsser

- skipfish
- sqlmap
- vega
- w3af
- wapiti
- webscarab
- webshag-cli
- webshaggui
- websploit
- wpscan
- zaproxy

```
wapiti -u http://www.pornhub.com
[*] Be careful! New moon tonight.
[*] Saving scan state, please wait...
This scan has been saved in the file /root/.wapiti/scans/www.pornhub.com_folder_969855f1.db
[*] Wapiti found 1 URLs and forms during the scan
[*] Loading modules:
         backup, blindsql, brute_login_form, buster, cookieflags, crlf, csp, csrf, exec, file, htaccess, http_headers, methods, nikto, permanentxss, rec
, shellshock, sql, ssrf, wapp, xss, xxe
Problem with local wapp database.
Downloading from the web...
[*] Launching module csp
[*] Launching module http_headers
Checking X-Frame-Options :
Checking X-XSS-Protection :
X-XSS-Protection is not set
Checking X-Content-Type-Options :
X-Content-Type-Options is not set
Checking Strict-Transport-Security :
[*] Launching module cookieflags
Checking cookie : platform
HttpOnly flag is not set in the cookie : platform
Checking cookie : ss
HttpOnly flag is not set in the cookie : ss
Checking cookie : __s
HttpOnly flag is not set in the cookie : __s
Checking cookie : __l
HttpOnly flag is not set in the cookie : __l
[*] Launching module exec
[*] Launching module file
[*] Launching module sql
[*] Launching module xss
[*] Launching module ssrf
[*] Asking endpoint URL https://wapiti3.ovh/get_ssrf.php?id=1ro8gk for results, please wait...
[*] Launching module redirect
[*] Launching module blindsql
[*] Launching module permanentxss
```

A report has been generated in the file /root/.wapiti/generated_report

Open /root/.wapiti/generated_report/www.pornhub.com_11022024_1329.html with a browser to see this report.

wapiti

umožňuje auditovať zabezpečenie webovej aplikácie.
vykonáva kontrolu "black-box"

odpoveď od wapiti



Wapiti vulnerability report

Target: http://www.pornhub.com/

Date of the scan: Sat, 02 Nov 2024 13:29:35 +0000. Scope of the scan: folder

Summary

Category	Number of vulnerabilities found
Backup file	0
Blind SQL Injection	0
Weak credentials	0
CRLF Injection	0
Content Security Policy Configuration	1
Cross Site Request Forgery	0
Potentially dangerous file	0
Command execution	0
Path Traversal	0
Htaccess Bypass	0
HTTP Secure Headers	2
<u>HttpOnly Flag cookie</u>	4
Open Redirect	0
Secure Flag cookie	0
SQL Injection	0
Server Side Request Forgery	0
Cross Site Scripting	0
XML External Entity	0
Internal Server Error	0
Resource consumption	0
Fingerprint web technology	0

Content Security Policy Configuration

occrintion

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks.

Vulnerability found in /

Description HTTP Request cURL command line

SP is not se

útoky na hesla

- oclhashcat-lite
- oclhashcat-plus
- pyrit

zneuživanie databázy

- bbqsql
- sqlninja
- sqlsus

webové aplikácie fuzzlers

- powerfuzzer
- webscarab
- webslayer
- websploit
- wfuzz
- xsser
- zaproxy
- burpsuite

bezdrôtové útoky: nástroje bluetooth

bluelog

- bluemaho
- blueranger

- btscanner
- fang
- spooftooph

zdroj informácií

https://www.slideshare.net/slideshow/tools-kali/56735384?from_search=13#270

https://www.kali.org/

https://www.kali.org/docs/

https://www.kali.org/tools/

https://www.slideshare.net/slideshow/kali-linux-57428333/57428333#16

https://en.wikipedia.org/wiki/Fuzzing

https://en.wikipedia.org/wiki/Kali_Linux

Dakujem za pozornosť