

Chapter 5

Introduction to Cyber Crime Investigation

1. Firewalls and Packet Filters
2. Password Cracking
3. Keyloggers and Spyware
4. Virus and Worms
5. Trojan and Backdoors
6. Steganography
7. DoS and DDoS Attacks
8. SQL Injection
9. Buffer Overflow
10. Attacks on Wireless Networks

1. Introduction to Cyber Crime

What is Cyber Crime?

Cyber crime refers to any unlawful activity that involves a computer, digital device, network, or the internet. In cyber crimes, computers may be used as:

- A target of attack
- A tool to commit crime
- Both a target and a tool

Cyber crimes can be committed by individuals, groups, organizations, or even nation-states.

Characteristics of Cyber Crime

- Fast and automated
- Borderless in nature
- Difficult to trace
- Can affect millions of users quickly
- Often anonymous
- Causes financial, social, and psychological damage

Objectives of Cyber Criminals

- Financial gain
- Theft of information
- Disruption of services
- Revenge or personal motives
- Political or ideological motives
- Espionage

2. Types of Cyber Crime

Cyber crimes can be classified into different categories depending on the target and intention.

2.1 Crimes Against Individuals

These crimes target a person or their personal data.

Examples

a) Identity Theft

Stealing personal information such as:

- Aadhaar number
- Bank account details
- Passwords
- Credit card information

b) Cyber Stalking

Using the internet to harass or threaten a person repeatedly.

c) Online Harassment and Bullying

Sending abusive messages, spreading rumors, or posting harmful content online.

d) Phishing

Fraudulent emails or websites used to steal confidential information.

e) Email Spoofing

Sending emails with a fake sender identity.

2.2 Crimes Against Property

These crimes damage digital or intellectual property.

Examples

a) Data Theft

Unauthorized copying or stealing of data.

b) Intellectual Property Theft

Illegal downloading or copying of:

- Software
- Music
- Movies
- Research material

c) Computer Vandalism

Destroying or damaging computer systems or data.

d) Malware Attacks

Using malicious software to damage systems.

2.3 Crimes Against Organizations

These attacks target businesses, institutions, or government agencies.

Examples

a) Hacking

Unauthorized access to computer systems.

b) Denial of Service (DoS) Attack

Flooding a server with requests to make services unavailable.

c) Ransomware Attacks

Encrypting organizational data and demanding payment.

d) Data Breaches

Stealing confidential customer or organizational information.

2.4 Crimes Against Society and Government

These crimes affect national security or public safety.

Examples

- Cyber terrorism
- Spreading fake news
- Attacks on government websites
- Online radicalization
- Cyber warfare

3. Hacking

Definition of Hacking

Hacking is the process of gaining unauthorized access to computer systems, networks, or devices.

A person who performs hacking is called a hacker.

Types of Hackers

1. White Hat Hackers

- Ethical hackers
- Work legally to improve security

- Help organizations identify vulnerabilities

2. Black Hat Hackers

- Malicious hackers
- Steal, damage, or misuse data
- Perform illegal activities

3. Grey Hat Hackers

- Operate between ethical and unethical boundaries
- May hack systems without permission but without harmful intent

4. Script Kiddies

- Beginners who use existing hacking tools
- Limited technical knowledge

5. Hacktivists

- Use hacking for political or social causes

6. State-Sponsored Hackers

- Supported by governments
- Involved in cyber espionage or cyber warfare

Common Hacking Techniques

Password Cracking

Trying to guess or break passwords.

Social Engineering

Manipulating people into revealing confidential information.

Keylogging

Recording keyboard activity to steal passwords.

SQL Injection

Injecting malicious SQL commands into databases.

Session Hijacking

Taking control of an active user session.

Malware Installation

Installing harmful software to control systems.

4. Attack Vectors

Definition

An attack vector is the path or method used by cyber criminals to gain unauthorized access to systems or networks.

Attack vectors exploit vulnerabilities in software, hardware, networks, or human behavior.

Common Attack Vectors

1. Phishing Emails

Fraudulent emails designed to:

- Trick users
- Steal credentials
- Spread malware

2. Weak Passwords

Simple or reused passwords allow attackers easy access.

3. Malware

Includes:

- Viruses
- Worms
- Trojans
- Spyware
- Ransomware

4. Unpatched Software

Outdated systems may contain known security vulnerabilities.

5. Insider Threats

Employees or trusted users may intentionally or unintentionally compromise security.

6. USB Devices

Infected USB drives can spread malware.

7. Social Engineering

Manipulating users into bypassing security measures.

8. Web Application Vulnerabilities

Examples:

- SQL Injection
- Cross-Site Scripting (XSS)
- Cross-Site Request Forgery (CSRF)

9. Wireless Network Attacks

Attackers exploit insecure Wi-Fi networks.

Attack Lifecycle

1. Reconnaissance
2. Scanning
3. Gaining Access
4. Maintaining Access
5. Covering Tracks

5. Cyberspace and Criminal Behavior

What is Cyberspace?

Cyberspace refers to the virtual environment created by interconnected computer networks and digital communication systems.

It includes:

- Internet
- Websites
- Social media
- Cloud systems
- Digital communication platforms

Features of Cyberspace

- Global connectivity
- Anonymity
- Rapid communication
- Easy access to information
- Digital interaction

Criminal Behavior in Cyberspace

Cyber criminals behave differently online because cyberspace provides:

1. Anonymity

Attackers can hide their real identities.

2. Low Risk Perception

Criminals may believe they cannot be caught.

3. Global Reach

Crimes can be committed across international borders.

4. Ease of Automation

Automated tools allow attacks on many targets simultaneously.

5. Psychological Distance

Criminals do not directly see victims, reducing feelings of guilt.

Common Criminal Activities in Cyberspace

- Online fraud
- Hacking
- Data theft
- Cyber terrorism
- Piracy
- Financial scams
- Fake websites
- Cryptocurrency fraud

Factors Encouraging Cyber Crime

- Lack of cyber awareness
- Weak cyber laws in some regions
- Easy availability of hacking tools
- Poor security practices
- Growth of online transactions

6. Clarification of Terms

Understanding cyber security terminology is important.

1. Computer Crime

Any illegal act involving computers or networks.

2. Cyber Crime

Crime committed using digital technologies or the internet.

3. Cyber Security

Protection of systems, networks, and data from attacks.

4. Information Security

Protection of information from unauthorized access, disclosure, or destruction.

5. Data Breach

Unauthorized exposure or theft of sensitive information.

6. Malware

Malicious software designed to damage or exploit systems.

7. Virus

A program that attaches itself to files and spreads.

8. Worm

Self-replicating malware that spreads across networks.

9. Trojan Horse

Malware disguised as legitimate software.

10. Spyware

Software that secretly monitors user activities.

11. Ransomware

Malware that encrypts data and demands payment.

12. Botnet

A network of infected devices controlled remotely.

13. Firewall

Security system that monitors and controls network traffic.

14. Encryption

Process of converting data into unreadable form for security.

15. Authentication

Verifying the identity of a user or system.

16. Authorization

Granting permissions to access resources.

17. Vulnerability

Weakness in a system that can be exploited.

18. Exploit

Method or code used to take advantage of vulnerabilities.

19. Threat

Potential danger to systems or information.

20. Risk

Likelihood of damage caused by threats.

7. Traditional Problems Associated with Computer Crime

Computer crimes create many legal, technical, and social challenges.

1. Difficulty in Identification

Cyber criminals can hide their identity using:

- VPNs
- Fake accounts
- Encryption
- Anonymous networks

2. Jurisdiction Issues

Cyber crimes often cross international borders.

Example:

- Attacker in one country
- Victim in another country
- Server in a third country

This creates legal complications.

3. Lack of Evidence

Digital evidence can:

- Be deleted easily
- Be modified quickly
- Require technical expertise to recover

4. Rapid Technological Changes

Technology evolves faster than laws and regulations.

New cyber threats appear continuously.

5. Underreporting of Cyber Crimes

Victims may avoid reporting incidents due to:

- Fear of reputation damage
- Financial concerns
- Lack of awareness

6. Low Awareness Among Users

Many users lack knowledge about:

- Safe browsing
- Password security
- Phishing attacks
- Data protection

7. Complexity of Investigation

Cyber crime investigations require:

- Technical expertise
- Specialized tools
- Digital forensics
- International cooperation

8. Cost of Security

Organizations spend large amounts on:

- Firewalls
- Antivirus software
- Monitoring systems

- Security training

9. Privacy vs Security Issues

Balancing:

- User privacy
- Government surveillance
- Organizational monitoring

is often difficult.

8. Indian IT Act 2000

Introduction

The Information Technology Act, 2000 is the primary law governing cyber activities and cyber crimes in India.

Objectives of the IT Act

- Legal recognition of electronic records
- Promotion of e-commerce
- Prevention of cyber crimes
- Regulation of digital signatures

Important Features

- Recognition of electronic contracts
- Regulation of certifying authorities
- Cyber crime penalties
- Digital signature framework

Important Sections

Section 43

Penalty for unauthorized access and damage to computer systems.

Section 65

Tampering with computer source documents.

Section 66

Punishment for hacking and computer-related offenses.

Section 66C

Identity theft offenses.

Section 66D

Cheating by personation using computer resources.

Section 67

Publishing obscene material electronically.

Section 69

Government powers for monitoring and interception.

Advantages of the IT Act

- Supports digital transactions
- Encourages e-governance
- Provides legal framework for cyber security

Limitations of the IT Act

- Rapid technological changes
- Jurisdiction challenges
- Difficulty in enforcement

Information Technology Act, 2000

The primary cyber law in India.

Key Objectives

- Legal recognition of electronic records
- Regulation of cyber crimes
- Digital signatures
- Data protection provisions

Important Sections

- Section 43: Damage to computer systems
- Section 66: Hacking offenses
- Section 67: Publishing obscene material online

9. Introduction to Incident Response

What is Incident Response?

Incident Response (IR) is a systematic approach used to identify, manage, investigate, and recover from cyber security incidents.

The goal of incident response is to:

- Minimize damage
- Reduce recovery time
- Prevent future incidents
- Protect organizational assets

Objectives of Incident Response

- Detect cyber incidents quickly
- Contain threats effectively
- Recover affected systems
- Preserve digital evidence
- Improve security posture

Phases of Incident Response

1. Preparation

Organizations prepare for possible cyber attacks by:

- Creating security policies
- Training employees
- Installing security tools
- Forming incident response teams

2. Identification

Detecting and determining whether an incident has occurred.

3. Containment

Limiting the spread and impact of the attack.

4. Eradication

Removing malware, vulnerabilities, or attackers from systems.

5. Recovery

Restoring systems and services to normal operation.

6. Lessons Learned

Analyzing the incident and improving future security measures.

14. Digital Forensics

Definition

Digital forensics is the process of collecting, preserving, analyzing, and presenting digital evidence in a legally acceptable manner.

Objectives of Digital Forensics

- Identify cyber criminals
- Recover deleted data
- Investigate cyber incidents
- Present evidence in court

Types of Digital Forensics

1. Computer Forensics

Investigation of computer systems and storage devices.

2. Network Forensics

Monitoring and analyzing network traffic.

3. Mobile Forensics

Investigation of smartphones and mobile devices.

4. Database Forensics

Analysis of databases and related logs.

5. Cloud Forensics

Investigation of cloud-based systems.

Steps in Digital Forensics

1. Identification
2. Preservation
3. Collection
4. Examination
5. Analysis
6. Documentation
7. Presentation

Challenges in Digital Forensics

- Encryption
- Large data volumes
- Cloud computing
- Anti-forensic techniques
- Legal issues

15. Computer Language

Definition

Computer language refers to the language used to communicate instructions to computers.

Types of Computer Languages

1. Machine Language

- Lowest-level language
- Uses binary digits (0 and 1)
- Directly understood by the computer

2. Assembly Language

- Uses symbolic instructions
- Requires an assembler

3. High-Level Language

Easy for humans to understand.

Examples

- C
- C++
- Java
- Python

Importance in Cyber Security

Knowledge of programming helps in:

- Understanding malware
- Identifying vulnerabilities
- Secure software development
- Ethical hacking

16. Network Language

Definition

Network language refers to communication protocols and standards used by computers to exchange data over networks.

Common Network Protocols

HTTP/HTTPS

Used for web communication.

TCP/IP

Foundation protocol suite of the internet.

FTP

Used for file transfer.

SMTP

Used for sending emails.

DNS

Translates domain names into IP addresses.

Importance of Network Language in Cyber Crime

Cyber criminals exploit network protocols to:

- Intercept communication
- Launch attacks

- Spread malware
- Steal data

17. Realms of the Cyber World

The cyber world can be divided into different realms.

1. Surface Web

- Publicly accessible websites
- Indexed by search engines

Examples

- News websites
- Educational portals
- Social media

2. Deep Web

- Content not indexed by search engines
- Requires authentication

Examples

- Online banking
- Private databases
- Academic records

3. Dark Web

- Hidden part of the internet
- Requires special software such as Tor
- Often associated with illegal activities

Examples of Illegal Activities

- Drug trafficking
- Illegal marketplaces
- Data trading

18. A Brief History of the Internet

Early Development

1960s

Development of ARPANET by the U.S. Department of Defense.

1970s

Introduction of TCP/IP protocols.

1980s

Expansion of academic and research networks.

1990s

Creation of the World Wide Web by Tim Berners-Lee.

2000s

Rapid growth of e-commerce, social media, and cloud computing.

Present Era

- Artificial Intelligence
- Internet of Things (IoT)
- 5G communication
- Cloud services

Impact of the Internet

Positive Effects

- Global communication
- Online education
- E-commerce
- Digital banking

Negative Effects

- Cyber crime
- Privacy concerns
- Online fraud
- Addiction

19. Recognizing and Defining Computer Crime

Definition

Computer crime refers to illegal activities involving computers, networks, or digital systems.

Characteristics of Computer Crime

- Technology-based
- Difficult to detect
- Can be committed remotely
- Often anonymous

Components of Computer Crime

- Offender
- Victim
- Digital device
- Criminal intention

Examples

- Hacking
- Data theft
- Online fraud
- Malware distribution

20. Contemporary Crimes

Contemporary cyber crimes are modern crimes emerging due to technological advancement.

Examples

1. Cryptocurrency Fraud

Scams involving digital currencies.

2. Social Media Crimes

Fake profiles, online harassment, misinformation.

3. Online Banking Fraud

Unauthorized financial transactions.

4. AI-Based Cyber Attacks

Use of artificial intelligence to automate attacks.

5. Deepfake Technology Misuse

Creating fake videos or audio for fraud or misinformation.

6. Cyber Espionage

Stealing confidential government or corporate information.

21. Computers as Targets

In many cyber crimes, computers themselves become the target.

Examples

- Malware infection
- Ransomware attacks
- Denial of Service attacks
- Data destruction
- Website defacement

Objectives of Attacking Computers

- Steal information
- Disrupt services
- Damage systems
- Demand ransom

Protection Measures

- Antivirus software
- Firewalls
- Regular updates
- Backup systems
- Intrusion detection systems

22. Contaminants and Destruction of Data

Definition

Contaminants are malicious programs or unwanted software that damage systems or corrupt data.

Types of Contaminants

1. Virus

Attaches itself to files and spreads.

2. Worm

Self-replicating malware spreading across networks.

3. Trojan Horse

Malware disguised as legitimate software.

4. Logic Bomb

Malicious code triggered under specific conditions.

5. Spyware

Secretly collects user information.

Destruction of Data

Cyber criminals may:

- Delete files
- Corrupt databases
- Encrypt data
- Modify records

Consequences

- Financial losses
- Loss of trust
- Business interruption
- Legal problems

23. Firewalls and Packet Filters

Firewall

A firewall is a security system that monitors and controls incoming and outgoing network traffic based on predefined security rules.

Objectives of Firewalls

- Prevent unauthorized access
- Protect internal networks
- Monitor traffic
- Block malicious activities

Types of Firewalls

1. Hardware Firewall

Installed as a physical device between network and internet.

2. Software Firewall

Installed on computers or servers.

3. Network Firewall

Protects an entire network.

4. Host-Based Firewall

Protects a specific device.

Packet Filters

Packet filtering examines network packets and allows or blocks them based on rules.

Filtering Criteria

- IP address
- Port number
- Protocol type

Advantages

- Improves network security
- Prevents unauthorized communication
- Reduces attack risks

24. Password Cracking

Definition

Password cracking is the process of recovering or guessing passwords to gain unauthorized access.

Methods of Password Cracking

1. Brute Force Attack

Trying all possible password combinations.

2. Dictionary Attack

Using a list of common passwords.

3. Rainbow Table Attack

Using precomputed password hashes.

4. Social Engineering

Manipulating users into revealing passwords.

Prevention

- Strong passwords
- Multi-factor authentication
- Password managers
- Account lockout policies

25. Keyloggers and Spyware

Keylogger

A keylogger is software or hardware that records keyboard activity secretly.

Objectives

- Steal passwords
- Capture confidential information
- Monitor user activities

Spyware

Spyware is malicious software that secretly collects user information.

Effects

- Privacy invasion
- Data theft
- Slow system performance

Prevention

- Antivirus software
- Avoid suspicious downloads
- Regular updates

26. Virus and Worms

Virus

A virus is a malicious program that attaches itself to files and spreads when executed.

Characteristics of Virus

- Requires host file
- Replicates itself
- Can corrupt data

Worm

A worm is self-replicating malware that spreads across networks without user action.

Difference Between Virus and Worm

Virus	Worm
Requires host file	Independent program
Needs user action	Spreads automatically
Slower spread	Faster spread

27. Trojan and Backdoors

Trojan Horse

A Trojan is malware disguised as legitimate software.

Effects

- Data theft
- Remote access
- Installation of malware

Backdoor

A backdoor is a hidden method of bypassing authentication to gain system access.

Risks

- Unauthorized access
- Remote control of systems
- Data compromise

28. Steganography

Definition

Steganography is the practice of hiding secret information within another file such as images, audio, or video.

Types

- Text steganography
- Image steganography
- Audio steganography
- Video steganography

Applications

- Secure communication
- Digital watermarking
- Information hiding

Misuse

Cyber criminals may hide malware or secret messages using steganography.

29. DoS and DDoS Attacks

DoS Attack

Denial of Service attack attempts to make a system or service unavailable.

DDoS Attack

Distributed Denial of Service attack uses multiple systems to flood a target.

Effects

- Website downtime
- Network congestion
- Financial losses

Prevention

- Firewalls
- Traffic filtering
- Intrusion detection systems
- Load balancing

30. SQL Injection

Definition

SQL Injection is a web attack where malicious SQL commands are inserted into application queries.

Objectives

- Access databases
- Modify data
- Delete records
- Bypass authentication

Prevention

- Input validation
- Parameterized queries
- Secure coding practices

31. Buffer Overflow

Definition

Buffer overflow occurs when a program writes more data into memory than allocated.

Effects

- Program crashes
- System compromise
- Execution of malicious code

Prevention

- Bounds checking
- Secure programming
- Memory protection mechanisms

32. Attacks on Wireless Networks

Definition

Wireless network attacks target Wi-Fi and wireless communication systems.

Common Wireless Attacks

1. Eavesdropping

Intercepting wireless communication.

2. Rogue Access Point

Fake Wi-Fi access point created by attackers.

3. Packet Sniffing

Capturing network packets.

4. Wi-Fi Password Cracking

Breaking wireless passwords.

5. Man-in-the-Middle Attack

Intercepting communication between users and networks.

Prevention

- Strong Wi-Fi passwords
- WPA3 encryption
- Disable unused wireless services
- Use VPNs
- Regular firmware updates

Parul[®] University | **NAAC** **A++**
Vadodara, Gujarat | **GRADE**



<https://paruluniversity.ac.in/>