Using LTX 2 in WAN2GP for Audio-Controlled AI Videos

When you open WAN2GP, you'll see a blue interface. Here's your initial setup:


Step 1: Select the Model

- Click the model dropdown at the top
- Select LTX 2

Step 2: Choose the Version

- On the right side, you'll see "Dev 19B"
- Next to that, you'll see a setting currently on "Default"
- Change it from Default to **Distilled** for faster results

Default uses a larger version of LTX 2, but Distilled provides the fastest generation with the quicker results.



LTX 2 Generation Options

LTX 2 offers four different generation modes:

1. **Image to video with audio** (LTX generates the audio)
2. **Text to video with audio input** (you provide the audio)
3. **Image to video** (LTX generates audio from your prompt)
4. **Text to video** (LTX generates audio from your prompt)

Recommended Modes

The best options are **image to video** and **text to video** with your own input audio.

Why these modes are superior:

You control the exact audio being used. This is a massive advantage over tools like Veo 3 and Kling, which force you to use their generated audio and then voice change it later.

With LTX 2, you simply input your pre-made audio. The model generates video with perfect lip sync matching your audio file.

This is the real strength of open source models and LTX 2 specifically.

Configuration Options

Quality Settings:

- Range from 480p to 1080p
- Select based on your needs and GPU capacity

Aspect Ratios:

- Multiple options available
- Choose what fits your content format

Video Length:

- Up to 30 seconds maximum
- Significant creative flexibility

Generation Speed:

Speed depends entirely on the GPU you selected in RunPod. Better GPUs generate videos faster.

LTX 2 Compared to Other Models

LTX 2 is very similar to Veo 3 and Kling 2.6 in capability. Sometimes it performs even better.

Key advantages:

- Up to 30 second videos
- Audio input control
- Open source and free to use
- Good motion quality

Creating Prompts for LTX 2

Prompting Approaches

You can use either the Veo 3 or Sora 2 Claude prompting projects to create your LTX 2 prompts.

Testing recommendation:

LTX 2 prompting is most similar to Sora 2 prompting, so start with that guide. However, results vary by use case, so test both approaches to see what works best for your specific content.

Text to Video

For standard text to video generation without audio input, use your Claude prompting projects to create detailed prompts. You may need to adjust and experiment, but the Sora 2 style generally works well.

The Audio to Video Feature (Main Strength)

The audio to video capability is where LTX 2 truly excels. This is the primary reason to use LTX 2 instead of Veo 3 or Sora 2.

Why this matters:

You control the exact audio being spoken. No need to generate, then voice change, then hope it sounds natural.

Quality Enhancement Workflow

The Quality Issue

LTX 2 videos sometimes come out looking lower quality or dated, like videos from 2017 or 2018.

The Fix: Kling Motion Control Enhancement

Process:

1. Take your LTX 2 generated video
2. Take your original starting image (or upscale it with Nano Banana Pro)
3. Run both through Kling Motion Control
4. Get a much higher quality output

How it works:

Kling Motion Control transfers the motion from your LTX 2 video to your high quality starting frame, resulting in significantly improved visual quality.

Yes, it's an extra step. But the quality improvement is worth the effort.

Generating Your Audio

Use the techniques covered in the audio module:

Option 1: ElevenLabs Text-to-Speech Create custom voices using the ElevenLabs TTS method

Option 2: MiniMax Generate natural sounding audio

Critical requirement:

Make sure your audio suits the environment of your text prompt or starting frame image. The voice should sound like it belongs in the scene you're creating.

Step by Step Generation Process

Using Audio Input Mode

Step 1: Prepare Your Audio


- Generate using ElevenLabs or MiniMax
- Ensure it matches your scene environment
- Keep it under 30 seconds

Step 2: Configure Control Video Process

- Select "Generate Video based on Soundtrack and Text Prompt"
- This tells LTX 2 to sync video to your audio

Step 3: Upload Your Audio

- Attach your audio file in the Audio Prompt section
- The interface will display the waveform



Step 4: Add Your Prompt or Image


- Include detailed text prompt describing the scene
- Or upload a starting frame image

Step 5: Generate

- Click generate
- Monitor progress in the preview section

Monitoring Generation

You can confirm your videos are processing by watching the preview section. It shows generation progress in real time.



Example Results

Text + Audio to Video Example

https://drive.google.com/drive/folders/1QCAsN_LMt1xmdnxhkHBCaK2h48owyUFu?usp=drive_link

This shows LTX 2 generating video based on text prompt plus custom audio input.

Image + Audio to Video Examples

https://drive.google.com/drive/folders/1OjypaJee87MdHoXaKNKVwTv6jdM2sK89?usp=drive_link

Two examples included:

1. **Before Kling Motion Control:** Direct LTX 2 output (lower quality, dated look)
2. **After Kling Motion Control:** Enhanced version with significantly improved visual quality

The difference is dramatic. The before version looks low quality but good movement . The after version looks current and professional.

Advanced Tip: Improving Lip Sync Accuracy

If you notice lip sync issues or the speech looks too fast, use this technique:

Write out the exact dialogue in your text prompt even though you're attaching audio.

Process:

1. Create your audio file
2. Write a text prompt describing the scene
3. In that prompt, include the exact words being spoken in the audio
4. Attach both the text prompt and audio file

Why this works:

You're giving LTX 2 two sources of information about what should be said. This extra layer helps the model understand timing and produce better lip sync.

This small addition significantly improves consistency and accuracy.

Configuration Settings Summary

Quality: Select from 480p to 1080p based on needs

Aspect Ratio: Choose format matching your content

Length: Up to 30 seconds

Model Version: Use Distilled (not Default) for best speed and results

Control Video Process: Set to "Generate Video based on Soundtrack" when using audio input

When to Use LTX 2

Best use cases:

- When you need precise audio control
- Longer videos (up to 30 seconds)
- Free/low cost generation via open source
- Testing concepts without credit costs
- Building consistent character content

When to use other tools:

- If you need immediate high quality without post processing
- When you don't want to do the Kling Motion Control enhancement step

Workflow Recap

1. Generate your audio (ElevenLabs or MiniMax)
2. Create starting frame with Nano Banana Pro (or use text prompt)
3. Configure LTX 2 in WAN2GP (select Distilled version)
4. Set quality, aspect ratio, and length
5. Select "Generate Video based on Soundtrack"
6. Upload audio and starting frame/prompt
7. Optional: Include exact dialogue in text prompt for better lip sync
8. Generate
9. Take output through Kling Motion Control with original high quality frame
10. Get final enhanced video

Important Notes

LTX 2 just released recently, so this guide will be updated as new discoveries are made about the model's capabilities and best practices.

The key advantage:

Open source models through WAN2GP give you massive control over your workflow. Audio input is a game changer that eliminates the need for voice changing and gives you precise control over what's being said.

Keep experimenting with the settings. The flexibility is the point.